# MSeg_endcap_avg_dR



rank 17 / 98  by endcap / ht40 / D_equal

identical columns dropped in favour of this one:
    MSeg_endcap_avg_dR_raw

constant (no page) in: barrel/all, barrel/ht40

| region | selection | D_equal | D_pooled | 125/15 | 125/55 | 200/50 | 400/100 | 600/150 | 1000/275 | n_bkg |
|---|---|---|---|---|---|---|---|---|---|---|
| endcap | all | 0.462 | 0.541 | 0.235 | 0.457 | 0.369 | 0.532 | 0.577 | 0.667 | 34,970 |
| endcap | ht40 | nan | nan | nan | nan | nan | nan | nan | nan | 0 |
| endcap | bkg split | nan | below 34,970 / above 0 | | | | | | | |
| barrel | all | nan | nan | nan | nan | nan | nan | nan | nan | 1,089 |
| barrel | ht40 | nan | nan | nan | nan | nan | nan | nan | nan | 0 |
| barrel | bkg split | nan | below 1,089 / above 0 | | | | | | | |
| all | all | 0.291 | 0.307 | 0.249 | 0.305 | 0.265 | 0.319 | 0.328 | 0.386 | 36,059 |
| all | ht40 | nan | nan | nan | nan | nan | nan | nan | nan | 0 |
| all | bkg split | nan | below 36,059 / above 0 | | | | | | | |


selections: all = every event;  ht40 = htmiss_NOSYS >= 40 GeV, signal and background
pages: per region -> [all] 2x2, [ht40] 2x2, [background below vs above] 1x2

# MSeg_endcap_avg_dR


region: ENDCAP · selection: all (every event) · rank 17 / 98

D_equal 0.462 D_pooled 0.541 min 0.235 (mH125_mS15) max 0.667 (mH1000_mS275) bkg n = 34,970 sig n = 9,996


each mass point vs background · raw





each mass point vs background · normalized




combined signal vs background · raw




combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

# MSeg_endcap_avg_dR


region: ENDCAP · selection: ht40 (htmiss_NOSYS >= 40 GeV, signal and background) · rank 17 / 98

D_equal nan  D_pooled nan  bkg n = 0  sig n = 9,996


each mass point vs background · raw





each mass point vs background · normalized




combined signal vs background · raw




combined signal vs background · normalized






edge bins include under/overflow · NaN and -999 removed

# MSeg_endcap_avg_dR

region: ENDCAP · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 17 / 98

D(below vs above) nan  n below = 34,970  n above = 0  large D = background shape changes across the cut








# MSeg_endcap_avg_dR

region: BARREL · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 17 / 98

D(below vs above) nan  n below = 1,089  n above = 0  large D = background shape changes across the cut







# MSeg_endcap_avg_dR


region: ALL · selection: all (every event) · rank 17 / 98

D_equal 0.291 D_pooled 0.307 min 0.249 (mH125_mS15) max 0.386 (mH1000_mS275) bkg n = 36,059 sig n = 14,983


each mass point vs background · raw





each mass point vs background · normalized




combined signal vs background · raw




combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

# MSeg_endcap_avg_dR


region: ALL · selection: ht40 (htmiss_NOSYS >= 40 GeV, signal and background) · rank 17 / 98

D_equal nan  D_pooled nan  bkg n = 0  sig n = 14,983


each mass point vs background · raw





each mass point vs background · normalized




combined signal vs background · raw




combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

# MSeg_endcap_avg_dR

region: ALL · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 17 / 98

D(below vs above) nan  n below = 36,059  n above = 0  large D = background shape changes across the cut

background below vs at/above · raw




background below vs at/above · normalized

