msegUnAssoc_counts/nEML

overview · all regions and selections · rank 34 / 98

rank 34 / 98 by endcap / ht40 / D_equal

region	selection	D_equal	D_pooled	125/15	125/55	200/50	400/100	600/150	1000/275	n_bkg
endcap	all	0.187	0.247	0.157	0.149	0.100	0.234	0.258	0.360	34,970
endcap	ht40	nan	nan	nan	nan	nan	nan	nan	nan	0
endcap	bkg split	nan	below 34,970 / above 0							
barrel	all	0.858	0.843	0.890	0.866	0.894	0.851	0.840	0.821	1,089
barrel	ht40	nan	nan	nan	nan	nan	nan	nan	nan	0
barrel	bkg split	nan	below 1,089 / above 0							
all	all	0.311	0.317	0.328	0.340	0.293	0.287	0.342	0.333	36,059
all	ht40	nan	nan	nan	nan	nan	nan	nan	nan	0
all	bkg split	nan	below 36,059 / above 0							


selections: all = every event; ht40 = htmiss_NOSYS >= 40 GeV, signal and background
pages: per region -> [all] 2x2, [ht40] 2x2, [background below vs above] 1x2

msegUnAssoc_counts/nEML


region: ENDCAP · selection: all (every event) · rank 34 / 98

D_equal 0.187 D_pooled 0.247 min 0.100 (mH200_mS50) max 0.360 (mH1000_mS275) bkg n = 34,970 sig n = 9,996


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

msegUnAssoc_counts/nEML


region: ENDCAP · selection: ht40 (htmiss_NOSYS >= 40 GeV, signal and background) · rank 34 / 98

D_equal nan D_pooled nan bkg n = 0 sig n = 9,996


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

msegUnAssoc_counts/nEML

region: ENDCAP · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 34 / 98

D(below vs above) nan n below = 34,970 n above = 0 large D = background shape changes across the cut






msegUnAssoc_counts/nEML


region: BARREL · selection: all (every event) · rank 34 / 98

D_equal 0.858 D_pooled 0.843 min 0.821 (mH1000_mS275) max 0.894 (mH200_mS50) bkg n = 1,089 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

msegUnAssoc_counts/nEML


region: BARREL · selection: ht40 (htmiss_NOSYS >= 40 GeV, signal and background) · rank 34 / 98

D_equal nan D_pooled nan bkg n = 0 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

msegUnAssoc_counts/nEML

region: BARREL · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 34 / 98

D(below vs above) nan n below = 1,089 n above = 0 large D = background shape changes across the cut






msegUnAssoc_counts/nEML


region: ALL · selection: all (every event) · rank 34 / 98

D_equal 0.311 D_pooled 0.317 min 0.287 (mH400_mS100) max 0.342 (mH600_mS150) bkg n = 36,059 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

msegUnAssoc_counts/nEML


region: ALL · selection: ht40 (htmiss_NOSYS >= 40 GeV, signal and background) · rank 34 / 98

D_equal nan D_pooled nan bkg n = 0 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized



edge bins include under/overflow · NaN and -999 removed

msegUnAssoc_counts/nEML

region: ALL · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 34 / 98

D(below vs above) nan n below = 36,059 n above = 0 large D = background shape changes across the cut

