# mseg_counts/nBOL

overview · all regions and selections · rank 38 / 98



rank 38 / 98  by endcap / ht40 / D_equal

| region | selection | D_equal | D_pooled | 125/15 | 125/55 | 200/50 | 400/100 | 600/150 | 1000/275 | n_bkg |
|---|---|---|---|---|---|---|---|---|---|---|
| endcap | all | 0.057 | 0.096 | 0.009 | 0.017 | 0.015 | 0.068 | 0.111 | 0.163 | 34,970 |
| endcap | ht40 | nan | nan | nan | nan | nan | nan | nan | nan | 0 |
| endcap | bkg split | nan | below 34,970 / above 0 | | | | | | | |
| barrel | all | 0.132 | 0.132 | 0.111 | 0.141 | 0.181 | 0.154 | 0.121 | 0.117 | 1,089 |
| barrel | ht40 | nan | nan | nan | nan | nan | nan | nan | nan | 0 |
| barrel | bkg split | nan | below 1,089 / above 0 | | | | | | | |
| all | all | 0.252 | 0.284 | 0.179 | 0.226 | 0.215 | 0.246 | 0.308 | 0.339 | 36,059 |
| all | ht40 | nan | nan | nan | nan | nan | nan | nan | nan | 0 |
| all | bkg split | nan | below 36,059 / above 0 | | | | | | | |


selections: all = every event;  ht40 = htmiss_NOSYS >= 40 GeV, signal and background
pages: per region -> [all] 2x2, [ht40] 2x2, [background below vs above] 1x2

# mseg_counts/nBOL


region: ENDCAP · selection: all (every event) · rank 38 / 98

D_equal 0.057 D_pooled 0.096 min 0.009 (mH125_mS15) max 0.163 (mH1000_mS275) bkg n = 34,970 sig n = 9,996


each mass point vs background · raw





each mass point vs background · normalized




combined signal vs background · raw




combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

# mseg_counts/nBOL


region: ENDCAP · selection: ht40 (htmiss_NOSYS >= 40 GeV, signal and background) · rank 38 / 98

D_equal nan  D_pooled nan  bkg n = 0  sig n = 9,996


each mass point vs background · raw





each mass point vs background · normalized




combined signal vs background · raw




combined signal vs background · normalized






edge bins include under/overflow · NaN and -999 removed

# mseg_counts/nBOL

region: ENDCAP · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 38 / 98

D(below vs above) nan  n below = 34,970  n above = 0  large D = background shape changes across the cut









# mseg_counts/nBOL


region: BARREL · selection: all (every event) · rank 38 / 98

D_equal 0.132  D_pooled 0.132  min 0.111 (mH125_mS15)  max 0.181 (mH200_mS50)  bkg n = 1,089  sig n = 4,987









edge bins include under/overflow · NaN and -999 removed


# mseg_counts/nBOL


region: BARREL · selection: ht40 (htmiss_NOSYS >= 40 GeV, signal and background) · rank 38 / 98

D_equal nan  D_pooled nan  bkg n = 0  sig n = 4,987









edge bins include under/overflow · NaN and -999 removed

# mseg_counts/nBOL

region: BARREL · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 38 / 98

D(below vs above) nan  n below = 1,089  n above = 0  large D = background shape changes across the cut







# mseg_counts/nBOL


region: ALL · selection: all (every event) · rank 38 / 98

D_equal 0.252 D_pooled 0.284 min 0.179 (mH125_mS15) max 0.339 (mH1000_mS275) bkg n = 36,059 sig n = 14,983


each mass point vs background · raw





each mass point vs background · normalized




combined signal vs background · raw




combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

# mseg_counts/nBOL


region: ALL · selection: ht40 (htmiss_NOSYS >= 40 GeV, signal and background) · rank 38 / 98

D_equal nan  D_pooled nan  bkg n = 0  sig n = 14,983


each mass point vs background · raw





each mass point vs background · normalized




combined signal vs background · raw




combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

# mseg_counts/nBOL

region: ALL · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 38 / 98

D(below vs above) nan  n below = 36,059  n above = 0  large D = background shape changes across the cut

