# mseg_counts/nEOL

overview · all regions and selections · rank 41 / 98



rank 41 / 98  by endcap / ht40 / D_equal

| region | selection | D_equal | D_pooled | 125/15 | 125/55 | 200/50 | 400/100 | 600/150 | 1000/275 | n_bkg |
|---|---|---|---|---|---|---|---|---|---|---|
| endcap | all | 0.052 | 0.074 | 0.026 | 0.018 | 0.050 | 0.061 | 0.079 | 0.109 | 34,970 |
| endcap | ht40 | nan | nan | nan | nan | nan | nan | nan | nan | 0 |
| endcap | bkg split | nan | below 34,970 / above 0 | | | | | | | |
| barrel | all | 0.027 | 0.023 | 0.046 | 0.024 | 0.050 | 0.030 | 0.030 | 0.051 | 1,089 |
| barrel | ht40 | nan | nan | nan | nan | nan | nan | nan | nan | 0 |
| barrel | bkg split | nan | below 1,089 / above 0 | | | | | | | |
| all | all | 0.102 | 0.090 | 0.112 | 0.144 | 0.109 | 0.084 | 0.091 | 0.090 | 36,059 |
| all | ht40 | nan | nan | nan | nan | nan | nan | nan | nan | 0 |
| all | bkg split | nan | below 36,059 / above 0 | | | | | | | |


selections: all = every event;  ht40 = htmiss_NOSYS >= 40 GeV, signal and background
pages: per region -> [all] 2x2, [ht40] 2x2, [background below vs above] 1x2

# mseg_counts/nEOL


region: ENDCAP · selection: all (every event) · rank 41 / 98

D_equal 0.052 D_pooled 0.074 min 0.018 (mH125_mS55) max 0.109 (mH1000_mS275) bkg n = 34,970 sig n = 9,996


each mass point vs background · raw





each mass point vs background · normalized




combined signal vs background · raw




combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

# mseg_counts/nEOL


region: ENDCAP · selection: ht40 (htmiss_NOSYS >= 40 GeV, signal and background) · rank 41 / 98

D_equal nan  D_pooled nan  bkg n = 0  sig n = 9,996


each mass point vs background · raw





each mass point vs background · normalized




combined signal vs background · raw




combined signal vs background · normalized






edge bins include under/overflow · NaN and -999 removed

# mseg_counts/nEOL

region: ENDCAP · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 41 / 98

D(below vs above) nan  n below = 34,970  n above = 0  large D = background shape changes across the cut









# mseg_counts/nEOL


region: BARREL · selection: all (every event) · rank 41 / 98

D_equal 0.027 D_pooled 0.023 min 0.024 (mH125_mS55) max 0.051 (mH1000_mS275) bkg n = 1,089 sig n = 4,987









edge bins include under/overflow · NaN and -999 removed


# mseg_counts/nEOL


region: BARREL · selection: ht40 (htmiss_NOSYS >= 40 GeV, signal and background) · rank 41 / 98

D_equal nan  D_pooled nan  bkg n = 0  sig n = 4,987









edge bins include under/overflow · NaN and -999 removed

# mseg_counts/nEOL

region: BARREL · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 41 / 98

D(below vs above) nan  n below = 1,089  n above = 0  large D = background shape changes across the cut







# mseg_counts/nEOL


region: ALL · selection: all (every event) · rank 41 / 98

D_equal 0.102 D_pooled 0.090 min 0.084 (mH400_mS100) max 0.144 (mH125_mS55) bkg n = 36,059 sig n = 14,983


each mass point vs background · raw





each mass point vs background · normalized




combined signal vs background · raw




combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

# mseg_counts/nEOL


region: ALL · selection: ht40 (htmiss_NOSYS >= 40 GeV, signal and background) · rank 41 / 98

D_equal nan  D_pooled nan  bkg n = 0  sig n = 14,983


each mass point vs background · raw





each mass point vs background · normalized




combined signal vs background · raw




combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

# mseg_counts/nEOL

region: ALL · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 41 / 98

D(below vs above) nan  n below = 36,059  n above = 0  large D = background shape changes across the cut

