msvtx_nMDTOuterStation

overview · all regions and selections · rank 66 / 98

rank 66 / 98 by endcap / ht40 / D_equal

region	selection	D_equal	D_pooled	125/15	125/55	200/50	400/100	600/150	1000/275	n_bkg
endcap	all	0.583	0.636	0.576	0.465	0.545	0.631	0.669	0.686	34,970
endcap	ht40	nan	nan	nan	nan	nan	nan	nan	nan	0
endcap	bkg split	nan	below 34,970 / above 0							
barrel	all	0.414	0.565	0.080	0.334	0.297	0.525	0.629	0.710	1,089
barrel	ht40	nan	nan	nan	nan	nan	nan	nan	nan	0
barrel	bkg split	nan	below 1,089 / above 0							
all	all	0.465	0.543	0.391	0.326	0.394	0.519	0.582	0.634	36,059
all	ht40	nan	nan	nan	nan	nan	nan	nan	nan	0
all	bkg split	nan	below 36,059 / above 0							


selections: all = every event; ht40 = htmiss_NOSYS >= 40 GeV, signal and background
pages: per region -> [all] 2x2, [ht40] 2x2, [background below vs above] 1x2

msvtx_nMDTOuterStation


region: ENDCAP · selection: all (every event) · rank 66 / 98

D_equal 0.583 D_pooled 0.636 min 0.465 (mH125_mS55) max 0.686 (mH1000_mS275) bkg n = 34,970 sig n = 9,996


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

msvtx_nMDTOuterStation


region: ENDCAP · selection: ht40 (htmiss_NOSYS >= 40 GeV, signal and background) · rank 66 / 98

D_equal nan D_pooled nan bkg n = 0 sig n = 9,996


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

msvtx_nMDTOuterStation

region: ENDCAP · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 66 / 98

D(below vs above) nan n below = 34,970 n above = 0 large D = background shape changes across the cut






msvtx_nMDTOuterStation


region: BARREL · selection: all (every event) · rank 66 / 98

D_equal 0.414 D_pooled 0.565 min 0.080 (mH125_mS15) max 0.710 (mH1000_mS275) bkg n = 1,089 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

msvtx_nMDTOuterStation


region: BARREL · selection: ht40 (htmiss_NOSYS >= 40 GeV, signal and background) · rank 66 / 98

D_equal nan D_pooled nan bkg n = 0 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

msvtx_nMDTOuterStation

region: BARREL · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 66 / 98

D(below vs above) nan n below = 1,089 n above = 0 large D = background shape changes across the cut






msvtx_nMDTOuterStation


region: ALL · selection: all (every event) · rank 66 / 98

D_equal 0.465 D_pooled 0.543 min 0.326 (mH125_mS55) max 0.634 (mH1000_mS275) bkg n = 36,059 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

msvtx_nMDTOuterStation


region: ALL · selection: ht40 (htmiss_NOSYS >= 40 GeV, signal and background) · rank 66 / 98

D_equal nan D_pooled nan bkg n = 0 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized



edge bins include under/overflow · NaN and -999 removed

msvtx_nMDTOuterStation

region: ALL · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 66 / 98

D(below vs above) nan n below = 36,059 n above = 0 large D = background shape changes across the cut

