msvtx_nRPC

overview · all regions and selections · rank 67 / 98

rank 67 / 98 by endcap / ht40 / D_equal


region	selection	D_equal	D_pooled	125/15	125/55	200/50	400/100	600/150	1000/275	n_bkg
endcap	all	0.134	0.181	0.077	0.051	0.076	0.147	0.244	0.225	34,970
endcap	ht40	nan	nan	nan	nan	nan	nan	nan	nan	0
endcap	bkg split	nan	below 34,970 / above 0							
barrel	all	0.725	0.787	0.647	0.734	0.716	0.792	0.809	0.850	1,089
barrel	ht40	nan	nan	nan	nan	nan	nan	nan	nan	0
barrel	bkg split	nan	below 1,089 / above 0							
all	all	0.374	0.417	0.303	0.335	0.311	0.367	0.476	0.465	36,059
all	ht40	nan	nan	nan	nan	nan	nan	nan	nan	0
all	bkg split	nan	below 36,059 / above 0							


selections: all = every event; ht40 = htmiss_NOSYS >= 40 GeV, signal and background
pages: per region -> [all] 2x2, [ht40] 2x2, [background below vs above] 1x2


msvtx_nRPC


region: ENDCAP · selection: all (every event) · rank 67 / 98

D_equal 0.134 D_pooled 0.181 min 0.051 (mH125_mS55) max 0.244 (mH600_mS150) bkg n = 34,970 sig n = 9,996










edge bins include under/overflow · NaN and -999 removed

msvtx_nRPC


region: ENDCAP · selection: ht40 (htmiss_NOSYS >= 40 GeV, signal and background) · rank 67 / 98

D_equal nan D_pooled nan bkg n = 0 sig n = 9,996


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

msvtx_nRPC

region: ENDCAP · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 67 / 98

D(below vs above) nan n below = 34,970 n above = 0 large D = background shape changes across the cut






msvtx_nRPC


region: BARREL · selection: all (every event) · rank 67 / 98

D_equal 0.725 D_pooled 0.787 min 0.647 (mH125_mS15) max 0.850 (mH1000_mS275) bkg n = 1,089 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

msvtx_nRPC


region: BARREL · selection: ht40 (htmiss_NOSYS >= 40 GeV, signal and background) · rank 67 / 98

D_equal nan D_pooled nan bkg n = 0 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

msvtx_nRPC

region: BARREL · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 67 / 98

D(below vs above) nan n below = 1,089 n above = 0 large D = background shape changes across the cut






msvtx_nRPC


region: ALL · selection: all (every event) · rank 67 / 98

D_equal 0.374 D_pooled 0.417 min 0.303 (mH125_mS15) max 0.476 (mH600_mS150) bkg n = 36,059 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed


msvtx_nRPC


region: ALL · selection: ht40 (htmiss_NOSYS >= 40 GeV, signal and background) · rank 67 / 98

D_equal nan D_pooled nan bkg n = 0 sig n = 14,983









edge bins include under/overflow · NaN and -999 removed

msvtx_nRPC

region: ALL · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 67 / 98

D(below vs above) nan n below = 36,059 n above = 0 large D = background shape changes across the cut

