msvtx_nTGC

overview · all regions and selections · rank 72 / 98

rank 72 / 98 by endcap / ht40 / D_equal


region	selection	D_equal	D_pooled	125/15	125/55	200/50	400/100	600/150	1000/275	n_bkg
endcap	all	0.701	0.773	0.625	0.590	0.640	0.774	0.823	0.840	34,970
endcap	ht40	nan	nan	nan	nan	nan	nan	nan	nan	0
endcap	bkg split	nan	below 34,970 / above 0							
barrel	all	0.108	0.100	0.089	0.139	0.121	0.118	0.084	0.094	1,089
barrel	ht40	nan	nan	nan	nan	nan	nan	nan	nan	0
barrel	bkg split	nan	below 1,089 / above 0							
all	all	0.451	0.498	0.416	0.354	0.421	0.522	0.512	0.527	36,059
all	ht40	nan	nan	nan	nan	nan	nan	nan	nan	0
all	bkg split	nan	below 36,059 / above 0							


selections: all = every event; ht40 = htmiss_NOSYS >= 40 GeV, signal and background
pages: per region -> [all] 2x2, [ht40] 2x2, [background below vs above] 1x2


msvtx_nTGC


region: ENDCAP · selection: all (every event) · rank 72 / 98

D_equal 0.701 D_pooled 0.773 min 0.590 (mH125_mS55) max 0.840 (mH1000_mS275) bkg n = 34,970 sig n = 9,996










edge bins include under/overflow · NaN and -999 removed

msvtx_nTGC


region: ENDCAP · selection: ht40 (htmiss_NOSYS >= 40 GeV, signal and background) · rank 72 / 98

D_equal nan D_pooled nan bkg n = 0 sig n = 9,996


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

msvtx_nTGC

region: ENDCAP · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 72 / 98

D(below vs above) nan n below = 34,970 n above = 0 large D = background shape changes across the cut






msvtx_nTGC


region: BARREL · selection: all (every event) · rank 72 / 98

D_equal 0.108 D_pooled 0.100 min 0.084 (mH600_mS150) max 0.139 (mH125_mS55) bkg n = 1,089 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

msvtx_nTGC


region: BARREL · selection: ht40 (htmiss_NOSYS >= 40 GeV, signal and background) · rank 72 / 98

D_equal nan D_pooled nan bkg n = 0 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

msvtx_nTGC

region: BARREL · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 72 / 98

D(below vs above) nan n below = 1,089 n above = 0 large D = background shape changes across the cut








msvtx_nTGC


region: ALL · selection: all (every event) · rank 72 / 98

D_equal 0.451 D_pooled 0.498 min 0.354 (mH125_mS55) max 0.527 (mH1000_mS275) bkg n = 36,059 sig n = 14,983










edge bins include under/overflow · NaN and -999 removed

msvtx_nTGC


region: ALL · selection: ht40 (htmiss_NOSYS >= 40 GeV, signal and background) · rank 72 / 98

D_equal nan D_pooled nan bkg n = 0 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized



edge bins include under/overflow · NaN and -999 removed

msvtx_nTGC

region: ALL · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 72 / 98

D(below vs above) nan n below = 36,059 n above = 0 large D = background shape changes across the cut

