msvtx_trackSoftSumNTracks

overview · all regions and selections · rank 81 / 98


```
rank 81 / 98  by endcap / ht40 / D_equal

identical columns dropped in favour of this one:
    msvtx_trackSoftSumPtStats/nTracks

region  selection D_equal D_pooled   125/15   125/55   200/50  400/100  600/150 1000/275   n_bkg
-------------------------------------------------------------------------------------------------
endcap  all         0.140    0.139    0.142    0.143    0.136    0.139    0.137    0.142  34,970
endcap  ht40          nan      nan      nan      nan      nan      nan      nan      nan       0
endcap  bkg split     nan   below 34,970 / above 0

barrel  all         0.110    0.115    0.106    0.088    0.118    0.119    0.115    0.116   1,089
barrel  ht40          nan      nan      nan      nan      nan      nan      nan      nan       0
barrel  bkg split     nan   below 1,089 / above 0


all     all         0.137    0.138    0.138    0.132    0.137    0.139    0.137    0.140  36,059
all     ht40          nan      nan      nan      nan      nan      nan      nan      nan       0
all     bkg split     nan   below 36,059 / above 0


selections: all = every event;  ht40 = htmiss_NOSYS >= 40 GeV, signal and background
pages: per region -> [all] 2x2, [ht40] 2x2, [background below vs above] 1x2
```


msvtx_trackSoftSumNTracks


region: ENDCAP · selection: all (every event) · rank 81 / 98

D_equal 0.140 D_pooled 0.139 min 0.136 (mH200_mS50) max 0.143 (mH125_mS55) bkg n = 34,970 sig n = 9,996











edge bins include under/overflow · NaN and -999 removed


msvtx_trackSoftSumNTracks


region: ENDCAP · selection: ht40 (htmiss_NOSYS >= 40 GeV, signal and background) · rank 81 / 98

D_equal nan D_pooled nan bkg n = 0 sig n = 9,996











edge bins include under/overflow · NaN and -999 removed

msvtx_trackSoftSumNTracks

region: ENDCAP · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 81 / 98

D(below vs above) nan n below = 34,970 n above = 0 large D = background shape changes across the cut






msvtx_trackSoftSumNTracks


region: BARREL · selection: all (every event) · rank 81 / 98

D_equal 0.110 D_pooled 0.115 min 0.088 (mH125_mS55) max 0.119 (mH400_mS100) bkg n = 1,089 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

msvtx_trackSoftSumNTracks


region: BARREL · selection: ht40 (htmiss_NOSYS >= 40 GeV, signal and background) · rank 81 / 98

D_equal nan D_pooled nan bkg n = 0 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

msvtx_trackSoftSumNTracks

region: BARREL · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 81 / 98

D(below vs above) nan n below = 1,089 n above = 0 large D = background shape changes across the cut








msvtx_trackSoftSumNTracks


region: ALL · selection: all (every event) · rank 81 / 98

D_equal 0.137 D_pooled 0.138 min 0.132 (mH125_mS55) max 0.140 (mH1000_mS275) bkg n = 36,059 sig n = 14,983










edge bins include under/overflow · NaN and -999 removed

msvtx_trackSoftSumNTracks


region: ALL · selection: ht40 (htmiss_NOSYS >= 40 GeV, signal and background) · rank 81 / 98

D_equal nan D_pooled nan bkg n = 0 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized



edge bins include under/overflow · NaN and -999 removed

msvtx_trackSoftSumNTracks

region: ALL · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV, signal and background) · rank 81 / 98

D(below vs above) nan n below = 36,059 n above = 0 large D = background shape changes across the cut

