MS1Vtx_barrel_hits_ntot

overview · all regions and selections · rank 3 / 98

rank 3 / 98 by endcap / ht40_met20 / D_equal

identical columns dropped in favour of this one:
    MS1Vtx_barrel_hits_ntot_raw

constant (no page) in: endcap/all, endcap/ht40_met20


region	selection	D_equal	D_pooled	125/15	125/55	200/50	400/100	600/150	1000/275	n_bkg
endcap	all	nan	nan	nan	nan	nan	nan	nan	nan	34,970
endcap	ht40_met20	nan	nan	nan	nan	nan	nan	nan	nan	0
endcap	bkg split	nan	below 34,970 / above 0							
barrel	all	0.632	0.727	0.405	0.628	0.610	0.727	0.766	0.834	1,089
barrel	ht40_met20	nan	nan	nan	nan	nan	nan	nan	nan	0
barrel	bkg split	nan	below 1,089 / above 0							
all	all	0.294	0.312	0.249	0.311	0.271	0.283	0.339	0.344	36,059
all	ht40_met20	nan	nan	nan	nan	nan	nan	nan	nan	0
all	bkg split	nan	below 36,059 / above 0							


selections: all = every event; ht40_met20 = htmiss_NOSYS >= 40 GeV AND met_met_NOSYS >= 20 GeV, signal and background
pages: per region -> [all] 2x2, [ht40_met20] 2x2, [background below vs above] 1x2

MS1Vtx_barrel_hits_ntot

region: ENDCAP · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV AND met_met_NOSYS >= 20 GeV, signal and backgroun

D(below vs above) nan n below = 34,970 n above = 0 large D = background shape changes across the cut






MS1Vtx_barrel_hits_ntot


region: BARREL · selection: all (every event) · rank 3 / 98

D_equal 0.632 D_pooled 0.727 min 0.405 (mH125_mS15) max 0.834 (mH1000_mS275) bkg n = 1,089 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

MS1Vtx_barrel_hits_ntot


region: BARREL · selection: ht40_met20 (htmiss_NOSYS >= 40 GeV AND met_met_NOSYS >= 20 GeV, signal and background) · rank 3 / 98

D_equal nan D_pooled nan bkg n = 0 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

MS1Vtx_barrel_hits_ntot

region: BARREL · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV AND met_met_NOSYS >= 20 GeV, signal and backgroun

D(below vs above) nan n below = 1,089 n above = 0 large D = background shape changes across the cut






MS1Vtx_barrel_hits_ntot


region: ALL · selection: all (every event) · rank 3 / 98

D_equal 0.294 D_pooled 0.312 min 0.249 (mH125_mS15) max 0.344 (mH1000_mS275) bkg n = 36,059 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

MS1Vtx_barrel_hits_ntot


region: ALL · selection: ht40_met20 (htmiss_NOSYS >= 40 GeV AND met_met_NOSYS >= 20 GeV, signal and background) · rank 3 / 98

D_equal nan D_pooled nan bkg n = 0 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized



edge bins include under/overflow · NaN and -999 removed

MS1Vtx_barrel_hits_ntot

region: ALL · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV AND met_met_NOSYS >= 20 GeV, signal and background)

D(below vs above) nan n below = 36,059 n above = 0 large D = background shape changes across the cut

