MSeg_endcap_avg_dR

overview · all regions and selections · rank 17 / 98


```
rank 17 / 98  by endcap / ht40_met20 / D_equal

identical columns dropped in favour of this one:
    MSeg_endcap_avg_dR_raw

constant (no page) in: barrel/all, barrel/ht40_met20

region  selection D_equal D_pooled   125/15   125/55   200/50  400/100  600/150 1000/275   n_bkg
-------------------------------------------------------------------------------------------------
endcap  all         0.462    0.541    0.235    0.457    0.369    0.532    0.577    0.667  34,970
endcap  ht40_met20     nan      nan      nan      nan      nan      nan      nan      nan       0
endcap  bkg split     nan   below 34,970 / above 0

barrel  all           nan      nan      nan      nan      nan      nan      nan      nan   1,089
barrel  ht40_met20     nan      nan      nan      nan      nan      nan      nan      nan       0
barrel  bkg split     nan   below 1,089 / above 0

all     all         0.291    0.307    0.249    0.305    0.265    0.319    0.328    0.386  36,059
all     ht40_met20     nan      nan      nan      nan      nan      nan      nan      nan       0
all     bkg split     nan   below 36,059 / above 0


selections: all = every event;  ht40_met20 = htmiss_NOSYS >= 40 GeV AND met_met_NOSYS >= 20 GeV, signal and background
pages: per region -> [all] 2x2, [ht40_met20] 2x2, [background below vs above] 1x2
```

MSeg_endcap_avg_dR


region: ENDCAP · selection: all (every event) · rank 17 / 98

D_equal 0.462 D_pooled 0.541 min 0.235 (mH125_mS15) max 0.667 (mH1000_mS275) bkg n = 34,970 sig n = 9,996


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

MSeg_endcap_avg_dR


region: ENDCAP · selection: ht40_met20 (htmiss_NOSYS >= 40 GeV AND met_met_NOSYS >= 20 GeV, signal and background) · rank 17 / 98

D_equal nan D_pooled nan bkg n = 0 sig n = 9,996


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

MSeg_endcap_avg_dR

region: ENDCAP · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV AND met_met_NOSYS >= 20 GeV, signal and backgroun

D(below vs above) nan n below = 34,970 n above = 0 large D = background shape changes across the cut







MSeg_endcap_avg_dR

region: BARREL · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV AND met_met_NOSYS >= 20 GeV, signal and backgroun

D(below vs above) nan n below = 1,089 n above = 0 large D = background shape changes across the cut






MSeg_endcap_avg_dR


region: ALL · selection: all (every event) · rank 17 / 98

D_equal 0.291 D_pooled 0.307 min 0.249 (mH125_mS15) max 0.386 (mH1000_mS275) bkg n = 36,059 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized




edge bins include under/overflow · NaN and -999 removed

MSeg_endcap_avg_dR


region: ALL · selection: ht40_met20 (htmiss_NOSYS >= 40 GeV AND met_met_NOSYS >= 20 GeV, signal and background) · rank 17 / 98

D_equal nan D_pooled nan bkg n = 0 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized



edge bins include under/overflow · NaN and -999 removed

MSeg_endcap_avg_dR

region: ALL · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV AND met_met_NOSYS >= 20 GeV, signal and background)

D(below vs above) nan n below = 36,059 n above = 0 large D = background shape changes across the cut

