coreFlags

overview · all regions and selections · rank 21 / 98


```
rank 21 / 98  by endcap / ht40_met20 / D_equal

identical columns dropped in favour of this one:
    globalTriggerMatch_NOSYS
    trigPassed_HLT_2mu14_L12MU8F
    trigPassed_HLT_j460_wildcard
    trigPassed_HLT_mu50_L1MU14FCH
    trigPassed_HLT_e300_etcut_L1eEM26M
    trigPassed_HLT_e140_lhloose_L1eEM26M
    trigPassed_HLT_e60_lhmedium_L1eEM26M
    trigPassed_HLT_2e17_lhvloose_L12eEM18M
    trigPassed_HLT_2e24_lhvloose_L12eEM24L
    trigPassed_HLT_mu24_ivarmedium_L1MU14FCH
    trigPassed_HLT_e26_lhtight_ivarloose_L1eEM26M

constant (no page) in: endcap/ht40_met20, barrel/ht40_met20, all/ht40_met20

region  selection D_equal D_pooled   125/15   125/55   200/50  400/100  600/150 1000/275   n_bkg
-------------------------------------------------------------------------------------------------
endcap  all         0.007    0.007    0.007    0.007    0.007    0.007    0.007    0.007  34,970
endcap  ht40_met20     nan      nan      nan      nan      nan      nan      nan      nan       0
endcap  bkg split      nan   below 34,970 / above 0

barrel  all         0.010    0.010    0.010    0.010    0.010    0.010    0.010    0.010   1,089
barrel  ht40_met20     nan      nan      nan      nan      nan      nan      nan      nan       0
barrel  bkg split      nan   below 1,089 / above 0

all     all         0.007    0.007    0.007    0.007    0.007    0.007    0.007    0.007  36,059
all     ht40_met20     nan      nan      nan      nan      nan      nan      nan      nan       0
all     bkg split      nan   below 36,059 / above 0


selections: all = every event;  ht40_met20 = htmiss_NOSYS >= 40 GeV AND met_met_NOSYS >= 20 GeV, signal and background
pages: per region -> [all] 2x2, [ht40_met20] 2x2, [background below vs above] 1x2
```

coreFlags


region: ENDCAP · selection: all (every event) · rank 21 / 98

D_equal 0.007 D_pooled 0.007 min 0.007 (mH1000_mS275) max 0.007 (mH400_mS100) bkg n = 34,970 sig n = 9,996


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

coreFlags

region: ENDCAP · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV AND met_met_NOSYS >= 20 GeV, signal and backgroun

D(below vs above) nan n below = 34,970 n above = 0 large D = background shape changes across the cut






coreFlags


region: BARREL · selection: all (every event) · rank 21 / 98

D_equal 0.010 D_pooled 0.010 min 0.010 (mH400_mS100) max 0.010 (mH1000_mS275) bkg n = 1,089 sig n = 4,987


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized





edge bins include under/overflow · NaN and -999 removed

coreFlags

region: BARREL · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV AND met_met_NOSYS >= 20 GeV, signal and backgroun

D(below vs above) nan n below = 1,089 n above = 0 large D = background shape changes across the cut






coreFlags


region: ALL · selection: all (every event) · rank 21 / 98

D_equal 0.007 D_pooled 0.007 min 0.007 (mH1000_mS275) max 0.007 (mH400_mS100) bkg n = 36,059 sig n = 14,983


each mass point vs background · raw




each mass point vs background · normalized



combined signal vs background · raw



combined signal vs background · normalized



edge bins include under/overflow · NaN and -999 removed

coreFlags

region: ALL · background only: below vs at/above the cut (htmiss_NOSYS >= 40 GeV AND met_met_NOSYS >= 20 GeV, signal and background)

D(below vs above) nan n below = 36,059 n above = 0 large D = background shape changes across the cut

