msvtx_nMDT

MC vs data · overview · rank 10 / 98

rank 10 / 98 by endcap D_equal

used by: neither NN list


region	D_equal	noise	D_pooled	125/15	125/55	200/50	400/100	600/150	1000/275	n_bkg	rank
endcap	0.672	0.022	0.759	0.603	0.491	0.613	0.767	0.808	0.846	34,970	10/98
barrel	0.331	0.051	0.500	0.224	0.177	0.161	0.439	0.555	0.687	1,089	25/98
all	0.560	0.018	0.666	0.429	0.366	0.466	0.652	0.708	0.783	36,059	6/98

msvtx_nMDT


region: ENDCAP · rank 10 / 98

D_equal 0.672 (noise 0.022) D_pooled 0.759 min 0.491 (mH125_mS55) max 0.846 (mH1000_mS275) bkg n = 34,970 sig n = 9,996


1 · each mass point vs background · raw




1 · each mass point vs background · normalized




2 · combined signal vs background · raw




2 · combined signal vs background · normalized



3 · background alone · raw · NaN 0.0% −999 0.0%



3 · background alone · normalized · NaN 0.0% −999 0.0%




edge bins include under/overflow · NaN and -999 removed

msvtx_nMDT


region: BARREL · rank 10 / 98

D_equal 0.331 (noise 0.051) D_pooled 0.500 min 0.161 (mH200_mS50) max 0.687 (mH1000_mS275) bkg n = 1,089 sig n = 4,987


1 · each mass point vs background · raw




1 · each mass point vs background · normalized




2 · combined signal vs background · raw




2 · combined signal vs background · normalized



3 · background alone · raw · NaN 0.0% −999 0.0%



3 · background alone · normalized · NaN 0.0% −999 0.0%




edge bins include under/overflow · NaN and -999 removed

msvtx_nMDT


region: ALL · rank 10 / 98

D_equal 0.560 (noise 0.018) D_pooled 0.666 min 0.366 (mH125_mS55) max 0.783 (mH1000_mS275) bkg n = 36,059 sig n = 14,983


1 · each mass point vs background · raw




1 · each mass point vs background · normalized




2 · combined signal vs background · raw




2 · combined signal vs background · normalized



3 · background alone · raw · NaN 0.0% −999 0.0%



3 · background alone · normalized · NaN 0.0% −999 0.0%



edge bins include under/overflow · NaN and -999 removed