htmiss_x_NOSYS

MC vs data · overview · rank 25 / 98

rank 25 / 98 by endcap D_equal

used by: neither NN list
category: htmiss-linked


region	D_equal	noise	D_pooled	125/15	125/55	200/50	400/100	600/150	1000/275	n_bkg	rank
endcap	0.383	0.022	0.398	0.370	0.401	0.354	0.397	0.400	0.438	34,970	25/98
barrel	0.409	0.051	0.421	0.363	0.446	0.386	0.407	0.418	0.458	1,089	21/98
all	0.386	0.018	0.401	0.357	0.415	0.356	0.396	0.400	0.444	36,059	27/98

htmiss_x_NOSYS


region: ENDCAP · rank 25 / 98

D_equal 0.383 (noise 0.022) D_pooled 0.398 min 0.354 (mH200_mS50) max 0.438 (mH1000_mS275) bkg n = 34,970 sig n = 9,996


1 · each mass point vs background · raw




1 · each mass point vs background · normalized




2 · combined signal vs background · raw




2 · combined signal vs background · normalized



3 · background alone · raw · NaN 0.0% −999 0.0%



3 · background alone · normalized · NaN 0.0% −999 0.0%




edge bins include under/overflow · NaN and -999 removed

htmiss_x_NOSYS


region: BARREL · rank 25 / 98

D_equal 0.409 (noise 0.051) D_pooled 0.421 min 0.363 (mH125_mS15) max 0.458 (mH1000_mS275) bkg n = 1,089 sig n = 4,987


1 · each mass point vs background · raw




1 · each mass point vs background · normalized




2 · combined signal vs background · raw




2 · combined signal vs background · normalized



3 · background alone · raw · NaN 0.0% −999 0.0%



3 · background alone · normalized · NaN 0.0% −999 0.0%




edge bins include under/overflow · NaN and -999 removed

htmiss_x_NOSYS


region: ALL · rank 25 / 98

D_equal 0.386 (noise 0.018) D_pooled 0.401 min 0.356 (mH200_mS50) max 0.444 (mH1000_mS275) bkg n = 36,059 sig n = 14,983


1 · each mass point vs background · raw




1 · each mass point vs background · normalized




2 · combined signal vs background · raw




2 · combined signal vs background · normalized



3 · background alone · raw · NaN 0.0% −999 0.0%



3 · background alone · normalized · NaN 0.0% −999 0.0%



edge bins include under/overflow · NaN and -999 removed