msvtx_nMDTInwards

MC vs data · overview · rank 50 / 98

rank 50 / 98 by endcap D_equal

used by: neither NN list


region	D_equal	noise	D_pooled	125/15	125/55	200/50	400/100	600/150	1000/275	n_bkg	rank
endcap	0.269	0.022	0.227	0.320	0.382	0.311	0.253	0.196	0.207	34,970	50/98
barrel	0.114	0.051	0.137	0.092	0.097	0.106	0.095	0.159	0.177	1,089	72/98
all	0.200	0.018	0.180	0.256	0.288	0.238	0.201	0.218	0.244	36,059	70/98

msvtx_nMDTInwards


region: ENDCAP · rank 50 / 98

D_equal 0.269 (noise 0.022) D_pooled 0.227 min 0.196 (mH600_mS150) max 0.382 (mH125_mS55) bkg n = 34,970 sig n = 9,996


1 · each mass point vs background · raw




1 · each mass point vs background · normalized




2 · combined signal vs background · raw




2 · combined signal vs background · normalized



3 · background alone · raw · NaN 0.0% −999 0.0%



3 · background alone · normalized · NaN 0.0% −999 0.0%




edge bins include under/overflow · NaN and -999 removed

msvtx_nMDTInwards


region: BARREL · rank 50 / 98

D_equal 0.114 (noise 0.051) D_pooled 0.137 min 0.092 (mH125_mS15) max 0.177 (mH1000_mS275) bkg n = 1,089 sig n = 4,987


1 · each mass point vs background · raw




1 · each mass point vs background · normalized




2 · combined signal vs background · raw




2 · combined signal vs background · normalized



3 · background alone · raw · NaN 0.0% −999 0.0%



3 · background alone · normalized · NaN 0.0% −999 0.0%




edge bins include under/overflow · NaN and -999 removed

msvtx_nMDTInwards


region: ALL · rank 50 / 98

D_equal 0.200 (noise 0.018) D_pooled 0.180 min 0.201 (mH400_mS100) max 0.288 (mH125_mS55) bkg n = 36,059 sig n = 14,983


1 · each mass point vs background · raw




1 · each mass point vs background · normalized




2 · combined signal vs background · raw




2 · combined signal vs background · normalized



3 · background alone · raw · NaN 0.0% −999 0.0%



3 · background alone · normalized · NaN 0.0% −999 0.0%



edge bins include under/overflow · NaN and -999 removed