
msvtx_nRPCOuterStation


BARREL vs ENDCAP · shape · rank 1 / 98 by |D_barrel - D_endcap| · barrel only

shape D(barrel vs endcap): background 0.998 signal 0.985 separation D: endcap 0.138 barrel 0.815

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.998
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.985
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msegUnAssoc_counts/nEML


BARREL vs ENDCAP · shape · rank 2 / 98 by |D_barrel - D_endcap| · barrel only

shape D(barrel vs endcap): background 0.935 signal 0.976 separation D: endcap 0.187 barrel 0.858

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.935
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.976
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

nMSeg_ratio_EIEM


BARREL vs ENDCAP · shape · rank 3 / 98 by |D_barrel - D_endcap| · barrel only

shape D(barrel vs endcap): background 0.746 signal 0.842 separation D: endcap 0.086 barrel 0.755

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.746
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.842
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

muonAllSegments_counts/nEML


BARREL vs ENDCAP · shape · rank 4 / 98 by |D_barrel - D_endcap| · barrel only

shape D(barrel vs endcap): background 0.937 signal 0.975 separation D: endcap 0.179 barrel 0.848

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.937
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.975
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_nTGCExtendedStation


BARREL vs ENDCAP · shape · rank 5 / 98 by |D_barrel - D_endcap| · endcap only

shape D(barrel vs endcap): background 1.000 signal 1.000 separation D: endcap 0.700 barrel 0.034

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 1.000
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 1.000
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_nTGCOuterStation


BARREL vs ENDCAP · shape · rank 6 / 98 by |D_barrel - D_endcap| · endcap only

shape D(barrel vs endcap): background 1.000 signal 1.000 separation D: endcap 0.725 barrel 0.063

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 1.000
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 1.000
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

nEOL_NOSYS


BARREL vs ENDCAP · shape · rank 7 / 98 by |D_barrel - D_endcap| · barrel only

shape D(barrel vs endcap): background 0.994 signal 0.990 separation D: endcap 0.107 barrel 0.710

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.994
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.990
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_nTGC


BARREL vs ENDCAP · shape · rank 8 / 98 by |D_barrel - D_endcap| · endcap only

shape D(barrel vs endcap): background 1.000 signal 1.000 separation D: endcap 0.701 barrel 0.108

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 1.000
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 1.000
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_nRPC


BARREL vs ENDCAP · shape · rank 9 / 98 by |D_barrel - D_endcap| · barrel only

shape D(barrel vs endcap): background 1.000 signal 0.990 separation D: endcap 0.134 barrel 0.725

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 1.000
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.990
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

muonAllSegments_counts/nEOL


BARREL vs ENDCAP · shape · rank 10 / 98 by |D_barrel - D_endcap| · barrel only

shape D(barrel vs endcap): background 0.991 signal 0.986 separation D: endcap 0.116 barrel 0.692

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.991
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.986
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_nTGCMiddleStation


BARREL vs ENDCAP · shape · rank 11 / 98 by |D_barrel - D_endcap| · endcap only

shape D(barrel vs endcap): background 1.000 signal 1.000 separation D: endcap 0.601 barrel 0.059

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 1.000
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 1.000
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_nRPCMiddleStation


BARREL vs ENDCAP · shape · rank 12 / 98 by |D_barrel - D_endcap| · barrel only

shape D(barrel vs endcap): background 0.998 signal 0.980 separation D: endcap 0.119 barrel 0.520

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.998
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.980
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_nMDT


BARREL vs ENDCAP · shape · rank 13 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.246 signal 0.302 separation D: endcap 0.672 barrel 0.331

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.246
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.302
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_nMDTMiddleStation


BARREL vs ENDCAP · shape · rank 14 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.538 signal 0.495 separation D: endcap 0.648 barrel 0.313

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.538
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.495
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_chiSquared


BARREL vs ENDCAP · shape · rank 15 / 98 by |D_barrel - D_endcap| · endcap only

shape D(barrel vs endcap): background 0.552 signal 0.453 separation D: endcap 0.486 barrel 0.167

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.552
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.453
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

muonAllSegments_counts/nBML


BARREL vs ENDCAP · shape · rank 16 / 98 by |D_barrel - D_endcap| · barrel only

shape D(barrel vs endcap): background 0.944 signal 0.907 separation D: endcap 0.062 barrel 0.292

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.944
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.907
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msegUnAssoc_counts/nBIL


BARREL vs ENDCAP · shape · rank 17 / 98 by |D_barrel - D_endcap| · endcap only

shape D(barrel vs endcap): background 0.444 signal 0.535 separation D: endcap 0.378 barrel 0.152

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.444
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.535
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

muonAllSegments_counts/nBIL


BARREL vs ENDCAP · shape · rank 18 / 98 by |D_barrel - D_endcap| · endcap only

shape D(barrel vs endcap): background 0.512 signal 0.547 separation D: endcap 0.357 barrel 0.146

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.512
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.547
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msegUnAssoc_counts/nBML


BARREL vs ENDCAP · shape · rank 19 / 98 by |D_barrel - D_endcap| · barrel only

shape D(barrel vs endcap): background 0.932 signal 0.903 separation D: endcap 0.069 barrel 0.277

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.932
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.903
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_phi_NOSYS


BARREL vs ENDCAP · shape · rank 20 / 98 by |D_barrel - D_endcap| · barrel only

shape D(barrel vs endcap): background 0.345 signal 0.049 separation D: endcap 0.099 barrel 0.285

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.345
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.049
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_nMDTOuterStation


BARREL vs ENDCAP · shape · rank 21 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.380 signal 0.298 separation D: endcap 0.583 barrel 0.414

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.380
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.298
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_nTrk


BARREL vs ENDCAP · shape · rank 22 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.076 signal 0.225 separation D: endcap 0.606 barrel 0.442

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.076
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.225
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_nMDTInnerStation


BARREL vs ENDCAP · shape · rank 23 / 98 by |D_barrel - D_endcap| · endcap only

shape D(barrel vs endcap): background 0.906 signal 0.770 separation D: endcap 0.312 barrel 0.154

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.906
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.770
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_nMDTInwards


BARREL vs ENDCAP · shape · rank 24 / 98 by |D_barrel - D_endcap| · endcap only

shape D(barrel vs endcap): background 0.189 signal 0.190 separation D: endcap 0.269 barrel 0.114

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.189
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.190
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msegUnAssoc_nSeg


BARREL vs ENDCAP · shape · rank 25 / 98 by |D_barrel - D_endcap| · barrel only

shape D(barrel vs endcap): background 0.297 signal 0.414 separation D: endcap 0.187 barrel 0.314

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.297
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.414
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_muRoIClusTrig_mindR_NOSYS


BARREL vs ENDCAP · shape · rank 26 / 98 by |D_barrel - D_endcap| · endcap only

shape D(barrel vs endcap): background 0.055 signal 0.142 separation D: endcap 0.232 barrel 0.119

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.055
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.142
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_el4ecal


BARREL vs ENDCAP · shape · rank 27 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.292 signal 0.102 separation D: endcap 0.337 barrel 0.243

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.292
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.102
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_el1ecal


BARREL vs ENDCAP · shape · rank 28 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.161 signal 0.077 separation D: endcap 0.324 barrel 0.235

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.161
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.077
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_caloClusterSumPtScalar


BARREL vs ENDCAP · shape · rank 29 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.110 signal 0.031 separation D: endcap 0.393 barrel 0.307

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.110
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.031
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_nCaloClusters_Egt300MeV_NOSYS


BARREL vs ENDCAP · shape · rank 30 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.109 signal 0.026 separation D: endcap 0.366 barrel 0.281

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.109
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.026
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_caloClusterSumPt


BARREL vs ENDCAP · shape · rank 31 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.111 signal 0.031 separation D: endcap 0.393 barrel 0.308

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.111
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.031
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_nCaloClusters_NOSYS


BARREL vs ENDCAP · shape · rank 32 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.107 signal 0.024 separation D: endcap 0.365 barrel 0.281

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.107
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.024
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

MS1Vtx_maxclustime_raw


BARREL vs ENDCAP · shape · rank 33 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.101 signal 0.037 separation D: endcap 0.356 barrel 0.274

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.101
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.037
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_nRPCInwards


BARREL vs ENDCAP · shape · rank 34 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.207 signal 0.120 separation D: endcap 0.105 barrel 0.024

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.207
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.120
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

mseg_counts/nBML


BARREL vs ENDCAP · shape · rank 35 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.596 signal 0.594 separation D: endcap 0.053 barrel 0.135

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.596
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.594
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

muonAllSegments_counts/nBOL


BARREL vs ENDCAP · shape · rank 36 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 1.000 signal 0.950 separation D: endcap 0.253 barrel 0.333

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 1.000
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.950
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_trackHardMinDR_NOSYS


BARREL vs ENDCAP · shape · rank 37 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.066 signal 0.148 separation D: endcap 0.243 barrel 0.320

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.066
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.148
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

mseg_counts/nEIL


BARREL vs ENDCAP · shape · rank 38 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.262 signal 0.305 separation D: endcap 0.093 barrel 0.170

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.262
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.305
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_el2ecal


BARREL vs ENDCAP · shape · rank 39 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.221 signal 0.087 separation D: endcap 0.343 barrel 0.267

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.221
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.087
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

mseg_counts/nBOL


BARREL vs ENDCAP · shape · rank 40 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.647 signal 0.626 separation D: endcap 0.057 barrel 0.132

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.647
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.626
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

MS1Vtx_rms_clustime_raw


BARREL vs ENDCAP · shape · rank 41 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.096 signal 0.043 separation D: endcap 0.335 barrel 0.262

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.096
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.043
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_caloClusterSumE


BARREL vs ENDCAP · shape · rank 42 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.385 signal 0.118 separation D: endcap 0.383 barrel 0.310

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.385
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.118
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

muonSegments_nSeg


BARREL vs ENDCAP · shape · rank 43 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.285 signal 0.401 separation D: endcap 0.201 barrel 0.274

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.285
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.401
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

MS1Vtx_avg_clustime_raw


BARREL vs ENDCAP · shape · rank 44 / 98 by |D_barrel - D_endcap| · endcap only

shape D(barrel vs endcap): background 0.064 signal 0.031 separation D: endcap 0.229 barrel 0.157

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.064
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.031
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_el4hcal


BARREL vs ENDCAP · shape · rank 45 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.099 signal 0.032 separation D: endcap 0.094 barrel 0.166

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.099
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.032
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_el3ecal


BARREL vs ENDCAP · shape · rank 46 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.268 signal 0.096 separation D: endcap 0.364 barrel 0.293

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.268
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.096
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

nMSeg_ratio_BIBM


BARREL vs ENDCAP · shape · rank 47 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.553 signal 0.397 separation D: endcap 0.330 barrel 0.263

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.553
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.397
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

MS1Vtx_rms_clusE_raw


BARREL vs ENDCAP · shape · rank 48 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.434 signal 0.197 separation D: endcap 0.365 barrel 0.299

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.434
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.197
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

MS1Vtx_maxclusE_raw


BARREL vs ENDCAP · shape · rank 49 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.354 signal 0.152 separation D: endcap 0.374 barrel 0.312

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.354
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.152
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_jetMinDR_NOSYS


BARREL vs ENDCAP · shape · rank 50 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.041 signal 0.073 separation D: endcap 0.493 barrel 0.555

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.041
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.073
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

actualInteractionsPerCrossing


BARREL vs ENDCAP · shape · rank 51 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.075 signal 0.015 separation D: endcap 0.298 barrel 0.237

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.075
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.015
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

MS1Vtx_avg_clusE_raw


BARREL vs ENDCAP · shape · rank 52 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.485 signal 0.215 separation D: endcap 0.361 barrel 0.304

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.485
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.215
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

mseg_counts/nEML


BARREL vs ENDCAP · shape · rank 53 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.425 signal 0.437 separation D: endcap 0.033 barrel 0.090

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.425
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.437
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

MS1Vtx_mindR_jetcut_raw


BARREL vs ENDCAP · shape · rank 54 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.027 signal 0.076 separation D: endcap 0.308 barrel 0.365

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.027
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.076
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

mseg_counts/nBIL


BARREL vs ENDCAP · shape · rank 55 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.521 signal 0.378 separation D: endcap 0.041 barrel 0.097

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.521
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.378
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

MSVtx_MET_dphi_raw


BARREL vs ENDCAP · shape · rank 56 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.026 signal 0.055 separation D: endcap 0.375 barrel 0.429

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.026
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.055
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_el2hcal


BARREL vs ENDCAP · shape · rank 57 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.119 signal 0.037 separation D: endcap 0.311 barrel 0.259

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.119
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.037
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

track_scalar_sum_pt_barrel


BARREL vs ENDCAP · shape · rank 58 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.058 signal 0.040 separation D: endcap 0.213 barrel 0.265

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.058
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.040
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

jet_n_NOSYS


BARREL vs ENDCAP · shape · rank 59 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.009 signal 0.064 separation D: endcap 0.511 barrel 0.562

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.009
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.064
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

met_sumet_NOSYS


BARREL vs ENDCAP · shape · rank 60 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.026 signal 0.103 separation D: endcap 0.687 barrel 0.737

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.026
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.103
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_y


BARREL vs ENDCAP · shape · rank 61 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.248 signal 0.150 separation D: endcap 0.118 barrel 0.166

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.248
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.150
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_el3hcal


BARREL vs ENDCAP · shape · rank 62 / 98 by |D_barrel - D_endcap| · barrel only

shape D(barrel vs endcap): background 0.120 signal 0.059 separation D: endcap 0.193 barrel 0.240

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.120
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.059
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

nBOL_NOSYS


BARREL vs ENDCAP · shape · rank 63 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 1.000 signal 0.953 separation D: endcap 0.271 barrel 0.319

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 1.000
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.953
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

averageInteractionsPerCrossing


BARREL vs ENDCAP · shape · rank 64 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.067 signal 0.015 separation D: endcap 0.368 barrel 0.326

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.067
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.015
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_z


BARREL vs ENDCAP · shape · rank 65 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.520 signal 0.503 separation D: endcap 0.057 barrel 0.096

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.520
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.503
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

mseg_nSeg


BARREL vs ENDCAP · shape · rank 66 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.050 signal 0.123 separation D: endcap 0.109 barrel 0.071

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.050
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.123
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_eta_NOSYS


BARREL vs ENDCAP · shape · rank 67 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.520 signal 0.503 separation D: endcap 0.136 barrel 0.104

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.520
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.503
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_nTGCInwards


BARREL vs ENDCAP · shape · rank 68 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.287 signal 0.280 separation D: endcap 0.038 barrel 0.007

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.287
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.280
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_trackSoftSumNTracks


BARREL vs ENDCAP · shape · rank 69 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.023 signal 0.000 separation D: endcap 0.140 barrel 0.110

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.023
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.000
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_trackSoftSumPt_NOSYS


BARREL vs ENDCAP · shape · rank 70 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.024 signal 0.002 separation D: endcap 0.140 barrel 0.111

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.024
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.002
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

met_phi_NOSYS


BARREL vs ENDCAP · shape · rank 71 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.054 signal 0.025 separation D: endcap 0.013 barrel 0.041

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.054
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.025
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_x


BARREL vs ENDCAP · shape · rank 72 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.119 signal 0.173 separation D: endcap 0.115 barrel 0.087

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.119
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.173
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

htmiss_x_NOSYS


BARREL vs ENDCAP · shape · rank 73 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.021 signal 0.060 separation D: endcap 0.383 barrel 0.409

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.021
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.060
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

mseg_counts/nEOL


BARREL vs ENDCAP · shape · rank 74 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.445 signal 0.479 separation D: endcap 0.052 barrel 0.027

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.445
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.479
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

met_significance_NOSYS


BARREL vs ENDCAP · shape · rank 75 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.026 signal 0.133 separation D: endcap 0.876 barrel 0.898

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.026
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.133
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

htmiss_y_NOSYS


BARREL vs ENDCAP · shape · rank 76 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.050 signal 0.055 separation D: endcap 0.413 barrel 0.436

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.050
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.055
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_nMDTExtendedStation


BARREL vs ENDCAP · shape · rank 77 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.692 signal 0.542 separation D: endcap 0.243 barrel 0.222

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.692
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.542
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msegUnAssoc_counts/nEIL


BARREL vs ENDCAP · shape · rank 78 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.082 signal 0.030 separation D: endcap 0.115 barrel 0.136

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.082
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.030
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_nSegUnAssoc


BARREL vs ENDCAP · shape · rank 79 / 98 by |D_barrel - D_endcap| · endcap only

shape D(barrel vs endcap): background 0.069 signal 0.055 separation D: endcap 0.214 barrel 0.193

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.069
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.055
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_closestJet_pt_NOSYS


BARREL vs ENDCAP · shape · rank 80 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.024 signal 0.041 separation D: endcap 0.687 barrel 0.707

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.024
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.041
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

jet_pt_max_NOSYS


BARREL vs ENDCAP · shape · rank 81 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.018 signal 0.098 separation D: endcap 0.854 barrel 0.873

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.018
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.098
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msegNCB_counts/nEIL


BARREL vs ENDCAP · shape · rank 82 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.115 signal 0.085 separation D: endcap 0.151 barrel 0.168

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.115
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.085
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

muonAllSegments_counts/nEIL


BARREL vs ENDCAP · shape · rank 83 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.141 signal 0.097 separation D: endcap 0.119 barrel 0.132

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.141
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.097
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

htmissScalar_NOSYS


BARREL vs ENDCAP · shape · rank 84 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.019 signal 0.104 separation D: endcap 0.789 barrel 0.798

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.019
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.104
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

coreFlags


BARREL vs ENDCAP · shape · rank 85 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.003 signal nan separation D: endcap 0.007 barrel 0.010

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.003
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = nan
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

track_scalar_sum_pt_endcap


BARREL vs ENDCAP · shape · rank 86 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.024 signal 0.041 separation D: endcap 0.286 barrel 0.284

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.024
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.041
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_nTGCInnerStation


BARREL vs ENDCAP · shape · rank 87 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.081 signal 0.026 separation D: endcap 0.039 barrel 0.038

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.081
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.026
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

MS1Vtx_barrel_hits_ntot


BARREL vs ENDCAP · shape · rank 88 / 98 by |D_barrel - D_endcap| · barrel only

shape D(barrel vs endcap): background 1.000 signal 1.000 separation D: endcap nan barrel 0.632

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 1.000
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 1.000
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

MS1Vtx_endcap_hits_ntot


BARREL vs ENDCAP · shape · rank 89 / 98 by |D_barrel - D_endcap| · endcap only

shape D(barrel vs endcap): background 1.000 signal 1.000 separation D: endcap 0.718 barrel nan

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 1.000
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 1.000
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

MSTracklet_barrel_avg_dR


BARREL vs ENDCAP · shape · rank 90 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.041 signal 0.159 separation D: endcap nan barrel 0.097

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.041
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.159
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

MSTracklet_barrel_rms_dR


BARREL vs ENDCAP · shape · rank 91 / 98 by |D_barrel - D_endcap| · neither

shape D(barrel vs endcap): background 0.041 signal 0.159 separation D: endcap nan barrel 0.097

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.041
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.159
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

MSTracklet_endcap_avg_dR


BARREL vs ENDCAP · shape · rank 92 / 98 by |D_barrel - D_endcap| · endcap only

shape D(barrel vs endcap): background 0.107 signal 0.539 separation D: endcap 0.399 barrel nan

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.107
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.539
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

MSTracklet_endcap_rms_dR


BARREL vs ENDCAP · shape · rank 93 / 98 by |D_barrel - D_endcap| · endcap only

shape D(barrel vs endcap): background 0.107 signal 0.539 separation D: endcap 0.399 barrel nan

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.107
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.539
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

MSeg_barrel_avg_dR


BARREL vs ENDCAP · shape · rank 94 / 98 by |D_barrel - D_endcap| · barrel only

shape D(barrel vs endcap): background 1.000 signal 1.000 separation D: endcap nan barrel 0.366

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 1.000
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 1.000
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

MSeg_barrel_rms_dR


BARREL vs ENDCAP · shape · rank 95 / 98 by |D_barrel - D_endcap| · barrel only

shape D(barrel vs endcap): background 1.000 signal 1.000 separation D: endcap nan barrel 0.297

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 1.000
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 1.000
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

MSeg_endcap_avg_dR


BARREL vs ENDCAP · shape · rank 96 / 98 by |D_barrel - D_endcap| · endcap only

shape D(barrel vs endcap): background 1.000 signal 1.000 separation D: endcap 0.462 barrel nan

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 1.000
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 1.000
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

MSeg_endcap_rms_dR


BARREL vs ENDCAP · shape · rank 97 / 98 by |D_barrel - D_endcap| · endcap only

shape D(barrel vs endcap): background 1.000 signal 1.000 separation D: endcap 0.384 barrel nan

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 1.000
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 1.000
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_el1hcal


BARREL vs ENDCAP · shape · rank 98 / 98 by |D_barrel - D_endcap| · endcap only

shape D(barrel vs endcap): background 0.455 signal 0.139 separation D: endcap 0.313 barrel nan

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.455
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.139
endcap n 9,996
barrel n 4,987

a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed