
# msvtx_nMDTOuterStation


BARREL vs ENDCAP · shape · rank 21 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.380  signal 0.298  separation D: endcap 0.583  barrel 0.414

1a · background (data) · raw





1b · background (data) · normalized





1 · background (data)
shape D = 0.380
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw




2b · combined signal (MC, pooled) · normalized




2 · combined signal (MC, pooled)
shape D = 0.298
endcap n 9,996
barrel n 4,987


a = raw (log y)  b = normalized · edge bins include under/overflow · NaN and -999 removed

# msvtx_nMDTOuterStation


BARREL vs ENDCAP · separation side by side · rank 21 / 98 · both

D_equal  endcap 0.583   barrel 0.414   difference (barrel - endcap) -0.169   (normalized only: raw counts differ ~30x between regions)

1a · ENDCAP · each mass point vs background





1b · BARREL · each mass point vs background





1 · each mass point
D: endcap | barrel
background  n 34,970 | 1,089
mH125_mS15  D 0.576 | 0.080
mH125_mS55  D 0.465 | 0.334
mH200_mS50  D 0.545 | 0.297
mH400_mS100  D 0.631 | 0.525
mH600_mS150  D 0.669 | 0.629
mH1000_mS275  D 0.686 | 0.710

2a · ENDCAP · combined signal vs background




2b · BARREL · combined signal vs background




2 · combined signal
D: endcap | barrel
background  n 34,970 | 1,089
combined, equal weight  D 0.583 | 0.414

a = endcap  b = barrel · normalized · edge bins include under/overflow · NaN and -999 removed