
htmiss_x_NOSYS


BARREL vs ENDCAP · shape · rank 73 / 98 by |D_barrel - D_endcap| · both

shape D(barrel vs endcap): background 0.021 signal 0.060 separation D: endcap 0.383 barrel 0.409

1a · background (data) · raw




1b · background (data) · normalized




1 · background (data)
shape D = 0.021
endcap n 34,970
barrel n 1,089

2a · combined signal (MC, pooled) · raw



2b · combined signal (MC, pooled) · normalized



2 · combined signal (MC, pooled)
shape D = 0.060
endcap n 9,996
barrel n 4,987


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

htmiss_x_NOSYS


BARREL vs ENDCAP · separation side by side · rank 73 / 98 · both

D_equal endcap 0.383   barrel 0.409   difference (barrel - endcap) +0.025   (normalized only: raw counts differ ~30x between regions)

1a · ENDCAP · each mass point vs background




1b · BARREL · each mass point vs background




1 · each mass point
D: endcap | barrel

- background n 34,970 | 1,089
- mH125_mS15 D 0.370 | 0.363
- mH125_mS55 D 0.401 | 0.446
- mH200_mS50 D 0.354 | 0.386
- mH400_mS100 D 0.397 | 0.407
- mH600_mS150 D 0.400 | 0.418
- mH1000_mS275 D 0.438 | 0.458

2a · ENDCAP · combined signal vs background



2b · BARREL · combined signal vs background



2 · combined signal
D: endcap | barrel

- background n 34,970 | 1,089
- combined, equal weight D 0.383 | 0.409

a = endcap b = barrel · normalized · edge bins include under/overflow · NaN and -999 removed