htmiss_y_NOSYS

MC vs data · overview · rank 19 / 98

rank 19 / 98 by endcap D_equal

used by: neither NN list
category: htmiss-linked


region	D_equal	noise	D_pooled	125/15	125/55	200/50	400/100	600/150	1000/275	n_bkg	rank
endcap	0.413	0.022	0.417	0.440	0.425	0.368	0.420	0.403	0.449	34,970	19/98
barrel	0.436	0.051	0.437	0.470	0.468	0.374	0.439	0.447	0.444	1,089	18/98
all	0.418	0.018	0.422	0.445	0.433	0.364	0.424	0.417	0.447	36,059	16/98

htmiss_y_NOSYS


region: ENDCAP · rank 19 / 98

D_equal 0.413 (noise 0.022) D_pooled 0.417 min 0.368 (mH200_mS50) max 0.449 (mH1000_mS275) bkg n = 34,970 sig n = 9,996

1a · each mass point vs background · raw




1b · each mass point vs background · normalized




1 · each mass point
background n 34,970
mH125_mS15 D 0.440 n 411
mH125_mS55 D 0.425 n 281
mH200_mS50 D 0.368 n 1,071
mH400_mS100 D 0.420 n 2,648
mH600_mS150 D 0.403 n 2,882
mH1000_mS275 D 0.449 n 2,703

2a · combined signal vs background · raw




2b · combined signal vs background · normalized




2 · combined signal
background n 34,970
combined, pooled D 0.417 n 9,996
equal weight per mass D 0.413

3a · background alone · raw



3b · background alone · normalized



3 · background alone
NaN 0.0% −999 0.0%
background n 34,970


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

htmiss_y_NOSYS


region: BARREL · rank 19 / 98

D_equal 0.436 (noise 0.051) D_pooled 0.437 min 0.374 (mH200_mS50) max 0.470 (mH125_mS15) bkg n = 1,089 sig n = 4,987

1a · each mass point vs background · raw




1b · each mass point vs background · normalized




1 · each mass point
background n 1,089
mH125_mS15 D 0.470 n 159
mH125_mS55 D 0.468 n 142
mH200_mS50 D 0.374 n 449
mH400_mS100 D 0.439 n 1,144
mH600_mS150 D 0.447 n 1,608
mH1000_mS275 D 0.444 n 1,485

2a · combined signal vs background · raw




2b · combined signal vs background · normalized




2 · combined signal
background n 1,089
combined, pooled D 0.437 n 4,987
equal weight per mass D 0.436

3a · background alone · raw



3b · background alone · normalized



3 · background alone
NaN 0.0% −999 0.0%
background n 1,089


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

htmiss_y_NOSYS


region: ALL · rank 19 / 98

D_equal 0.418 (noise 0.018) D_pooled 0.422 min 0.364 (mH200_mS50) max 0.447 (mH1000_mS275) bkg n = 36,059 sig n = 14,983

1a · each mass point vs background · raw




1b · each mass point vs background · normalized




1 · each mass point
background n 36,059
mH125_mS15 D 0.445 n 570
mH125_mS55 D 0.433 n 423
mH200_mS50 D 0.364 n 1,520
mH400_mS100 D 0.424 n 3,792
mH600_mS150 D 0.417 n 4,490
mH1000_mS275 D 0.447 n 4,188

2a · combined signal vs background · raw




2b · combined signal vs background · normalized




2 · combined signal
background n 36,059
combined, pooled D 0.422 n 14,983
equal weight per mass D 0.418

3a · background alone · raw



3b · background alone · normalized



3 · background alone
NaN 0.0% −999 0.0%
background n 36,059

a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed