htmiss_x_NOSYS

MC vs data · overview · rank 25 / 98

rank 25 / 98 by endcap D_equal

used by: neither NN list
category: htmiss-linked


region	D_equal	noise	D_pooled	125/15	125/55	200/50	400/100	600/150	1000/275	n_bkg	rank
endcap	0.383	0.022	0.398	0.370	0.401	0.354	0.397	0.400	0.438	34,970	25/98
barrel	0.409	0.051	0.421	0.363	0.446	0.386	0.407	0.418	0.458	1,089	21/98
all	0.386	0.018	0.401	0.357	0.415	0.356	0.396	0.400	0.444	36,059	27/98

htmiss_x_NOSYS


region: ENDCAP · rank 25 / 98

D_equal 0.383 (noise 0.022) D_pooled 0.398 min 0.354 (mH200_mS50) max 0.438 (mH1000_mS275) bkg n = 34,970 sig n = 9,996

1a · each mass point vs background · raw




1b · each mass point vs background · normalized




1 · each mass point
background n 34,970
mH125_mS15 D 0.370 n 411
mH125_mS55 D 0.401 n 281
mH200_mS50 D 0.354 n 1,071
mH400_mS100 D 0.397 n 2,648
mH600_mS150 D 0.400 n 2,882
mH1000_mS275 D 0.438 n 2,703

2a · combined signal vs background · raw




2b · combined signal vs background · normalized




2 · combined signal
background n 34,970
combined, pooled D 0.398 n 9,996
equal weight per mass D 0.383

3a · background alone · raw



3b · background alone · normalized



3 · background alone
NaN 0.0% −999 0.0%
background n 34,970


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

htmiss_x_NOSYS


region: BARREL · rank 25 / 98

D_equal 0.409 (noise 0.051) D_pooled 0.421 min 0.363 (mH125_mS15) max 0.458 (mH1000_mS275) bkg n = 1,089 sig n = 4,987

1a · each mass point vs background · raw




1b · each mass point vs background · normalized




1 · each mass point
background n 1,089
mH125_mS15 D 0.363 n 159
mH125_mS55 D 0.446 n 142
mH200_mS50 D 0.386 n 449
mH400_mS100 D 0.407 n 1,144
mH600_mS150 D 0.418 n 1,608
mH1000_mS275 D 0.458 n 1,485

2a · combined signal vs background · raw




2b · combined signal vs background · normalized




2 · combined signal
background n 1,089
combined, pooled D 0.421 n 4,987
equal weight per mass D 0.409

3a · background alone · raw



3b · background alone · normalized



3 · background alone
NaN 0.0% −999 0.0%
background n 1,089


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

htmiss_x_NOSYS


region: ALL · rank 25 / 98

D_equal 0.386 (noise 0.018) D_pooled 0.401 min 0.356 (mH200_mS50) max 0.444 (mH1000_mS275) bkg n = 36,059 sig n = 14,983

1a · each mass point vs background · raw




1b · each mass point vs background · normalized




1 · each mass point
background n 36,059
mH125_mS15 D 0.357 n 570
mH125_mS55 D 0.415 n 423
mH200_mS50 D 0.356 n 1,520
mH400_mS100 D 0.396 n 3,792
mH600_mS150 D 0.400 n 4,490
mH1000_mS275 D 0.444 n 4,188

2a · combined signal vs background · raw




2b · combined signal vs background · normalized




2 · combined signal
background n 36,059
combined, pooled D 0.401 n 14,983
equal weight per mass D 0.386

3a · background alone · raw



3b · background alone · normalized



3 · background alone
NaN 0.0% −999 0.0%
background n 36,059

a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed