msvtx_nMDTInwards

MC vs data · overview · rank 50 / 98

rank 50 / 98 by endcap D_equal

used by: neither NN list


region	D_equal	noise	D_pooled	125/15	125/55	200/50	400/100	600/150	1000/275	n_bkg	rank
endcap	0.269	0.022	0.227	0.320	0.382	0.311	0.253	0.196	0.207	34,970	50/98
barrel	0.114	0.051	0.137	0.092	0.097	0.106	0.095	0.159	0.177	1,089	72/98
all	0.200	0.018	0.180	0.256	0.288	0.238	0.201	0.218	0.244	36,059	70/98

msvtx_nMDTInwards


region: ENDCAP · rank 50 / 98

D_equal 0.269 (noise 0.022) D_pooled 0.227 min 0.196 (mH600_mS150) max 0.382 (mH125_mS55) bkg n = 34,970 sig n = 9,996

1a · each mass point vs background · raw




1b · each mass point vs background · normalized




1 · each mass point
background n 34,970
mH125_mS15 D 0.320 n 411
mH125_mS55 D 0.382 n 281
mH200_mS50 D 0.311 n 1,071
mH400_mS100 D 0.253 n 2,648
mH600_mS150 D 0.196 n 2,882
mH1000_mS275 D 0.207 n 2,703

2a · combined signal vs background · raw




2b · combined signal vs background · normalized




2 · combined signal
background n 34,970
combined, pooled D 0.227 n 9,996
equal weight per mass D 0.269

3a · background alone · raw



3b · background alone · normalized



3 · background alone
NaN 0.0% −999 0.0%
background n 34,970


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_nMDTInwards


region: BARREL · rank 50 / 98

D_equal 0.114 (noise 0.051) D_pooled 0.137 min 0.092 (mH125_mS15) max 0.177 (mH1000_mS275) bkg n = 1,089 sig n = 4,987

1a · each mass point vs background · raw




1b · each mass point vs background · normalized




1 · each mass point
background n 1,089
mH125_mS15 D 0.092 n 159
mH125_mS55 D 0.097 n 142
mH200_mS50 D 0.106 n 449
mH400_mS100 D 0.095 n 1,144
mH600_mS150 D 0.159 n 1,608
mH1000_mS275 D 0.177 n 1,485

2a · combined signal vs background · raw




2b · combined signal vs background · normalized




2 · combined signal
background n 1,089
combined, pooled D 0.137 n 4,987
equal weight per mass D 0.114

3a · background alone · raw



3b · background alone · normalized



3 · background alone
NaN 0.0% −999 0.0%
background n 1,089


a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed

msvtx_nMDTInwards


region: ALL · rank 50 / 98

D_equal 0.200 (noise 0.018) D_pooled 0.180 min 0.201 (mH400_mS100) max 0.288 (mH125_mS55) bkg n = 36,059 sig n = 14,983

1a · each mass point vs background · raw




1b · each mass point vs background · normalized




1 · each mass point
background n 36,059
mH125_mS15 D 0.256 n 570
mH125_mS55 D 0.288 n 423
mH200_mS50 D 0.238 n 1,520
mH400_mS100 D 0.201 n 3,792
mH600_mS150 D 0.218 n 4,490
mH1000_mS275 D 0.244 n 4,188

2a · combined signal vs background · raw




2b · combined signal vs background · normalized




2 · combined signal
background n 36,059
combined, pooled D 0.180 n 14,983
equal weight per mass D 0.200

3a · background alone · raw



3b · background alone · normalized



3 · background alone
NaN 0.0% −999 0.0%
background n 36,059

a = raw (log y) b = normalized · edge bins include under/overflow · NaN and -999 removed