

## **1 users**

```
CREATE TABLE users (  
    id INT AUTO_INCREMENT PRIMARY KEY,  
    full_name VARCHAR(100),  
    email VARCHAR(100) UNIQUE,  
    password VARCHAR(255),  
    created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP  
);
```

---

## **2 forum\_threads**

```
CREATE TABLE forum_threads (  
    id INT AUTO_INCREMENT PRIMARY KEY,  
    user_id INT NOT NULL,  
    title VARCHAR(255) NOT NULL,  
    content TEXT NOT NULL,  
    category VARCHAR(50) DEFAULT 'General',  
    created_at DATETIME DEFAULT CURRENT_TIMESTAMP,  
    likes INT DEFAULT 0,  
    is_pinned TINYINT(1) DEFAULT 0,  
  
    INDEX (user_id)  
);
```

---

## **3 forum\_replies**

```
CREATE TABLE forum_replies (  
    id INT AUTO_INCREMENT PRIMARY KEY,  
    user_id INT NOT NULL,  
    thread_id INT NOT NULL,
```

```
content TEXT NOT NULL,  
created_at DATETIME DEFAULT CURRENT_TIMESTAMP,  
  
INDEX (user_id),  
INDEX (thread_id)  
);
```

---

## integrations

```
CREATE TABLE integrations (  
  id INT AUTO_INCREMENT PRIMARY KEY,  
  user_id INT NOT NULL,  
  platform VARCHAR(50) NOT NULL,  
  repo_url VARCHAR(500) NOT NULL,  
  connected_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,  
  access_token VARCHAR(500),  
  
  INDEX (user_id)  
);
```

---

## pages

```
CREATE TABLE pages (  
  id INT AUTO_INCREMENT PRIMARY KEY,  
  user_id INT NOT NULL,  
  title VARCHAR(255) NOT NULL,  
  body TEXT,  
  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,  
  updated_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP  
  ON UPDATE CURRENT_TIMESTAMP,
```

```
INDEX (user_id)

);
```

---

## **6 sprints**

```
CREATE TABLE sprints (

  id INT AUTO_INCREMENT PRIMARY KEY,

  user_id INT NOT NULL,

  project_title VARCHAR(255) NOT NULL,

  title VARCHAR(255) NOT NULL,

  start_date DATE,

  end_date DATE,

  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,


  INDEX (user_id)

);
```

---

## **7 tasks**

```
CREATE TABLE tasks (

  id INT AUTO_INCREMENT PRIMARY KEY,

  user_id INT,

  title VARCHAR(255),

  priority VARCHAR(20),

  status VARCHAR(20),

  due_date VARCHAR(20),

  subtasks_total INT DEFAULT 0,

  subtasks_completed INT DEFAULT 0,

  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
```

```
sprint_id INT,  
previous_status VARCHAR(20),
```

```
INDEX (user_id),
```

```
INDEX (sprint_id)
```

```
);
```