

Problem: 11.11.3.9

Nikam Pratik Balasaheb (EE21BTECH11037)

1 PROBLEM

Find the co-ordinates of the foci, the vertices, the length of major axis, the minor axis, the eccentricity and the length of latus rectum of the ellipse $4x^2 + 9y^2 = 36$.

Vertices lie on major axis, therefore let

$$\mathbf{v} = \mu_i \begin{pmatrix} 1 \\ 0 \end{pmatrix} \quad (2.0.11)$$

$$m^T \mathbf{V} \mathbf{m} = \frac{4}{9} \quad (2.0.12)$$

$$\mathbf{m}^{top} (\mathbf{V} \mathbf{h} + \mathbf{u}) = 0 \quad (2.0.13)$$

$$g(h) = -4 \quad (2.0.14)$$

$$\mu_i = \frac{0 \pm \sqrt{0 - (-4) \frac{4}{9}}}{\frac{4}{9}} \quad (2.0.15)$$

$$= \pm 3 \quad (2.0.16)$$

2 SOLUTION

1) Given ellipse equation:

$$\mathbf{x}^T \mathbf{V} \mathbf{x} + 2\mathbf{u}^T \mathbf{x} + f = 0 \quad (2.0.1)$$

$$\text{here, } \mathbf{V} = \begin{pmatrix} \frac{4}{9} & 0 \\ 0 & 1 \end{pmatrix} \quad (2.0.2)$$

$$f = -4 \quad (2.0.3)$$

$$\mathbf{u} = \begin{pmatrix} 0 \\ 0 \end{pmatrix} \quad (2.0.4)$$

Vertices are $\begin{pmatrix} 3 \\ 0 \end{pmatrix}$ and $\begin{pmatrix} -3 \\ 0 \end{pmatrix}$

6) Length of major axis

length of major axis = distance between vertices (2.0.17)

$$= \|\mathbf{v}_1 - \mathbf{v}_2\| \quad (2.0.18)$$

$$= 6 \quad (2.0.19)$$

2) points of intersection of a line $\mathbf{x} = \mathbf{A} + \mu \mathbf{h}$ with ellipse are given by:

$$\mu_i = \frac{1}{\mathbf{m}^T \mathbf{V} \mathbf{m}} \left(-m^T (\mathbf{V} \mathbf{h} + \mathbf{u}) \pm \sqrt{(\mathbf{m}^T (\mathbf{V} \mathbf{h} + \mathbf{u}))^2 - g(\mathbf{h})} \right) \mu \begin{pmatrix} 0 \\ 1 \end{pmatrix} \quad (2.0.21)$$

where,

$$g(\mathbf{h}) = \mathbf{h}^T \mathbf{V} \mathbf{h} + 2\mathbf{u}^T \mathbf{h} + f \quad (2.0.6)$$

3) Center of the ellipse,

$$\mathbf{C} = -\mathbf{V}^{-1} \mathbf{u} \quad (2.0.7)$$

$$= \begin{pmatrix} 0 \\ 0 \end{pmatrix} \quad (2.0.8)$$

4) Major axis

$$\begin{pmatrix} 0 & 1 \end{pmatrix} \mathbf{x} = 0 \quad (2.0.9)$$

$$\text{i.e., } \mathbf{x} = \mu \begin{pmatrix} 1 \\ 0 \end{pmatrix} \quad (2.0.10)$$

7) minor axis

$$\begin{pmatrix} 1 & 0 \end{pmatrix} \mathbf{x} = 0 \quad (2.0.20)$$

$$\text{i.e., } \mathbf{x} = \mu \begin{pmatrix} 0 \\ 1 \end{pmatrix} \quad (2.0.21)$$

$$\mathbf{m}^T \mathbf{V} \mathbf{m} = 1 \quad (2.0.22)$$

$$\mathbf{m}^T (\mathbf{V} \mathbf{h} + \mathbf{u}) = 0 \quad (2.0.23)$$

$$g(h) = -4 \quad (2.0.24)$$

$$\mu_i = 0 \pm \sqrt{0 - (-4)} \quad (2.0.25)$$

$$= \pm 2 \quad (2.0.26)$$

Points of intersection of minor axis with ellipse be $\mu_i \begin{pmatrix} 0 \\ 1 \end{pmatrix}$

Points of intersection of minor axis with ellipse = $\pm \begin{pmatrix} 0 \\ 2 \end{pmatrix}$ (2.0.27)

5) Vertices

8) Length of minor axis

here,

$$\text{length of minor axis} = \text{distance between Points of intersection} \quad \mathbf{m}^\top \mathbf{V} \mathbf{m} = 1 \quad (2.0.43)$$

$$\mathbf{m}^\top (\mathbf{V} \mathbf{h} + \mathbf{u}) = 0 \quad (2.0.44)$$

$$= 4 \quad (2.0.29)$$

$$g(h) = -\frac{16}{9} \quad (2.0.45)$$

Normal to directrix,

$$\mathbf{n} = \text{direction vector of major axis} \quad (2.0.30)$$

$$= \begin{pmatrix} 1 \\ 0 \end{pmatrix} \quad (2.0.31)$$

$$\mu_i = 0 \pm \sqrt{0 - (-1) \frac{16}{9}} \quad (2.0.46)$$

$$= \pm \frac{4}{3} \quad (2.0.47)$$

12) Length of latus recta

length of latus recta = distance between points of intersection

$$(2.0.48)$$

$$= \frac{8}{3} \quad (2.0.49)$$

$$\mathbf{V} = \|\mathbf{n}\|^2 \mathbf{I} - e^2 \mathbf{n} \mathbf{n}^\top = \begin{pmatrix} \frac{4}{9} & 0 \\ 0 & 1 \end{pmatrix} \quad (2.0.32)$$

$$\mathbf{u} = ce^2 \mathbf{n} - \|\mathbf{n}\|^2 \mathbf{F} = \begin{pmatrix} 0 \\ 0 \end{pmatrix} \quad (2.0.33)$$

$$f = \|\mathbf{n}\|^2 \|\mathbf{F}\|^2 - c^2 e^2 = -4H \quad (2.0.34)$$

9) Eccentricity

$$e = \frac{\sqrt{5}}{3} \quad (2.0.35)$$

$$\mathbf{F} = \frac{5c}{9} \begin{pmatrix} 1 \\ 0 \end{pmatrix} \quad (2.0.36)$$

$$c = \pm \frac{9}{\sqrt{5}} \quad (2.0.37)$$

10) Foci

$$\mathbf{F} = \begin{pmatrix} \pm \sqrt{5} \\ 0 \end{pmatrix} \quad (2.0.38)$$

11) equation of Latus Recta

$$\mathbf{n}^\top (\mathbf{x} - \mathbf{F}) = 0 \quad (2.0.39)$$

$$\begin{pmatrix} 1 & 0 \end{pmatrix} \mathbf{x} = 3 \quad (2.0.40)$$

$$i.e., \mathbf{x} = \begin{pmatrix} 3 \\ 0 \end{pmatrix} + \mu \begin{pmatrix} 0 \\ 1 \end{pmatrix} \quad (2.0.41)$$

Let points of intersection of latus rectum and curve be,

$$\mathbf{x} = \mathbf{F} + \mu_i \mathbf{m} \quad (2.0.42)$$

Parameter	Value	Description
\mathbf{V}	$\begin{pmatrix} \frac{4}{9} & 0 \\ 0 & 1 \end{pmatrix}$	matrix \mathbf{V} from ellipse equation
\mathbf{u}	$\begin{pmatrix} 0 \\ 0 \end{pmatrix}$	vector \mathbf{u} from ellipse equation
f	-4	constant f from ellipse equation

TABLE 12: Table 1




Fig. 12: Figure 1