



MYLAN LABORATORIES LIMITED  
F-4 & F-12, Malegaon MIDC, Sinnar,  
Nashik - 422 113, Maharashtra, India.

**CERTIFICATE OF ANALYSIS  
(WORKING STANDARD)**

Name: Atazanavir Sulfate			
Source Batch No.	50050167	W.S. A.R. No.	MLNWSD15000217
Date Of Standardization	Dec 22 2015 2:08PM	Standardized against	Atazanavir Sulfate USPRS Lot No: F020D0
Storage Condition	NMT 25°C	Validity	Dec 19, 2016
STP No.	RMPATS019-11	Ref. Specification	RMSATS019-12

S. No.	TEST	SPECIFICATION	RESULTS
1	Description	White to pale yellow powder which may contains lumps.	Pale yellow powder
2	Identification (By Infrared Absorption)	The absorption maxima in the spectrum obtained with the substance to be examined corresponds in position and relative intensity to those in the spectrum obtained with the working standard.	The absorption maxima in the spectrum obtained with the test substance corresponds in position and relative intensity to those in the spectrum obtained with the Atazanavir Sulfate Lot. No. F020D0.
3	Water (By KF)	Not more than 1.0% w/w	0.21 % w/w
4	Assay (By HPLC)		
4.1	Assay on 'as is basis'	Not less than 83.5% w/w and not more than 91.0% w/w.	88.5 % w/w
4.2	On corrected for water and sulfuric acid	Not less than 97.5% w/w and not more than 102.0% w/w.	100.7 % w/w
4.3	On corrected for water, residual solvents and sulfuric acid	Not less than 98.0% w/w and not more than 102.0% w/w.	100.7 % w/w



Remarks: APPROVED (Sample Conforms to above Specification)

Checked By	Gautam.Patil	Approved By	Chandrajeet.Singh
Checked On	Dec 22 2015 1:51PM	Approved On	Dec 22 2015 2:08PM
Printed by: Ashish.Giram	Printed on: Dec 22 2015 5:02PM	Copy No.: 1	Page No.: 1 of 1

Note : This document has been generated electronically and is valid without signature.

Format No./N/A

Plot No. 564/A/22, Road No. 92, Jubilee Hills, Hyderabad - 500 034, Telangana, India  
Tel: 91-40-30866666, 23550543, Fax: 30866689

www.mylanlabs.in