

**QUALITY ASSURANCE DEPARTMENT**  
**WORKING STANDARD- CERTIFICATE OF ANALYSIS**

Product Name	ABIRATERONE ACETATE- WORKING STANDARD		
Batch No.	BD/AR/WS/16/01	A.R.No.	BD/AR/WS/COA/16/01/01
Date of Analysis	20/01/2016	Date of Issue	22/01/2016
Mfg. Date	Jan-2016	Retest Date	21/01/2017
Exp. Date	Dec-2018	Primary Working Std. No.	BDR/WS/AR/15/01
Storage	Store below 25°C.		

S.No.	TEST	STANDARD	RESULT
1.	Description	White to Off white crystalline powder	White Crystalline powder.
2.	Identification A) By HPLC:  B) By IR:	The retention time of the major peak in the chromatogram of sample corresponds to that in the chromatogram of Standard preparation The IR spectrum of sample is in accordance with that of reference standard	The retention time of the major peak in the chromatogram of sample corresponds to that in the chromatogram of Standard preparation The IR spectrum of sample is in accordance with that of reference standard
3.	Water	NMT 1.0 %	0.08%
4.	Assay by HPLC (On anhydrous basis)	NLT 97.0% and NMT 102.0%	99.93 %
5.	Potency	For information	99.85 %

Remarks: The sample complies /does-not-comply as per USP Specification.



PREPARED BY  Mihir Upadhyay QA Officer	Checked By:  QC Manager Rakshit Choksi	Approved By:  QA Manager Deepak Suthar
---	---	---

**BDR PHARMACEUTICALS INTERNATIONAL PVT. LTD.**