



Page 2 of 7

No: WS 01:P01

WORKING STANDARD TEST PROTOCOL

Effective date: 22/01/15

Title

AMOXICILLIN TRIHYDRATE BP

A.R. Number:

B.No / Lot: *M 482415*

Code number: WS 01

Manufacturing date: 12/2014

Expiry date: 11/19

Manufacturer: DSM Sinochem

Supplier: *Tanani pharmaceuticals.*

Traceability of Reference standard:

B. No: 5 Validity on 05/03/15

WORKING STANDARD TEST REPORT

Remarks: The material is recommended to use as the substitute for the reference standard.

Intended use: Assay, Identification, dissolution and related substances/Chromatographic purity

Storage: Store in a cooling cabinet @ $+5^{\circ}\text{C}$ [QC011]

Validity period:

No of vials prepared: 94


From: 07/03/15 To: 06/03/16

Vial Quantity

8 gms each

PREPARED BY

CHECKED BY

Sign: 
Date: 06/03/15

Sign: *Leur*
Date: *07/03/12*

Sign: 21208
Date: 07/02/15

MASTER

MASTER COPY APPROVAL:

USAGE COPY APPROVAL:

Sign: M. Q. Chany Date: 22/01/15

Sign: JB Date: 22/01/15