

## SQUARE PHARMACEUTICALS LIMITED **DHAKA UNIT**

Page: 1 of 1

WRS HH-1

## Certificate of Analysis (COA) for Working Standard

Batch No. : 1000023190
Date of Mfg : 05 Apr' 14
Expiry date of materials : 04 Apr' 19
Date of Expiry (as std.): 19 May' 17
Ref. Spec. No : RMSP/QC/246/05
No. of Container : 24
Date of storage : 25 May' 15
Storage Condition : NMT 25 ° C
_

Tests	Specification	Results
1. Appearance	White to slightly off white, fibrous or granular powder.	White granular powder
2. Identification	A. The powdered material aggregates on the surface.  B. A slurry is formed, but the powdered material does not dissolve. Cool the slurry to 10°, and stir using a magnetic stirrer; the resulting liquid is a clear or slightly turbid solution with thickness dependent on the viscosity grade.  C. A red color develops at first those Changes to purple within 100 min.  D. A coherent, clear film forms on the glass slide.  E. The flocculation temperature is higher than 50°.	A. Complies  B. Complies  C. Complies  D. Complies  E. Complies
3. Loss on drying	Not more than 5.0%	2.1%
4. Apparent viscosity	75% to 140% of the viscosity stated on the label. The Labeled Viscosity is based on the manufacturer's specifications. (Minimum: 2663 mPa. s - Maximum: 4970 mPa.s)	4123 mPa.s
5. Residue on ignition	Not more than 1.5%	0.12%
	$\int f(x) dx = \int f(x) dx$	~ 111 WW WILL

Potency 97.9%

Prepared by:	Checked by:	Approved by:
(h) or ward 12	JE May 15	# 26 May 15
Abul Basar Md. Yeahea	Dr. Parimal Talukder	Dr. Md. Zahurul Hossain
Executive, QC	Manager, R&D	AGM, QA