



Republic of Kenya
Ministry of Health
National Quality Control Laboratory

Hospital Road, KNH Complex, P.O. Box 29726, 00202 Nairobi, Kenya
Telephone: 2726963, +254 - 020 - 3544525/30 • Fax: 2718073
Email: info@nqcl.go.ke Website: www.nqcl.go.ke



CERTIFICATE OF ANALYSIS

CERTIFICATE No.: CAN/2017-18/337

PRODUCT

PARACETAMOL SECONDARY REFERENCE STANDARD

REF. No.: NDQF201801314

DATE RECEIVED:

LABEL CLAIM:

Paracetamol 500 mg.

29 Jan. 2018

BATCH No.:

PRESENTATION:

White coloured, free flowing powder packed in an amber coloured glass vial with a rubber closure and an aluminium band.

A101001BP

MFG. DATE:

MANUFACTURER:

Technology Solutions For Global Health

EXP. DATE:

ADDRESS:

P. O. Box AF 3228,
Adenta, Accra,
GHANA

CLIENT REF No.:

CLIENT:

Technology Solutions for Global Health

TEST(S) REQUESTED: Identification & Assay.

RESULTS

TEST	METHOD	COMPENDIA	SPECIFICATION	DETERMINED	REMARKS
Identification	HPLC	Client protocol No.: PRO-T4H03-00	RT of the component peak in the test preparation corresponds to that in the standard preparation	Super-imposable component peak at RT $6.6 \pm 10\%$ min. present in both the test and standard preparations	COMPLIES
Assay	HPLC	Client protocol No.: PRO-T4H03-00	-	100.327%	

CONCLUSION: The reference standard has a purity factor of 100.327%

ANALYST: DR. N. MWAURA

DATE: 26. Feb. 18

ANALYST: DR. E. MBAE

DATE: 26. Feb. 18

DIRECTOR: DR. H. K. CHEPKWONY

DATE: 26. Feb. 18

