A52-7

ALKA LABORATORIES PVT. LTD.

(An ISO 9001:2008 & GMP CERTIFIED COMPANY)
B-1124, Phase III R IICO Industrial Area Bhiwadi: 301019 Distt. Alwar (Raj)
CERTIFICATE OF ANALYSIS (WORKING STANDARD)

Name of the Materi	al: ACECLOFENAC BP		10/11/2015	
Batch No	AL ACF 111 09 14	Date of report	10/11/2015	
	September-2014	Exp. Date	August-2019 09/11/2016	
Mfg. Date		Use before		
CAS No.	89796-99-6		1.0 gm	
A.R No.	QC/FP/14/0720	Quantity	1.0 gm	

	and the second	SPECIFICATIONS	RESULTS	
S.No. 01.	TESTS Appearance	White or almost white crystalline powder.	Almost white crystalline powder.	
02.	Solubility	To comply with BP	Complies	
03.	Identification by A). UV B). Chemical	A). Should comply by UV B). Should comply by chemically	Complies Complies	
04.	Related substances by HPLC Impurity A Any highest impurity	Not more than 0.2% Not more than 0.2% Not more than 0.7%	0.09% 0.12% 048%	
	Total impurities	Not more than 10ppm	Less than 10ppm	
05.	Heavy metals	Not more than 0.5% w/w	0.04% w/w	
06.	Loss on drying	Not more than 0.1% w/w	0.04% w/w	
07.	Residue on ignition Assay	99.0% to 101.0% w/w	99.48% w/w	
00.	(On dried Basis)	15 BASIS	99.44%	

Report: The product meets the requirements of BP specification.

5. 2			- CI 1		O.C. Manag	ger ((Approved By)	Q.A. Head
(Prepared By)		Analyst					& outer/.	
A-grulge	*		to.	Havits	ONALITY C	ONTROL		

