

WRS
LI-9

CERTIFICATE OF ANALYSIS
WORKING STANDARD



Product Name : LUMEFANTRINE
 Batch No. : WS-04/15 A. R. No. : LUM/15/WS-04
 Mfg. Date : 04/07/2015 Date of analysis : 04/07/2015
 Use before date : 03/07/2016 Ref. Standard Batch No. : WS-09/14

Sr. No.	Test	Result	Specification
01	Description	A yellow crystalline powder with characteristic odour.	A yellow crystalline powder with characteristic odour.
02	Identification By IR	Complies	The IR spectrum of sample is concordant with the IR spectrum of standard.
03	Loss on drying	0.22 %	Not more than 0.5 %
04	Melting point	125.8°C	Between 125.0°C to 130.0°C
05	Impurity profile 1) 2,7-Dichloro-4-oxiranyl fluorenyl 2) 2,7-dichloro-alpha-[(dibutylamino)methyl]-9H-fluorene-4-methanol 3) Unknown Impurity 4) Total Impurities	Not detected Not detected 0.03 % 0.07 %	Not more than 0.15 % Not more than 0.15 % Not more than 0.5 % Not more than 2.0 %
06	Assay (On dried basis)	99.79 %	Not less than 98.0 % and not more than 100.5 %

OPINION: The product Complies as In House specification.

A. K. Patel
04/07/2015

Prepared by
A. K. Patel
Chemist - QC

H. I. Patel
04/07/2015

Checked by
H. I. Patel
Chemist - QC

R. R. Patel
04/07/2015

Approved By
R. R. Patel
Chemist - QC

Themis Medicare Limited

Regd. Office & Factory : Plot No. 69-A, G. I. D. C. Industrial Estate, Vapi - 396 195, Gujarat.
 Phone: +91-260- 2431447, 2421675 • Fax : 2430219 • E-Mail : vapi@themismedicare.com
 Corporate Office : 11/12 Udyog Nagar, S. V. Road, Goregaon (West), Mumbai 400 104, India