

WRS C85-1

C85-1

Vetindia Pharmaceuticals Limited A-6/1, Electronic Complex, Kushaiguda, Hyderabad-62

		QUALITY CONTROL DEPAR CERTIFICATE OF ANAL ORKING STANDARD ANALYS	RTMENT YSIS SIS REPO	RT CONTROL ISON
	St. M GH CHIM DA	Mfg.lic.No:52/HD/AP/95/		de 020   WC No. 1 WC 020/15
	f the Material: CALCIUM PA	Material Code: 020 0WS.No: VWS/020/15 Mfg.Date-06/2015 Exp.Date-06/2018		
Batch No: Working Standard  Name of the Manufacturer: Hainan Zhongxin Chemical Co Ltd				
		FAX: 2710073		
Condition: Good			Quantity Received: 50 g	
	Analysis: 30/12/2015		Date of Report: 30/12/2015	
Inward			A.R.NO: VWSR/066/15	
Ref STP No: VIPL/QC/RM/020/A			Ref SOP No: VIPL/QC/GEN/017	
S.NO	TEST	SPECIFICATION		RESULT
1. 2. 3.	Appearance Solubility Identification	White or almost white powder, slightly hygroscopic.  Freely soluble in water, slightly soluble in alcohol.  A. Specific optical rotation B. Test for 3-aminopropionic acid		Almost white powder.  Complies  Complies  Complies
4.	Appearance of Solution	C. A blue colour develops D. Reaction (a) of calcium Solution S is clear and colourless		Blue colour developed Complies Solution S was clear and colourless
5.	pH	6.8 to 8.0		7.75
6.	Specific Optical Rotation	+25.5° to +27.5°		+26.3°
7.	3-Aminopropionic Acid	Thin-layer chromatography		Complies
8.	Chlorides	Not more than 200 ppm		< 200 ppm
9.	Heavy Metals	Not more than 20 ppm		< 20 ppm
10.	Loss On Drying	Not more than 3.0%		1.3%
11.	Assay(dried substance)	NLT 98.0% and NMT 101.0%		98.9%

REMARKS: THE MATERIAL COMPLIES WITH BP2011 SPECIFICATIONS IN THE ABOVE RESPECTS.

CHECKED BY Prasad 30/12/2018

