

# THE MADRAS PHARMACEUTICALS

137-B, Old Mahabalipuram Road, Karapakkam, Chennai - 600 096. Phone : 2345 2040-44 Fax : 2345 2046

WRS

C13-5

05/QC-FOR/93

WRS

C13-5




## CERTIFICATE OF ANALYSIS OF WORKING STANDARD

Product Name	Clopidogrel Bisulfate	A.R Number	MPR/0839/J2815
Working standard No	WS-46/16/01	Effective Date	Jan 2016
Quantity	300 mg	Date of validity	Dec 2016

S.NO.	TEST	SPECIFICATION	RESULT
1.	Description	A White to off white powder	A White to off white powder
2.	Identification (By IR)	The sample spectrum should concordant with standard spectrum	Complies
3.	LOD	NMT 0.5%	0.23%
4.	Assay (on Dried basis)	Clopidogrel Bisulfate contains not less than 97.0% and not more than 101.5% of Clopidogrel Bisulfate	99.50%

Store at Room Temperature

Standardized against IPC reference standard Clopidogrel Bisulfate -Reference No:IPRS/27/12

Prepared By	S. Reddy	Reviewed By	R. Srinivasan	Approved BY	
Date	06/01/16	Date	06/01/16	Date	06/01/16

