Cat

POPULAR PARMACEUTICALS LTD QUALITY CONTROL DEPARTMENT INDUSTRIAL OPERATIONS TONGI

C2-8

Certificate of Analysis for Working Standard

 Material Name
 Ceftriaxone Sodium (Sterile)

 Material Code No
 PPRA0068

 Batch No. (In House)
 WS/13(2)/048

	Reference Standard details		
Harbin Pharmaceutical Group Co.China	Name of the RS	Ceftriaxone Sodium	
A201308014	Batch No (in-house)	WS/13/048	o ^{Fl}
PR-1013-087	Potency	850 50 µg/mg	
18.07 2013	Valid upto	10.06.2014	
30 06 2018			
23.10.2013	Testing instruction	USP+ In house	
13 11 2014	Analyst's log book reference	V. D. S.	
	A201308014 PR-1013-087 18.07 2013 30.06.2018 23.10.2013	Harbin Pharmaceutical Group Co.China Name of the RS A201308014 Batch No (in-house) PR-1013-087 Potency 18.07 2013 Valid upto 30 06 2018 Testing instruction	Harbin Pharmaceutical Group Co.China Name of the RS Ceftriaxone Sodium A201308014 Batch No (in-house) WS/13/048 PR-1013-087 Polency 850 50 μg/mg 18.07 2013 Valid upto 10.06.2014 30 06.2018 Testing instruction USP+ In house

Tests	Specifications	Results
A se considerate de tropas da co		
Appearance	White to yellowihs-orange crystalline powder.	Off-white crystalline powder.
Solubility	Freely soluble in water, sparingly soluble in methanol, very slightly soluble in alcohol	Complies
dentification		
IR Spectra	Must comply with the IR spectrum of Ceftriaxone Sodium CRS	Complies
Retention time (HPLC)	For the analysis of assay, retention time of principal peak for sample & standard must correspond.	Complies
Reaction of Sodium	It gives the reaction of sodium.	Complies
Н	Between 6 0 and 8 0 in a solution (1 in 10)	6.5
Vater	Between 8.0% to 11.0%	9.38%
Particulate Matter	Meets the requirmen for small volume of injection.	Complies
Assay	Not less than 795 μg of Ceftriaxone per mg on anhydrous basis.	944 35 μg/mg
Assay (As such)	N/A	855.77 µg/mg
Bacterial Endotoxins	Not more tha 0.20 USP Endotoxin Unit per mg of Ceftriaxone.	<0.1 EU/mg
Sterility	Must be sterile	Sterile
absorbance of 10% w/v solution in WFI	Not more than 0.100 Absorbance Unit at 430 nm	0 097
Reconstituted Time	Not more than 2 minutes	LT 2 Min

Valid up to three months form the date of openning.

Authorized person : Md. Feroz Alam; Quality Control Managel TY CONTROL signature :

MAN 13-11-13

Certificate issued on 13/11/2013 by Popular Pharmaceuticals Limited

End of report

N 7 OCT 2014

Tali 27 20700 7 0041, 20130 FAX: 2718073

Box 29726 - 00201

Page 1 of 1