

CERTIFICATE OF ANALYSIS

Page: 1 of 2

Generated Date: 09-2017

PHARMACIA & UPJOHN COMPANY LLC (A SUBSIDIARY OF PFIZER INC) 7000 PORTAGE RD KALAMAZOO, MI 49001-0199 USA

Item:

11000200569

Title:

ANIDULAFUNGIN

Retest Date:

19-MAY-2018

Expiration Date: Date Of Manufacture: 19-MAY-2017

Specification:

200569 COA EXTENDED

LOT NUMBER:

T03710

y y			
TEST NAME APPEARANCE	SPECIFICATION MEETS TEST	UNITS NONE	RESULTS MEETS TEST
IDENTIFICATION IR	MEETS TEST	NONE	MEETS TEST
IDENTIFICATION-HPLC	MEETS TEST	NONE	MEETS TEST
ASSAY ANHYDROUS FRUCTOSE FREE	94.0-102.0	wt%	99.1
PEAK B	<=1.5	Area %	0.2
DESMETHYL 1	<=2.0	Area %	0.6
DESMETHYL 2	<=1.0	Area %	0.3
DESOXY	<=1.0	Area %	0.6
IMPURITIES UNSPECIFIED	<=0.4	Area %	<0.1
IMPURITIES TOTAL UNSPECIFIED	<= 0, =>	Area %	< 0.1
IMPURITIES TOTAL	<=5.0	Arca %	1.6
AUCTOSE CONTENT	7.0-17	% wt/wt	12.3
WATER CONTENT	<=7.0	%	4.1
RESIDUAL SOLVENTS METHANOL	<=0.5	% wt/wt	0.2
RESIDUE ON IGNITION	<=0.2	0%	<0.1



A-77-1





CERTIFICATE OF ANALYSIS

Page: 2 of 2

Generated Date: 09-2017

PHARMACIA & UPJOHN COMPANY LLC (A SUBSIDIARY OF PFIZER INC) 7000 PORTAGE RD KALAMAZOO, MI 49001-0199 USA

Item:

11000200569

Title:

ANIDULAFUNGIN

Retest Date;

19-MAY-2018

Expiration Date:

N/A

Date Of Manufacture:

19-MAY-2017

Specification:

200569 COA EXTENDED

LOT NUMBER:

T03710

TEST NAME	SPECIFICATION	UNITS	RESULTS
HEAVY METALS	<=20	ppm	<= 20
MICROBIAL LIMITS AEROBIC BACTERIA	<=1000	CFU/g	<100
MICROBIAL LIMITS YEAST AND MOLD	<=100	CFU/g	<10
BACTERIAL ENDOTOXIN	<=4.0	EU/mg	< 1.0
This lot/batch was manufactured and tested according under cGMP's and applicable regulatory guidelines of Telephone: 269-833-4000.	to the standard operating procedures f Pharmacia & Upjohn Company, 700	, material specification, 10 Portage Road, Kalam	and batch records azoo, Michigan, 4900
This lot/batch was manufactured and tested according under cGMP's and applicable regulatory guidelines of Telephone: 269-833-4000.	to the standard operating procedures f Pharmacia & Upjohn Company, 700	, material specification, 00 Portage Road, Kalam	and batch records azoo, Michigan, 4900
under cGMP's and applicable regulatory guidelines of	f Pharmacia & Upjohn Company, 700	0 Portage Road, Kalaın	and batch records azoo, Michigan, 4900
under cGMP's and applicable regulatory guidelines of Telephone: 269-833-4000.	f Pharmacia & Upjohn Company, 700	0 Portage Road, Kalaın	and batch records azoo, Michigan, 4900
under cGMP's and applicable regulatory guidelines of Telephone: 269-833-4000. Electronic Signature: Michael C. LaDuke Lot Relea	f Pharmacia & Upjohn Company, 700	0 Portage Road, Kalaın	and batch records azoo, Michigan, 4900
under cGMP's and applicable regulatory guidelines of Telephone: 269-833-4000. Electronic Signature: Michael C. LaDuke Lot Relea	f Pharmacia & Upjohn Company, 700	0 Portage Road, Kalaın	and batch records azoo, Michigan, 4900