

WRS 726-2

Vetindia Pharmaceuticals Limited

A-6/1, Electronic Complex, Kushaiguda, Hyderabad-62

QUALITY CONTROL DEPARTMENT CERTIFICATE OF ANALYSIS WORKING STANDARD ANALYSIS REPORT Mfg.lic.No:52/HD/AP/95/F/R

Name of the Material: **THIAMINE HYDROCHLORIDE**Material Code: 138 W.S.No: VWS/138/15

Batch No: Working Standard

Mfg.Date: 06/2015 Exp.Date: 06/2018

Name of the Manufacturer: DSM Nutritional Products

Condition: Good Quantity Received: 50 g

Date of Analysis: 10/12/2015 Date of Report: 11/12/2015

Inward No:022 A.R.NO: VWSR/022/15

Ref STP No: VIPL/QC/RM/138/B Ref SOP No: VIPL/QC/GEN/017

| Ref STP No: VIPL/QC/RM/138/B | | | SOP No: VIPL/QC/GEN/01/ |
|------------------------------|------------------------|--|--|
| S.NO | TEST | SPECIFICATION | RESULT |
| 1. | Description | White crystals or crystalline powder. Usua having a slight characteristic odor, when esto air, the anhydrous product rapidly absorabout 4% of water. Melts at about 248° wisome decomposition. | xposed bs . |
| 2. | Solubility | Freely soluble in water; Soluble in Glycer slightly soluble in alcohol practically insoluter and in benzene | |
| 3. | Identification | A. Infrared absorption B. Tests for chlorides | Complies Complies |
| 4. | рН | Between 2.7 and 3.4 | 3.2 |
| 5. | Water | Not more than 5.0% | 2.9% |
| 6. | Residue on ignition | Not more than 0.2% | 0.03% |
| 7. | Absorbance of solution | Does not exceed 0.025 | 0.001 |
| 8. | Limit of nitrate | No brown ring is produced at the junction two layers. | of the Brown ring was did not produced at the junction of the two layers |
| 9. | Assay (dried basis) | NLT 98.0% and NMT 102.0% | 99.4% |

| (dried basis) | REMARKS: THE MATERIAL COMPLIES WITH BP2011 SPECIFICATIONS IN THE ABOVE RESPECTS.

. GENTLA ANALYSED BY Prasad 11/12/2015

CHECKED BYO Latha 11 12 201

