


NO. DQP 2015 11565

WRS
AGI-1

	BEXIMCO PHARMACEUTICALS LTD. TONGI-1711, GAZIPUR, BANGLADESH
---	---

QUALITY CONTROL DEPARTMENT

Certificate of Analysis for Analytical Working Standard (AWS)

Name of the Analytical Working Standard (AWS): **AMBROXOL HYDROCHLORIDE BP**

Manufacturer's / Supplier's Name: **Ami Lifesciences Pvt. Ltd, India**

Batch/Lot Number: **AMX/40010115**

R. Number : **332487**

Date of Manufacturing: **JAN, 2015**

Date of Expiry: **DEC, 2018**

Date of Standardization: **01.12.15**

Retest Date : **01.12.17**





Reference Standard Used: **EP**

Batch/Lot Number : **3.1**

Reference of Methods of Analysis: **FP-182**

Sl. No.	Tests	Specifications	Results
01.	Description	A white to yellowish, crystalline powder.	A white crystalline powder
02.	Identification: a. IR Method	a. Conforms	a. Conforms
03.	Related substances : a) Individual impurity b) Total impurities	a) Not more than 0.10 % b) Not more than 0.30 %	a) 0.04 % b) 0.04 %
04.	Loss on drying	Not more than 0.5 %	0.02 %
05.	Assay (On dried basis)	Not less than 99.0 % and Not more than 101.0 %	99.92 % (as Ambroxol Hydrochloride)
	Assay (as is basis)	--	99.90 % (as Ambroxol Hydrochloride)

Comments: Qualified for use as working standard.

	Name	Designation	Sign & Date
Standardization By	MD. LUTFUL HYDER	SR. OFFICER, QUALITY CONTROL	 01.12.15
Checked By	ARJUMAN BANU	SR. ASST. MANAGER, QUALITY CONTROL	 01.12.15
	MD. DELWAR HOSSAIN	DEPUTY MANAGER, QUALITY CONTROL	 01.12.15
Approved By	MD. SALIM HOSSAIN	SR. MANAGER, QUALITY CONTROL	 01.12.15

FRM No.: FQC/140-01

