






UNICHEM LABORATORIES LTD.

WORKS : VILLAGE BHATAULI KALAN,
BADDI, DISTT. SOLAN (H.P.)-173 205
Tel. : (01795) 244507, 245322, 246702-06
Fax : (01795) 244508


REGD. OFFICE :
8, PRABHAT ESTATE
S.V. ROAD, JOGESHWARI (WEST),
MUMBAI - 400 102

OUR CIN NUMBER

L99999MH1962PLC012451

		
CERTIFICATE OF ANALYSIS WORKING STANDARD		
Product : Clavulanate Potassium-Avicel (1:1)	Working Std. No. : CLAV-IH-12	
Source A.R.No. : 010000135214	Mfg. Date : 05/2014	
Evaluated against : 5.1	Exp. Date : 05/2018	
Valid from : 08.08.2014	Valid upto : 03.02.2015	
Quantity : 90.0g		
Storage condition and packing configuration : Store in an airtight amber coloured glass vial		
Test	Specification	Result
Description	White to off-white powder	Off-white powder
Identification For Clavulanic acid (by HPLC)	In the test for 'Assay', the retention time of the peak due to clavulanic acid in the sample preparation matches with that obtained in standard preparation	In the test for 'Assay', the retention time of the peak due to clavulanic acid in the sample preparation matches with that obtained in standard preparation
For Avicel (Dispersion in iodinated zinc chloride solution)	The substance turns violet blue	The substance turns violet blue
Water	NMT 1.0%	0.79%
Assay (on anhydrous basis)	Between 39.5% and 46.0%	Average: 42.7% Relative Std. Dev: 0.2%
Potency (On as is basis)	For reference only	42.36%
Remarks	The sample conforms with specifications as per the above- mentioned tests & can be used as working standard for the specified period only.	
Checked By: Vishant Mehta		Approved By: Vishal Dixit
Designation: Asst. Manager		Designation: Dy. Manager
Sign & Date:  10/11/14		Sign & Date:  10/11/14

COA Reissued on 10.11.2014 for RA



UNICHEM-A TRUSTED NAME IN PHARMACEUTICALS