WRS C91-2

GRAMS: FRANCOLAB MUMBAI 400 011.

PHONE: 2687 0687, 2687 0099.

CORPORATE IDENTITY NUMBER (CS) 112 1239MH1\$39PTC011347

FACT.: 54B, SIR M. VASANJI RD, ANDHERI (E), MUMBAI 400 093.



OUR REF. :

CERTIFICATE OF ANALYSIS

22.11.2017

100.03%

S.Acharya

CLOTRIMAZOLE WORKING STD

B.NO. C-18 BATCH SELECTED 20170613					
		3	QUANTITY 500 mg in	QUANTITY 500 mg in each vial	
MFG.DATE	June-17		No's of vials	12	
/ALID TILL Dec-18			Storage condition	25 °C	
		IP/USP Specification		A	
TEST		LIMITS	RESULTS	RESULTS	
DESCRIPTION		A white crystalline powder.			
IDENTIFICATION (A,B)		Should pass as per IP/USP	Positive	Positive	
SOLUBILITY		Insoluble in water, freely soluble in ethanol ,chloroform & methanol	Complies	Complies	
MELTING RANGE		About 142 (USP)	143°C to 144	143°C to 144°C	
APPEARANCE OF 5% SOL		Clear and colourless	Complies		
LIMIT OF CLOTRIMAZOLE RELATED COMPOUND A		N.M.T. 0.5 %(USP)	Complies		
LIMIT OF IMIDAZOLE		N.M.T. 0.5 %(USP)	Complies	Complies	
RELATED SUBSTANCES		N.M.T. 0.2 % (I.P.)	Complies		
LOSS ON DRYING		N.M.T. 0.5 %	0.21%	0.21%	
RESIDUE ON IGNITION		N.M.T. 0.1 %	0.01%	0.01%	
HEAVY METALS		N.M.T. 10 ppm	Passes (L.T. 10	Passes (L.T. 10 PPM)	

Working standard of Clotrimazole Lot No. C - 18 is suitable substitute for reference standard.

98 % to 102 %

ANALYST / DATE

ASSAY

Ms.Ruhi Ulvawala

Registered Office: 20, DR. E. MOSES ROAD, MUMBAI - 400 off Rhope. 224 Website: http://www.francoindian.com