

| REAGENTS USED |              |              |               |             |             |         |
|---------------|--------------|--------------|---------------|-------------|-------------|---------|
|               | Reagent Name | Manufacturer | Lot/Batch No. | Date Opened | Expiry Date | Remarks |
| 1.            |              |              |               |             |             |         |
| 2.            |              |              |               |             |             |         |
| 3.            |              |              |               |             |             |         |
| 4.            |              |              |               |             |             |         |
| 5.            |              |              |               |             |             |         |
| 6.            |              |              |               |             |             |         |
| 7.            |              |              |               |             |             |         |
| 8.            |              |              |               |             |             |         |

| EQUIPMENT USED |                |                   |                          |                          |         |
|----------------|----------------|-------------------|--------------------------|--------------------------|---------|
|                | Equipment Name | NQCL No./Code     | Date of Last Calibration | Date of Next Calibration | Remarks |
| 1.             | HPLC M         | NQCL/L19/2012/378 |                          |                          |         |
| 2.             |                |                   |                          |                          |         |
| 3.             |                |                   |                          |                          |         |
| 4.             |                |                   |                          |                          |         |
| 5.             |                |                   |                          |                          |         |
| 6.             |                |                   |                          |                          |         |
| 7.             |                |                   |                          |                          |         |
| 8.             |                |                   |                          |                          |         |