

NTT5:

```
Interface Moveable {  
    void move up();  
    void move Down();  
    void move left();  
    void move right Right();  
}
```

```
class Moveable Point implements Moveable {  
    int x, y;  
    int x speed, y speed;
```

```
    public Moveable point (int x, int y, int x speed, int  
y speed) {
```

```
        this.x = x;
```

```
        this.y = y;
```

```
        this.x speed = x speed;
```

```
        this.y speed = y speed;
```

```
    }
```

@Override

```
    public void move up () {
```

```
        y = y speed;
```



```
}
```

@Override

```
public void moveUp () {
```

```
    y += ySpeed;
```

```
}
```

@Override

```
public void moveDown () {
```

```
    y -= ySpeed;
```

```
}
```

@Override

```
public void moveLeft () {
```

```
    x -= xSpeed;
```

```
}
```

@Override

```
public void moveRight () {
```

```
    x += xSpeed;
```

```
}
```

@Override

```
public String toString () {
```

```
    return "print (" + x + ", " + y + ") speed = (" +
```

```
    xSpeed + ", " + ySpeed + ")";
```


}

}

class MoveableCircle implements Moveable {

int radius;

Moveable Point center;

public MoveableCircle(Moveable point center, int ^{Radius} radius

{

this.center = center;

this.radius = radius;

}

@Override

public void moveUp () {

center.moveUp ();

}

@Override

public void moveUp () {

center.moveUp ();

}

@Override

public void moveDown () {

center.moveDown ();

}

@Override

```
public void moveLeft() {  
    center.moveLeft();  
}
```

@Override

```
public void moveRight() {  
    center.moveRight();  
}
```

@Override

```
public String toString() {  
    return "Circle center = " + center + ", radius";  
}
```

```
public class Main {
```

```
    public class main {
```

```
        public static void main(String[] args) {  
            MoveablePoint p = new MoveablePoint(c, c, 2, 3);  
            MoveableCircle c = new MoveableCircle(p, 5);
```

```
            System.out.println(p);
```

```
            p.moveRight();
```

```
            p.moveUp();
```



```
system.out.println(p);
```

```
system.out.println(c);
```

```
c = moveDown();
```

```
p = moveLeft();
```

```
system.out.println(c);
```

```
}
```

```
}
```