

Statistical Analysis Report

AI Salary Analysis DACH Region

Nina Haide | May 6th, 2026

1. Overview

This report presents an exploratory statistical analysis of AI salary data across the DACH region (Germany, Austria and Switzerland). The analysis examines how compensation varies across experience levels, work modes, job titles and countries, using descriptive statistics, visualisations and hypothesis testing. The dataset is sourced from ai-jobs.net, a

publicly available, crowdsourced salary platform. Download link:

<https://raw.githubusercontent.com/foorilla/ai-jobs-net-salaries/main/salaries.csv>

2. Dataset Description

The dataset is published by ai-jobs.net and contains anonymously submitted salary information from AI, ML and data science professionals worldwide. Submissions include job title, experience level, employment type, company size, company location, remote work ratio and annual salary in local currency, which the platform converts to USD using yearly average exchange rates sourced from the Bank for International Settlements. For this project the dataset was filtered to DACH countries (DE, AT, CH), resulting in 875 rows. Two outlier entries were removed - one below the minimum plausible annual threshold of EUR 15,000 and one extreme value of EUR 753,480 - leaving a final working dataset of 873 rows across 11 columns. Key variables examined include salary_eur (derived by converting all salaries to EUR using live ECB exchange rates), experience_level (EN/MI/SE/EX), remote_ratio (0/50/100), company_location, and job_title.

3. Methods

Descriptive Statistics

Summary statistics were computed using `df.describe()` to characterise the central tendency, spread, and range of key numeric variables, particularly salary_eur. This produced the mean, median, standard deviation, minimum, maximum and interquartile

range for each numeric column, providing an initial overview of the salary landscape across the DACH region. Categorical value counts were produced for `experience_level`, `employment_type`, `company_size`, and `company_location` to understand the composition of the dataset and identify any imbalances in group sizes that might affect subsequent analysis.

This approach aligns with the initial data analysis (IDA) framework described by Lusa et al. (2024), who emphasise that systematic data screening - including examination of distributions, outliers, and missing values - is an essential prerequisite to any inferential analysis and a cornerstone of reproducible research. Following their recommendations, descriptive statistics were computed before any hypothesis testing was conducted and the results were used to inform subsequent decisions about outlier removal and variable selection. Specifically, the summary statistics revealed an extreme maximum value of EUR 753,480 in the Austrian subset and a minimum below the plausible annual threshold of EUR 15,000, both of which were removed prior to further analysis and documented transparently in the notebook.

The dataset contains salaries reported in multiple currencies including EUR, USD, CHF, GBP and INR, reflecting the international nature of the contributor base even within a regional filter. To enable meaningful cross-country comparison, all salaries were converted to EUR using live exchange rates retrieved from the Frankfurter API, which sources its rates directly from the European Central Bank. This conversion was performed at the time of analysis (May 2026) and applied to each row individually based on its reported `salary_currency` value. Using a single common currency avoids the distortion introduced by treating USD as a neutral intermediary for a regional European dataset, where USD-denominated salaries may reflect internationally benchmarked compensation packages rather than local market norms. The resulting `salary_eur` column was rounded to two decimal places and used as the primary salary variable throughout all subsequent analysis.

Visualisations

Five visualisations were produced: (1) a salary distribution histogram by country, (2) a boxplot of salary by experience level, (3) a bar chart of average salary by top 10 job titles, (4) a boxplot of salary by work mode and (5) a correlation heatmap of numeric variables. Each visualisation was selected to address a distinct dimension of the data - distribution shape, group comparison and variable relationships. As recommended by Kass et al. (2016), visualising data before conducting formal tests is a best practice that reveals patterns and anomalies that summary statistics alone may obscure.

Hypothesis test

A one-way ANOVA was conducted to test whether work mode (on-site, hybrid, remote) has a statistically significant effect on salary. One-way ANOVA was appropriate because the dependent variable (salary_eur) is continuous and the independent variable is categorical with three groups (Emerson, 2022). The significance level was set at $\alpha = 0.05$.

Key assumptions include independence of observations, approximate normality within groups and homogeneity of variance. Given the large sample size of the on-site group ($n=730$) relative to hybrid ($n=42$) and remote ($n=98$), the assumption of equal variances should be interpreted with caution.

4. Results

Descriptive statistics

After removing two outlier entries, the working dataset comprised 873 rows across 11 columns. Germany accounted for the largest share of entries, followed by Austria and Switzerland, reflecting both market size and differences in salary reporting culture across the region. The majority of roles were full-time positions at medium-sized companies, with Senior (SE) being the most represented experience level.

The mean annual salary across all DACH entries was approximately EUR 74,222, with a median of EUR 62,000, indicating a right-skewed distribution in which a smaller number of high-paying roles pull the mean upward. The standard deviation was substantial, reflecting the wide range of roles, seniority levels and industries captured in the dataset. Austrian salaries clustered notably lower than German ones, with a median closer to EUR 46,800, consistent with a smaller and less internationally exposed AI labour market. Swiss entries showed a wider spread with several values above EUR 150,000, reflecting the country's higher cost of living and concentration of senior and executive roles. The interquartile range across the full DACH dataset spanned approximately EUR 38,000 to EUR 95,000, capturing the bulk of mid-career AI and ML compensation in the region.

Visualisations

The salary distribution histogram (viz_descriptive_stats.png) confirmed right-skewed distributions for all three countries, consistent with typical labour market salary data. The experience-level boxplot showed a clear upward progression from Junior (EN) to Senior (SE), though the Executive (EX) group displayed a surprisingly flat median relative to Senior. The top-10 job titles bar chart (viz1_avg_salary_by_role.png) highlighted significant variation across roles. The work mode boxplot (viz2_salary_by_remote.png) showed a

progressive increase from on-site to remote compensation. The correlation heatmap (viz3_correlation_heatmap.png) revealed weak correlations between salary_eur, remote_ratio and work_year.

Hypothesis test - Work mode

$F = 4.56$, $p = 0.0107$. The null hypothesis was rejected. Mean salary differs significantly across work modes, with remote roles averaging EUR 89,685 compared to EUR 74,994 for on-site roles and EUR 80,851 for hybrid.

5. Interpretation for non-technical audience

In plain terms, this analysis shows that AI professionals in Germany, Austria and Switzerland are not all paid the same - and the differences follow predictable patterns.

More

experienced professionals earn more, which is unsurprising, but the data also shows that

where and how you work matters. Remote workers in the DACH region earn noticeably more

on average than those working fully on-site. One likely explanation is that companies offering

remote positions are competing for a wider, harder-to-find pool of talent and are willing to pay a premium to attract it. Switzerland stands out for having some of the highest individual salaries, though it contributes fewer entries to the dataset than Germany.

6. Limitations and Potential Bias

Dataset limitation

The dataset is crowdsourced and relies on voluntary, anonymous submissions. This means it is not a representative sample of the DACH AI labour market.

Certain roles, industries or seniority levels may be systematically over- or underrepresented

depending on which communities share and engage with the platform. Lusa et al. (2024) highlight that data collection processes and their potential biases must be examined and

documented as part of any rigorous initial data analysis, as unexamined collection artefacts can propagate through all downstream conclusions.

Potential source of bias

The unequal group sizes in the work mode ANOVA (on-site $n=730$ vs. hybrid $n=42$ and remote $n=98$) introduce a risk of inflated variance estimates for smaller groups, which can affect the reliability of the F-statistic. Additionally, the dataset contains a mix of salary currencies including USD, EUR, CHF, GBP and INR, and while conversion to EUR

was performed using current exchange rates, this does not account for the purchasing power differences or the year in which the salary was originally reported. Salaries reported in USD by DACH-based employers may reflect internationally benchmarked compensation rather than local market norms, potentially inflating the apparent salary level for certain roles.

7. References

Lusa, L., Proust-Lima, C., Schmidt, C. O., Lee, K. J., le Cessie, S., Baillie, M., Lawrence, F., & Huebner, M. (2024). Initial data analysis for longitudinal studies to build a solid foundation for reproducible analysis. *PLOS ONE*, 19(5), e0295726.

<https://doi.org/10.1371/journal.pone.0295726>

Kass, R. E., Caffo, B. S., Davidian, M., Meng, X.-L., Yu, B., & Reid, N. (2016). Ten simple rules for effective statistical practice. *PLOS Computational Biology*, 12(6), e1004961.

<https://doi.org/10.1371/journal.pcbi.1004961>

Emerson, R. W. (2022). ANOVA assumptions. *Journal of Visual Impairment & Blindness*, 116(5). <https://doi.org/10.1177/0145482X221124187>

ai-jobs.net. (2026). AI, ML and Data Science salary dataset [Data set].

<https://raw.githubusercontent.com/foorilla/ai-jobs-net-salaries/main/salaries.csv>