Linear equations in two variables — Part 1 answer key

#	ID	Answer	Difficulty
1.1	103a78aa-4206-460e-8583-9fb2c2c88e63	A	Easy
1.2	84a52145-ed23-4de2-9bb6-c1f412e7b1f8	B	Easy
1.3	43d2ddd5-a11f-494c-acca-88dc80fde548	.25, 1/4	Easy
1.4	243f2e8b-7dd9-4a6f-b01e-582ee9fbb34c	D	Easy
1.5	fb1fc3f7-9487-4a08-841a-d7c028989341	B	Easy
1.6	e3d6b3f4-d0ec-46bc-b1d7-45b9bfe60aae	13	Easy
1.7	451c1b50-026a-4bad-96b2-c090526934bf	A	Easy
1.8	c2ed48a0-96b6-4990-b199-6a704301200c	15	Easy
1.9	b0517abf-3415-4fde-bf1b-cc79e78acc97	D	Easy
1.10	09915-DC	B	Easy
1.11	032760-DC	B	Easy
1.12	62aec139-478e-41ed-ae31-7c2ce572a8ef	-32	Easy
1.13	023151-DC	B	Easy
1.14	bae4968b-c35c-406d-b991-c09a53f7410e	C	Easy
1.15	dcbc1809-77bc-40b1-b74a-cb105d2b0efa	D	Easy
1.16	56ef2f00-3bce-4eb9-bc8b-077ee70a054d	14	Easy
1.17	b5bc3c68-cf0b-420c-894c-67a87a23e1b4	D	Easy
1.18	7a8622f4-3e4b-4373-a170-e62a46579a04	B	Easy
1.19	2c79adc0-8360-4810-80d7-655a0eb1e8f9	D	Easy
1.20	affdca44-b865-4102-a2b3-d54b3337bd47	A	Easy

1.21	9040ee10-4498-4a27-b92f-5181148b3e11	D	Easy
1.22	62a434cb-ba25-40cd-9fae-dadf2a410594	A	Easy
1.23	2c084f8b-ca91-4384-99bb-5c4f22a12de2	A	Easy
1.24	025936-DC	A	Easy
1.25	7e0f2970-3e0b-4e25-b69c-84a25543e4e7	41	Easy
1.26	1f20ceb9-1f8d-417b-b1f8-a18ac789333a	B	Easy
1.27	eee8837f-1da3-4242-8e86-e8d7f893b7c4	A	Easy
1.28	7375a642-6151-451c-8a97-8c5092f8e9b5	A	Easy
1.29	05414-DC	B	Easy
1.30	5b3a2276-e0f1-47e6-a1cd-e590bbf22925	B	Easy
1.31	cc275a34-d420-4dc2-8b26-a526a2d95c32	B	Easy
1.32	e144d7c1-e5c3-4695-b317-58369ec6c22e	C	Easy
1.33	08464-DC	C	Easy
1.34	06912-DC	A	Easy
1.35	d57fb5b1-3f4b-4846-927d-9d44e8d5aa05	4	Easy
1.36	025553-DC	B	Easy
1.37	db170278-9037-413e-b5e2-ed81bbf21899	C	Easy
1.38	7d5c4716-5975-4df0-abca-00aaa9789ed0	B	Easy
1.39	016625-DC	A	Easy
1.40	025710-DC	B	Easy
1.41	54986bed-7fc7-4f46-a3c6-d49d4fe54080	D	Easy
1.42	aaebe46b-7143-4bb9-ae10-3f9ce2a0fbcb	A	Easy
1.43	e9060623-fc35-41b6-8e81-702b67a6dc3c	A	Easy
1.44	61a4ffe2-81eb-435b-bda6-4f44122ffded	D	Easy
1.45	992a511e-c690-479d-bab1-f58211e97302	A	Easy
1.46	70115054-fb11-47dc-8abe-e8208d6f27f6	D	Easy

1.47	63b423d6-d760-4ccc-974a-f9ad2904f1e9	9	Easy
1.48	023185-DC	C	Easy
1.49	694cab4d-2a4c-40a2-bd61-46ca0d6708b4	A	Easy
1.50	025561-DC	D	Easy
1.51	a63a0a09-9923-4dab-b757-04fffd0b40b1	C	Easy
1.52	afbd028c-6ff7-478a-83f7-9d7942bf56c6	B	Easy
1.53	012f9eba-ac05-4ad4-b0df-834b624098e7	A	Easy
1.54	0b8822c0-8322-4969-8780-d3d067076d46	A	Easy
1.55	d8fb921c-f434-41b5-b963-d87e3d7e5311	C	Easy
1.56	6c6e9e8c-6e47-4600-94eb-347c7a7ae6c5	D	Easy
1.57	6bfc998d-ffc0-408c-a5a9-fdf16efed66f	B	Medium
1.58	cd071339-36d3-4977-8ff2-863f8066f9ed	A	Medium
1.59	65ac5dc5-af25-4ecf-8562-a346047750a6	.1764, .1765, 3/17	Medium
1.60	ea6362be-d602-4fd3-b6df-53518625197a	A	Medium
1.61	64377d96-584c-4863-b696-51d7230fc57d	B	Medium
1.62	7ebcee2e-7a57-4d43-ae10-fe0a44f7791e	A	Medium
1.63	d4f91dd3-90d3-4caa-a259-64740bd3f7e3	-10	Medium
1.64	4d7cd4c5-d45b-40fb-8391-76021972ba43	C	Medium
1.65	029899-DC	?	Medium

Rationales

▼ 1.1 — A

Choice A is correct. Each of the given choices gives three values of x: 0, 2, and 4. Substituting 0 for x in the given equation yields $y = 700 + 8$, or $y = 8$. Therefore, when $x = 0$, the corresponding value of y for the given equation is 8. Substituting 2 for x in the given equation yields $y = 702 + 8$, or $y = 148$. Therefore, when $x = 2$, the corresponding value of y for the given equation is 148. Substituting 4 for x in the given equation yields $y = 704 + 8$, or

$y = 288$. Therefore, when $x = 4$, the corresponding value of y for the given equation is 288. Thus, if the three values of x are 0, 2, and 4, then their corresponding values of y are 8, 148, and 288, respectively, for the given equation.

Choice B is incorrect. This table gives three values of x and their corresponding values of y for the equation $y = 4x + 70$.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

▼ 1.2 — B

Choice B is correct. A line in the xy-plane with a slope of m and a y-intercept of $0, b$ can be represented by the equation $y = mx + b$. It's given that the line has a slope of $-\frac{1}{2}$. Therefore, $m = -\frac{1}{2}$. It's also given that the line passes through the point $0, 3$. Therefore, $b = 3$. Substituting $-\frac{1}{2}$ for m and 3 for b in the equation $y = mx + b$ yields $y = -\frac{1}{2}x + 3$. Therefore, the equation $y = -\frac{1}{2}x + 3$ represents this line.

Choice A is incorrect. This equation represents a line in the xy-plane that passes through the point $0, -3$, not $0, 3$.

Choice C is incorrect. This equation represents a line in the xy-plane that has a slope of $\frac{1}{2}$, not $-\frac{1}{2}$, and passes through the point $0, -3$, not $0, 3$.

Choice D is incorrect. This equation represents a line in the xy-plane that has a slope of $\frac{1}{2}$, not $-\frac{1}{2}$.

▼ 1.3 — .25, 1/4

The correct answer is $\frac{1}{4}$. It's given that line k is defined by $y = \frac{1}{4}x + 1$. It's also given that line j is parallel to line k in the xy-plane. A line in the xy-plane represented by an equation in slope-intercept form $y = mx + b$ has a slope of m and a y-intercept of $0, b$. Therefore, the slope of line k is $\frac{1}{4}$. Since parallel lines have equal slopes, the slope of line j is $\frac{1}{4}$. Note that 1/4 and .25 are examples of ways to enter a correct answer.

▼ 1.4 — D

Choice D is correct. It's given that the graph shows the linear relationship between x and y. The given graph passes through the points $0, -5$, $1, -3$, and $2, -1$. It follows that when $x = 0$, the corresponding value of y is -5, when $x = 1$, the corresponding value of y is -3, and when

$x = 2$, the corresponding value of y is -1. Of the given choices, only the table in choice D gives these three values of x and their corresponding values of y for the relationship shown in the graph.

Choice A is incorrect. This table represents a relationship between x and y such that the graph passes through the points $0, 0$, $1, -7$, and $2, -9$.

Choice B is incorrect. This table represents a relationship between x and y such that the graph passes through the points $0, 0$, $1, -3$, and $2, -1$.

Choice C is incorrect. This table represents a linear relationship between x and y such that the graph passes through the points $0, -5$, $1, -7$, and $2, -9$.

▼ 1.5 — B

Choice B is correct. It's given that a chemist mixes x kilograms of a low-salt mixture, which is 2% salt by weight. Multiplying 0.02 by the amount of the low-salt mixture, x kilograms, yields $0.02x$ kilograms of salt in the low-salt mixture. It's also given that the chemist mixes y kilograms of a high-salt mixture, which is 96% salt by weight. Multiplying 0.96 by the amount of the high-salt mixture, y kilograms, yields $0.96y$ kilograms of salt in the high-salt mixture. Therefore, the total amount of salt in the combined mixture is $0.02x + 0.96y$ kilograms. It's given that the low-salt mixture and the high-salt mixture together create 24 kilograms of a combined mixture that is 4% salt by weight. Thus, the amount of salt in the combined mixture is $0.04(24)$ kilograms. Since the total amount of salt in the combined mixture equals the amount of salt in the low-salt mixture and the amount of salt in the high-salt mixture, the equation $0.02x + 0.96y = (0.04)(24)$ represents this situation.

Choice A is incorrect. This equation represents a situation where the low-salt mixture is 96%, not 2%, salt by weight and the high-salt mixture is 2%, not 96%, salt by weight.

Choice C is incorrect. This equation represents a situation where the low-salt mixture is 96%, not 2%, salt by weight and the high-salt mixture is 2%, not 96%, salt by weight, and where the combined mixture contains 24 kilograms of salt, not 24 kilograms of a mixture that is 4% salt by weight.

Choice D is incorrect. This equation represents a situation where the combined mixture contains 24 kilograms of salt, not 24 kilograms of a mixture that is 4% salt by weight.

▼ 1.6 — 13

The correct answer is 13. It's given that the equation $8x + 11y = 170$ gives the possible combinations of the number of 2009 premium grade Log Cabin Pennies, x, and the number of 1996 select grade Lincoln Pennies, y, in a collection that is worth a total of $\$170$. It's also given that there are 6 1996 select grade Lincoln Pennies in the collection, and thus $y = 6$. Substituting 6 for y in the given equation yields $8x + 11(6) = 170$, or $8x + 66 = 170$. Subtracting 66 from both sides of this equation yields $8x = 104$. Dividing both sides of this equation by 8 yields $x = 13$. Therefore, there are 13 2009 premium grade Log Cabin Pennies in the collection.

▼ 1.7 — A

Choice A is correct. It's given that line j is perpendicular to line k in the xy-plane. It follows that the slope of line j is the opposite reciprocal of the slope of line k. The equation for line k is written in slope-intercept form $y = mx + b$, where m is the slope of the line and b is the y-coordinate of the y-intercept of the line. It follows that the slope of line k is 3. The opposite reciprocal of a number is -1 divided by the number. Thus, the opposite reciprocal of 3 is $-\frac{1}{3}$. Therefore, the slope of line j is $-\frac{1}{3}$.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

▼ 1.8 — 15

The correct answer is 15. It's given that the equation $46 = 2x + 2y$ gives the perimeter of a rectangular rug that has length x, in feet, and width y, in feet. It's also given that the width of the rug is 8 feet. Substituting 8 for y in the equation $46 = 2x + 2y$ yields $46 = 2x + 28$, or $46 = 2x + 16$. Subtracting 16 from both sides of this equation yields $30 = 2x$. Dividing both sides of this equation by 2 yields $15 = x$. Since x represents the length, in feet, of the rug, it follows that the length of the rug is 15 feet.

▼ 1.9 — D

Choice D is correct. A line in the xy-plane with a slope of m and a y-intercept of $0, b$ can be defined by an equation in the form $y = mx + b$. It's given that line r has a slope of 4 and passes through the point $0, 6$. It follows that $m = 4$ and $b = 6$. Substituting 4 for m and 6 for b in the equation $y = mx + b$ yields $y = 4x + 6$. Therefore, the equation $y = 4x + 6$ defines line r.

Choice A is incorrect. This equation defines a line that has a slope of -6, not 4, and passes through the point $0, 4$, not $0, 6$.

Choice B is incorrect. This equation defines a line that has a slope of 6, not 4, and passes through the point $0, 4$, not $0, 6$.

Choice C is incorrect. This equation defines a line that passes through the point $0, -6$, not $0, 6$.

▼ 1.10 — B

Choice B is correct. Any line in the xy-plane can be defined by an equation in the form y = mx + b, where m is the slope of the line and b is the y-coordinate of the y-intercept of the line. From the graph, the y-intercept of the line is (0, 3). Therefore, b = 3. The slope of the line is the change in the value of y divided by the change in the value of x for any two points on the line. The line shown passes through (0, 3) and (1, 0), so $m = \frac{3 - 0}{0 - 1}$, or m = –3. Therefore, the equation of the line is y = –3x + 3.

Choices A and C are incorrect because the equations given in these choices represent a line with a positive slope. However, the line shown has a negative slope. Choice D is incorrect because the equation given in this choice represents a line with slope of $-\frac{1}{3}$. However, the line shown has a slope of –3.

▼ 1.11 — B

Choice B is correct. Of the city's total expense budget for one year, the city budgeted y million dollars for departmental expenses and 201 million dollars for all other expenses. This means that the expression $y + 201$ represents the total expense budget, in millions of dollars, for one year. It's given that the total expense budget for one year is x million dollars. It follows then that the expression $y + 201$ is equivalent to x, or $y + 201 = x$. Subtracting y from both sides of this equation yields $201 = x - y$. By the symmetric property of equality, this is the same as $x - y = 201$.

Choices A and C are incorrect. Because it's given that the total expense budget for one year, x million dollars, is comprised of the departmental expenses, y million dollars, and all other expenses, 201 million dollars, the expressions $x + y$ and $2x - y$ both must be equivalent to a value greater than 201 million dollars. Therefore, the equations $x + y = 201$ and $2x - y = 201$

aren't true. Choice D is incorrect. The value of x must be greater than the value of y. Therefore, $y-x=201$ can't represent this relationship.

▼ 1.12 — -32

The correct answer is -32. It's given that the *y*-intercept of the graph of $y = -6x - 32$ is $0, y$. Substituting 0 for *x* in this equation yields $y = -60 - 32$, or $y = -32$. Therefore, the value of *y* that corresponds to the *y*-intercept of the graph of $y = -6x - 32$ in the *xy*-plane is -32.

▼ 1.13 — B

Choice B is correct. It's given that the equation $y=0.1x$ models the relationship between the number of different pieces of music a certain pianist practices, y, and the number of minutes in a practice session, x. Since it's given that the session lasted 30 minutes, the number of pieces the pianist practiced can be found by substituting 30 for x in the given equation, which yields $y=0.1(30)$, or $y=3$.

Choices A and C are incorrect and may result from misinterpreting the values in the equation. Choice D is incorrect. This is the given value of x, not the value of y.

▼ 1.14 — C

Choice C is correct. It's given that in 2010, a swim club had a total of 35 swimmers, each classified as either advanced or intermediate, and that *a* represents the number of advanced swimmers in 2010 and *b* represents the number of intermediate swimmers in 2010. It's also given that from 2010 to 2020, the number of advanced swimmers in the club increased by approximately 53% and the number of intermediate swimmers in the club increased by approximately 44%. Thus, in 2020, the approximate number of advanced swimmers in the club can be represented as $1.53a$ and the approximate number of intermediate swimmers in the club can be represented as $1.44b$. It's given that the total number of swimmers in the club increased by approximately 49% from 2010 to 2020. Since the club had 35 swimmers in 2010, it follows that the total number of swimmers in 2020 can be represented as $35(1.49)$. Since the sum of the number of advanced swimmers in 2020 and the number of intermediate swimmers in 2020 equals the total number of swimmers in 2020, the equation $1.53a + 1.44b = 35(1.49)$ best represents this situation.

Choice A is incorrect. This equation represents a situation where the number of intermediate swimmers in the club in 2020 increased by approximately 49%, not 44%, and the total number of swimmers in the club in 2020 increased by approximately 44%, not 49%.

Choice B is incorrect and may result from conceptual errors.

Choice D is incorrect. This equation represents a situation where the number of advanced swimmers in the club in 2020 increased by approximately 44%, not 53%, and the number of intermediate swimmers in the club in 2020 increased by approximately 53%, not 44%.

▼ 1.15 — D

Choice D is correct. The equation of a line in the xy-plane can be written as $y = mx + b$, where m represents the slope of the line and $0, b$ represents the y-intercept of the line. It's given that the slope of the line is $\frac{1}{9}$. It follows that $m = \frac{1}{9}$. It's also given that the line passes through the point $0, 14$. It follows that $b = 14$. Substituting $\frac{1}{9}$ for m and 14 for b in $y = mx + b$ yields $y = \frac{1}{9}x + 14$. Thus, the equation $y = \frac{1}{9}x + 14$ represents this line.

Choice A is incorrect. This equation represents a line with a slope of $-\frac{1}{9}$ and a y-intercept of $0, -14$.

Choice B is incorrect. This equation represents a line with a slope of $-\frac{1}{9}$ and a y-intercept of $0, 14$.

Choice C is incorrect. This equation represents a line with a slope of $\frac{1}{9}$ and a y-intercept of $0, -14$.

▼ 1.16 — 14

The correct answer is 14. It's given that the equation $46 = 2a + 2b$ gives the relationship between the side lengths a and b of a certain parallelogram. Substituting 9 for a in the given equation yields $46 = 29 + 2b$, or $46 = 18 + 2b$. Subtracting 18 from both sides of this equation yields $28 = 2b$. Dividing both sides of this equation by 2 yields $14 = b$. Therefore, if $a = 9$, the value of b is 14.

▼ 1.17 — D

Choice D is correct. Since x represents the number of 1-point questions and y represents the number of 3-point questions, the assignment is worth a total of $1 \cdot x + 3 \cdot y$, or $x + 3y$, points. Since the assignment is worth 70 points, the equation $x + 3y = 70$ represents this situation.

Choice A is incorrect and may result from conceptual errors.

Choice B is incorrect and may result from conceptual errors.

Choice C is incorrect and may result from conceptual errors.

▼ 1.18 — B

Choice B is correct. It's given that the equation $40x + 20y = 160$ represents the number of sweaters, x, and the number of shirts, y, that Yesenia purchased for $\$ 160$. If Yesenia purchased 2 sweaters, the number of shirts she purchased can be calculated by substituting 2 for x in the given equation, which yields $402 + 20y = 160$, or $80 + 20y = 160$. Subtracting 80 from both sides of this equation yields $20y = 80$. Dividing both sides of this equation by 20 yields $y = 4$. Therefore, if Yesenia purchased 2 sweaters, she purchased 4 shirts.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect. This is the number of shirts Yesenia purchased if she purchased 0 sweaters.

Choice D is incorrect. This is the price, in dollars, for each sweater, not the number of shirts Yesenia purchased.

▼ 1.19 — D

Choice D is correct. Since x represents the number of 1-minute segments and y represents the number of 3-minute segments, the total length of the video is $1 \cdot x + 3 \cdot y$, or $x + 3y$, minutes. Since the video is 70 minutes long, the equation $x + 3y = 70$ represents this situation.

Choice A is incorrect and may result from conceptual errors.

Choice B is incorrect and may result from conceptual errors.

Choice C is incorrect and may result from conceptual errors.

▼ 1.20 — A

Choice A is correct. Substituting 0 for x into the given equation yields $y = 0 + 4$, or $y = 4$. Therefore, when $x = 0$, the corresponding value of y for the given equation is 4. Substituting 1 for x into the given equation yields $y = 1 + 4$, or $y = 5$. Therefore, when $x = 1$, the corresponding value of y for the given equation is 5. Substituting 2 for x into the given

equation yields $y = 2 + 4$, or $y = 6$. Therefore, when $x = 2$, the corresponding value of y for the given equation is 6. Of the choices given, only the table in choice A gives these three values of x and their corresponding values of y for the given equation.

Choice B is incorrect. This table gives three values of x and their corresponding values of y for the equation $y = -x + 6$.

Choice C is incorrect. This table gives three values of x and their corresponding values of y for the equation $y = -x + 2$.

Choice D is incorrect. This table gives three values of x and their corresponding values of y for the equation $y = x$.

▼ 1.21 — D

Choice D is correct. Let p represent the number of pounds of potatoes and let c represent the number of pounds of celery that Davio bought. It's given that potatoes cost $\$ 0.69$ per pound and celery costs $\$ 0.99$ per pound. If Davio spent $\$ 5.34$ in total, then the equation $0.69p + 0.99c = 5.34$ represents this situation. It's also given that Davio bought twice as many pounds of celery as pounds of potatoes; therefore, $c = 2p$. Substituting $2p$ for c in the equation $0.69p + 0.99c = 5.34$ yields $0.69p + 0.992p = 5.34$, which is equivalent to $0.69p + 1.98p = 5.34$, or $2.67p = 5.34$. Dividing both sides of this equation by 2.67 yields $p = 2$. Substituting 2 for p in the equation $c = 2p$ yields $c = 22$, or $c = 4$. Therefore, Davio bought 4 pounds of celery.

Choice A is incorrect. This is the number of pounds of potatoes, not the number of pounds of celery, Davio bought.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

▼ 1.22 — A

Choice A is correct. It's given that $68x + 85y = 1{,}258$ represents the situation where an interior designer earned a total of $\$ 1{,}258$ last week from consulting for x hours and drawing up plans for y hours. Thus, $68x$ represents the amount earned, in dollars, from consulting for x hours, and $85y$ represents the amount earned, in dollars, from drawing up plans for y hours. Since $68x$ represents the amount earned, in dollars, from consulting for x hours, it follows that the interior designer earned $\$ 68$ per hour consulting last week.

Choice B is incorrect. The interior designer worked y hours, not 68 hours, drawing up plans last week.

Choice C is incorrect. The interior designer earned $\$85$ per hour, not $\$68$ per hour, drawing up plans last week.

Choice D is incorrect. The interior designer worked x hours, not 68 hours, consulting last week.

▼ 1.23 — A

Choice A is correct. It's given that each participant earns 1 point for each game the participant plays that ends in a draw and 3 points for each game the participant wins. Since d represents the number of games that a certain participant has played that ended in a draw and w represents the number of games this participant has won, this participant has earned a total of $1d + 3w$, or $d + 3w$, points. Since this participant earned 41 points, the equation $d + 3w = 41$ represents this situation.

Choice B is incorrect. This equation represents the situation where the participant earned 3 points for each game played that ended in a draw and 1 point for each game won and earned 41 points.

Choice C is incorrect. This equation represents the situation where the participant earned 1 point for each game played that ended in a draw and $\frac{1}{3}$ point for each game won and earned 41 points.

Choice D is incorrect. This equation represents the situation where the participant earned $\frac{1}{3}$ point for each game played that ended in a draw and 1 point for each game won and earned 41 points.

▼ 1.24 — A

Choice A is correct. The slope-intercept form of an equation for a line is $y = mx + b$, where m is the slope of the line and b is the y-coordinate of the y-intercept of the line. It's given that the slope is 6, so $m = 6$. It's also given that the line passes through the point $(0,8)$ on the y-axis, so $b = 8$. Substituting $m = 6$ and $b = 8$ into the equation $y = mx + b$ gives $y = 6x + 8$.

Choices B, C, and D are incorrect and may result from misinterpreting the slope-intercept form of an equation of a line.

▼ 1.25 — 41

The correct answer is 41. The number of cupcakes Vivian bought can be found by first finding the amount Vivian spent on cupcakes. The amount Vivian spent on cupcakes can be found by subtracting the amount Vivian spent on party hats from the total amount Vivian spent. The amount Vivian spent on party hats can be found by multiplying the cost per package of party hats by the number of packages of party hats, which yields $\$3 \cdot 10$, or $\$30$. Subtracting the amount Vivian spent on party hats, $\$30$, from the total amount Vivian spent, $\$71$, yields $\$71 - \$30$, or $\$41$. Since the amount Vivian spent on cupcakes was $\$41$ and each cupcake cost $\$1$, it follows that Vivian bought 41 cupcakes.

▼ 1.26 — B

Choice B is correct. It's given that the graph shows the possible combinations of the number of pounds of tangerines, x, and the number of pounds of lemons, y, that could be purchased for $\$18$ at a certain store. If Melvin purchased lemons and 4 pounds of tangerines for a total of $\$18$, the number of pounds of lemons he purchased is represented by the y-coordinate of the point on the graph where $x = 4$. For the graph shown, when $x = 4$, $y = 10$. Therefore, if Melvin purchased lemons and 4 pounds of tangerines for a total of $\$18$, then he purchased 10 pounds of lemons.

Choice A is incorrect. This is the number of pounds of tangerines Melvin purchased if he purchased tangerines and 4 pounds of lemons for a total of $\$18$.

Choice C is incorrect. This is the number of pounds of lemons Melvin purchased if he purchased lemons and 2 pounds of tangerines for a total of $\$18$.

Choice D is incorrect. This is the number of pounds of lemons Melvin purchased if he purchased lemons and 1 pound of tangerines for a total of $\$18$.

▼ 1.27 — A

Choice A is correct. Let x represent the number of rabbit snails that Naomi bought. It's given that each rabbit snail costs $\$8$. Therefore, the total cost, in dollars, of the rabbit snails that Naomi bought can be represented by the expression $8x$. It's also given that each nerite snail costs $\$6$, and that Naomi bought 2 nerite snails. Therefore, the total cost, in dollars, of the nerite snails that Naomi bought is $6 \cdot 2$, or 12. Since Naomi bought both the rabbit snails and the nerite snails for a total of $\$52$, the equation $8x + 12 = 52$ can be used to represent the

situation. Subtracting 12 from both sides of this equation yields $8x = 40$. Dividing both sides of this equation by 8 yields $x = 5$. Therefore, Naomi bought 5 rabbit snails.

Choice B is incorrect. This is the total cost, in dollars, of the nerite snails that Naomi bought, not the number of rabbit snails.

Choice C is incorrect. This is the cost, in dollars, of one rabbit snail and one nerite snail, not the number of rabbit snails that Naomi bought.

Choice D is incorrect and may result from conceptual or calculation errors.

▼ 1.28 — A

Choice A is correct. Since Jay walks at a speed of 3 miles per hour for w hours, Jay walks a total of $3w$ miles. Since Jay runs at a speed of 5 miles per hour for r hours, Jay runs a total of $5r$ miles. Therefore, the total number of miles Jay travels can be represented by $3w + 5r$. Since the combined total number of miles is 14, the equation $3w + 5r = 14$ represents this situation.

Choice B is incorrect and may result from conceptual errors.

Choice C is incorrect and may result from conceptual errors.

Choice D is incorrect and may result from conceptual errors.

▼ 1.29 — B

Choice B is correct. Since Fertilizer A contains 60% filler materials by weight, it follows that x pounds of Fertilizer A consists of 0.6x pounds of filler materials. Similarly, y pounds of Fertilizer B consists of 0.4y pounds of filler materials. When x pounds of Fertilizer A and y pounds of Fertilizer B are combined, the result is 240 pounds of filler materials. Therefore, the total amount, in pounds, of filler materials in a mixture of x pounds of Fertilizer A and y pounds of Fertilizer B can be expressed as $0.6x + 0.4y = 240$.

Choice A is incorrect. This choice transposes the percentages of filler materials for Fertilizer A and Fertilizer B. Fertilizer A consists of 0.6x pounds of filler materials and Fertilizer B consists of 0.4y pounds of filler materials. Therefore, $0.6x + 0.4y$ is equal to 240, not $0.4x + 0.6y$. Choice C is incorrect. This choice transposes the percentages of filler materials for Fertilizer A and Fertilizer B and incorrectly represents how to take the percentage of a value mathematically. Choice D is incorrect. This choice incorrectly represents how to take

the percentage of a value mathematically. Fertilizer A consists of 0.6x pounds of filler materials, not 60x pounds of filler materials, and Fertilizer B consists of 0.4y pounds of filler materials, not 40y pounds of filler materials.

▼ 1.30 — B

Choice B is correct. It's given that the equation $x + y = 1{,}440$ represents the number of minutes of daylight, x, and the number of minutes of non-daylight, y, on a particular day in Oak Park, Illinois. It's also given that this day has 670 minutes of daylight. Substituting 670 for x in the equation $x + y = 1{,}440$ yields $670 + y = 1{,}440$. Subtracting 670 from both sides of this equation yields $y = 770$. Therefore, this day has 770 minutes of non-daylight.

Choice A is incorrect. This is the number of minutes of daylight, not non-daylight, on this day.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect. This is the total number of minutes of daylight and non-daylight.

▼ 1.31 — B

Choice B is correct. The equation of a line in the xy-plane can be written in slope-intercept form $y = mx + b$, where m is the slope of the line and $0, b$ is its y-intercept. It's given that the line passes through the point $0, 5$. Therefore, $b = 5$. It's also given that the line is parallel to the graph of $y = 7x + 4$, which means the line has the same slope as the graph of $y = 7x + 4$. The slope of the graph of $y = 7x + 4$ is 7. Therefore, $m = 7$. Substituting 7 for m and 5 for b in the equation $y = mx + b$ yields $y = 7x + 5$.

Choice A is incorrect. The graph of this equation passes through the point $0, 0$, not $0, 5$, and has a slope of 5, not 7.

Choice C is incorrect. The graph of this equation passes through the point $0, 0$, not $0, 5$.

Choice D is incorrect. The graph of this equation passes through the point $0, 7$, not $0, 5$, and has a slope of 5, not 7.

▼ 1.32 — C

Choice C is correct. It's given that the equation $x + y = 350$ relates the total number of maple trees, x, and the total number of birch trees, y, planted in a 14-acre forest preserve. It's also

given that 245 maple trees were planted in the forest preserve. Substituting 245 for x in the given equation yields $245 + y = 350$. Subtracting 245 from both sides of this equation yields $y = 105$. Therefore, 105 birch trees were planted in the forest preserve.

Choice A is incorrect. This is the number of acres in the forest preserve, not the number of birch trees planted in the forest preserve.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect. This is the number of maple trees planted in the forest preserve, not the number of birch trees planted in the forest preserve.

▼ 1.33 — C

Choice C is correct. Maria spends x minutes running each day and y minutes biking each day. Therefore, $x + y$ represents the total number of minutes Maria spent running and biking each day. Because $x + y = 75$, it follows that 75 is the total number of minutes that Maria spent running and biking each day.

Choices A and B are incorrect. The number of minutes Maria spent running each day is represented by x and need not be 75. Similarly, the number of minutes that Maria spends biking each day is represented by y and need not be 75. The number of minutes Maria spends running each day and biking each day may vary; however, the total number of minutes she spends each day on these activities is constant and equal to 75. Choice D is incorrect. The number of minutes Maria spent biking for each minute spent running cannot be determined from the information provided.

▼ 1.34 — A

Choice A is correct. Each of the choices is a linear equation in the form y = mx + b, where m and b are constants. In this equation, m represents the change in y for each increase in x by 1. From the table, it can be determined that the value of y increases by 2 for each increase in x by 1. In other words, for the pairs of x and y in the given table, m = 2. The value of b can be found by substituting the values of x and y from any row of the table and substituting the value of m into the equation y = mx + b and then solving for b. For example, using x = 1, y = 5, and m = 2 yields 5 = 2(1) + b. Solving for b yields b = 3. Therefore, the equation y = 2x + 3 could represent the relationship between x and y in the given table.

Alternatively, if an equation represents the relationship between x and y, then when each pair of x and y from the table is substituted into the equation, the result will be a true statement. Of the equations given, the equation y = 2x + 3 in choice A is the only equation that results in a true statement when each of the pairs of x and y are substituted into the equation.

Choices B, C, and D are incorrect because when at least one pair of x and y from the table is substituted into the equations given in these choices, the result is a false statement. For example, when the pair x = 4 and y = 11 is substituted into the equation in choice B, the result is 11 = 3(4) – 2, or 11 = 10, which is false.

▼ 1.35 — 4

The correct answer is 4. It's given that line *k* is parallel to line *j*. It follows that the slope of line *k* is equal to the slope of line *j*. Given two points on a line in the *xy*-plane, x_1, y_1 and x_2, y_2, the slope of the line can be calculated as $\frac{y_2 - y_1}{x_2 - x_1}$. In the *xy*-plane shown, the points $0, 5$ and $1, 9$ are on line *j*. It follows that the slope of line *j* is $\frac{9-5}{1-0}$, or 4. Since the slope of line *j* is equal to the slope of line *k*, the slope of line *k* is also 4.

▼ 1.36 — B

Choice B is correct. It's given that a represents the number of small boxes and b represents the number of large boxes the customer had shipped. If the customer had 3 small boxes shipped, then $a = 3$. Substituting 3 for a in the equation $3a + 4b = 25$ yields $3(3) + 4b = 25$ or $9 + 4b = 25$. Subtracting 9 from both sides of the equation yields $4b = 16$. Dividing both sides of this equation by 4 yields $b = 4$. Therefore, the customer had 4 large boxes shipped.

Choices A, C, and D are incorrect. If the number of large boxes shipped is 3, then $b = 3$. Substituting 3 for b in the given equation yields $3a + 4(3) = 25$ or $3a + 12 = 25$. Subtracting 12 from both sides of the equation and then dividing by 3 yields $a = \frac{13}{3}$. However, it's given that the number of small boxes shipped, a, is 3, not $\frac{13}{3}$, so b cannot equal 3. Similarly, if $b = 5$ or $b = 6$, then $a = \frac{5}{3}$ or $a = \frac{1}{3}$, respectively, which is also not true.

▼ 1.37 — C

Choice C is correct. Let d represent the mass, in grams, of vitamin D in the mixture, and let c represent the mass, in grams, of calcium in the mixture. It's given that the mixture consists of only vitamin D and calcium and that the total mass of the mixture is 150 grams. Therefore, the equation $d + c = 150$ represents this situation. It's also given that the mass of vitamin D in the mixture is 50 grams. Substituting 50 for d in the equation $d + c = 150$ yields $50 + c = 150$. Subtracting 50 from both sides of this equation yields $c = 100$. Therefore, the mass of calcium in the mixture is 100 grams.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect. This is the total mass, in grams, of the mixture, not the mass, in grams, of calcium in the mixture.

Choice D is incorrect. This is the mass, in grams, of vitamin D in the mixture, not the mass, in grams, of calcium in the mixture.

▼ 1.38 — B

Choice B is correct. It's given that the employee takes 1.5 minutes to prepare a sandwich. Multiplying 1.5 by the number of sandwiches, x, yields $1.5x$, the amount of time the employee spends preparing x sandwiches. It's also given that the employee takes 1.9 minutes to prepare a salad. Multiplying 1.9 by the number of salads, y, yields $1.9y$, the amount of time the employee spends preparing y salads. It follows that the total amount of time, in minutes, the employee spends preparing x sandwiches and y salads is $1.5x + 1.9y$. It's given that the employee spends a total of 46.1 minutes preparing x sandwiches and y salads. Thus, the equation $1.5x + 1.9y = 46.1$ represents this situation.

Choice A is incorrect. This equation represents a situation where it takes the employee 1.9 minutes, rather than 1.5 minutes, to prepare a sandwich and 1.5 minutes, rather than 1.9 minutes, to prepare a salad.

Choice C is incorrect. This equation represents a situation where it takes the employee 1 minute, rather than 1.5 minutes, to prepare a sandwich and 1 minute, rather than 1.9 minutes, to prepare a salad.

Choice D is incorrect. This equation represents a situation where it takes the employee 30.7 minutes, rather than 1.5 minutes, to prepare a sandwich and 24.3 minutes, rather than 1.9 minutes, to prepare a salad.

▼ 1.39 — A

Choice A is correct. The slope of the line can be found by choosing any two points on the line, such as (4, –2) and (0, –1). Subtracting the y-values results in –2 – (–1) = –1, the change in y. Subtracting the x-values results in 4 – 0 = 4, the change in *x*. Dividing the change in y by the change in *x* yields $-1 \div 4 = -\frac{1}{4}$, the slope. The line intersects the y-axis at (0, –1), so –1 is the y-coordinate of the y-intercept. This information can be expressed in slope-intercept form as the equation $y = -\frac{1}{4}x - 1$.

Choice B is incorrect and may result from incorrectly calculating the slope and then misidentifying the slope as the y-intercept. Choice C is incorrect and may result from misidentifying the slope as the y-intercept. Choice D is incorrect and may result from incorrectly calculating the slope.

▼ 1.40 — B

Choice B is correct. It's given that $2.50x + 7.00y$ is equal to the total amount of money, in dollars, a food truck charges for x drinks and y salads. Since each salad has the same price, it follows that the total charge for y salads is $7.00y$ dollars. When $y = 1$, the value of the expression $7.00y$ is 7.00×1, or 7.00. Therefore, the price for one salad is 7.00 dollars.

Choice A is incorrect. Since each drink has the same price, it follows that the total charge for x drinks is $2.50x$ dollars. Therefore, the price, in dollars, for one drink is 2.50, not 7.00. Choices C and D are incorrect. In the given equation, F represents the total charge, in dollars, when x drinks and y salads are bought at the food truck. No information is provided about the number of drinks or the number of salads that are bought during the day. Therefore, 7.00 doesn't represent either of these quantities.

▼ 1.41 — D

Choice D is correct. A linear relationship can be represented by an equation of the form $y = mx + b$, where m and b are constants. It's given in the table that when $x = 0$, $y = 18$. Substituting 0 for x and 18 for y in $y = mx + b$ yields $18 = m0 + b$, or $18 = b$. Substituting 18 for b in the equation $y = mx + b$ yields $y = mx + 18$. It's also given in the table that when $x = 1$, $y = 13$. Substituting 1 for x and 13 for y in the equation $y = mx + 18$ yields $13 = m1 + 18$, or

$13 = m + 18$. Subtracting 18 from both sides of this equation yields $-5 = m$. Therefore, the equation $y = -5x + 18$ represents the relationship between x and y.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

▼ 1.42 — A

Choice A is correct. It's given that 364 paper straws of equal length were used to construct triangles and rectangles, where no two polygons had a common side. It's also given that the equation $3x + 4y = 364$ represents this situation, where x is the number of triangles constructed and y is the number of rectangles constructed. The equation $x, y = 24, 73$ means that if $x = 24$, then $y = 73$. Substituting 24 for x and 73 for y in $3x + 4y = 364$ yields $324 + 473 = 364$, or $364 = 364$, which is true. Therefore, in this context, the equation $x, y = 24, 73$ means that if 24 triangles were constructed, then 73 rectangles were constructed.

Choice B is incorrect and may result from conceptual errors.

Choice C is incorrect and may result from conceptual errors.

Choice D is incorrect and may result from conceptual errors.

▼ 1.43 — A

Choice A is correct. It's given that for a camping trip a group bought x one-liter bottles of water and y three-liter bottles of water. Since the group bought x one-liter bottles of water, the total number of liters bought from x one-liter bottles of water is represented as $1x$, or x. Since the group bought y three-liter bottles of water, the total number of liters bought from y three-liter bottles of water is represented as $3y$. It's given that the group bought a total of 240 liters; thus, the equation $x + 3y = 240$ represents this situation.

Choice B is incorrect and may result from conceptual errors.

Choice C is incorrect and may result from conceptual errors.

Choice D is incorrect. This equation represents a situation where the group bought x three-liter bottles of water and y one-liter bottles of water, for a total of 240 liters of water.

▼ 1.44 — D

Choice D is correct. It's given that the shipment consists of 5-pound boxes and 10-pound boxes with a total weight of 220 pounds. Let x represent the number of 5-pound boxes and y represent the number of 10-pound boxes in the shipment. Therefore, the equation $5x + 10y = 220$ represents this situation. It's given that there are 13 10-pound boxes in the shipment. Substituting 13 for y in the equation $5x + 10y = 220$ yields $5x + 1013 = 220$, or $5x + 130 = 220$. Subtracting 130 from both sides of this equation yields $5x = 90$. Dividing both sides of this equation by 5 yields 18. Thus, there are 18 5-pound boxes in the shipment.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect. This is the number of 10-pound boxes in the shipment.

▼ 1.45 — A

Choice A is correct. To verify which table represents this linear relationship, the values in each table can be checked by substituting them into the given equation. The table in choice A shows that when $x = 0$, $y = 21$. Substituting these values into the given equation yields $7(0) - 4(21) = -84$, or $-84 = -84$, which is true. Additionally, the table in choice A shows that when $x = 4$, $y = 28$. Substituting these values into the given equation yields $7(4) - 4(28) = -84$, or $-84 = -84$, which is true. Finally, the table in choice A shows that when $x = 8$, $y = 35$. Substituting these values into the given equation yields $7(8) - 4(35) = -84$, or $-84 = -84$, which is true. Therefore, the table in choice A gives three values of x and their corresponding values of y.

Choice B is incorrect. The table in choice B shows that when $x = 0$, $y = 35$. Substituting these values into the given equation yields $7(0) - 4(35) = -84$, or $-140 = -84$, which is not true.

Choice C is incorrect. The table in choice C shows that when $x = 21$, $y = 0$. Substituting these values into the given equation yields $7(21) - 4(0) = -84$, or $147 = -84$, which is not true.

Choice D is incorrect. The table in choice D shows that when $x = 21$, $y = 8$. Substituting these values into the given equation yields $7(21) - 4(8) = -84$, or $115 = -84$, which is not true.

▼ 1.46 — D

Choice D is correct. It's given that the food truck buys forks for $\$0.04$ each. Therefore, the cost, in dollars, of x forks can be represented by the expression $0.04x$. It's also given that the food truck buys plates for $\$0.48$ each. Therefore, the cost, in dollars, of y plates can be represented by the expression $0.48y$. Since the total cost of x forks and y plates is $\$661.76$, the equation $0.04x + 0.48y = 661.76$ represents this situation.

Choice A is incorrect and may result from conceptual or calculation errors.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect. This equation represents a situation in which the food truck buys forks for $\$0.48$ each and plates for $\$0.04$ each.

▼ 1.47 — 9

The correct answer is 9. It's given that the y-intercept of the graph of $12x + 2y = 18$ in the xy-plane is $0, y$. Substituting 0 for x in the equation $12x + 2y = 18$ yields $120 + 2y = 18$, or $2y = 18$. Dividing both sides of this equation by 2 yields $y = 9$. Therefore, the value of y is 9.

▼ 1.48 — C

Choice C is correct. Since Mario purchased 4 binders that cost x dollars each, the expression $4x$ represents the total cost, in dollars, of the 4 binders he purchased. Since Mario purchased 3 notebooks that cost y dollars each, the expression $3y$ represents the total cost, in dollars, of the 3 notebooks he purchased. Therefore, the expression $4x + 3y$ represents the total cost, in dollars, for all binders and notebooks he purchased. In the given equation, the expression $4x + 3y$ is equal to 24. Therefore, it follows that 24 is the total cost, in dollars, for all binders and notebooks purchased.

Choice A is incorrect. This is represented by the expression $4x$ in the given equation. Choice B is incorrect. This is represented by the expression $3y$ in the given equation. Choice D is incorrect. This is represented by the expression $|4x - 3y|$.

▼ 1.49 — A

Choice A is correct. An equation that defines a line in the xy-plane can be written as $y = mx + b$, where m is the slope of the line and $(0, b)$ is its y-intercept. It's given that line k is defined by the equation $y = 6x + 4$; therefore, the slope of line k is 6. Since line j is

parallel to line k in the xy-plane and parallel lines have equal slopes, it follows that the slope of line j is 6. It's also given that line j passes through the point $(0, 5)$, which is its y-intercept. Substituting 6 for m and 5 for b in the equation $y = mx + b$ yields $y = 6x + 5$. Therefore, the equation $y = 6x + 5$ defines line j.

Choice B is incorrect. This equation defines a line that has a slope of -5, not 6.

Choice C is incorrect. This equation defines a line that has a slope of -6, not 6.

Choice D is incorrect. This equation defines a line that has a slope of 5, not 6.

▼ 1.50 — D

Choice D is correct. Since a 10-ride pass costs $12.50 and g is the number of 10-ride passes Tony buys in a month, the expression $12.50g$ represents the amount Tony spends on 10-ride passes in a month. Since a single-ride pass costs $1.50 and t is the number of single-ride passes Tony buys in a month, the expression $1.50t$ represents the amount Tony spends on single-ride passes in a month. Therefore, the sum $12.50g + 1.50t$ represents the amount he spends on the two types of passes in a month. Since Tony spends a total of $80 on passes in a month, this expression can be set equal to 80, producing $12.50g + 1.50t = 80$.

Choices A and B are incorrect. The expression $g + t$ represents the total number of the two types of passes Tony buys in a month, not the amount Tony spends, which is equal to 80, nor the cost of one of each pass, which is equal to $1.50 + 12.50$. Choice C is incorrect and may result from reversing the cost for each type of pass Tony buys in a month.

▼ 1.51 — C

Choice C is correct. Each of the given choices gives three values of x: 0, 1, and 2. Substituting 0 for x in the given equation yields $y = -40 + 40$, or $y = 40$. Therefore, when $x = 0$, the corresponding value of y for the given equation is 40. Substituting 1 for x in the given equation yields $y = -41 + 40$, or $y = 36$. Therefore, when $x = 1$, the corresponding value of y for the given equation is 36. Substituting 2 for x in the given equation yields $y = -42 + 40$, or $y = 32$. Therefore, when $x = 2$, the corresponding value of y for the given equation is 32. Choice C gives three values of x, 0, 1, and 2, and their corresponding values of y, 40, 36, and 32, respectively, for the given equation.

Choice A is incorrect. This table gives three values of x and their corresponding values of y for the equation $y = -4x$.

Choice B is incorrect. This table gives three values of x and their corresponding values of y for the equation $y = 4x + 40$.

Choice D is incorrect. This table gives three values of x and their corresponding values of y for the equation $y = 4x$.

▼ 1.52 — B

Choice B is correct. It's given that it takes the machine 10 minutes to make a large box. It's also given that x represents the possible number of large boxes the machine can make each day. Multiplying 10 by x gives $10x$, which represents the amount of time spent making large boxes. It's given that it takes the machine 5 minutes to make a small box. It's also given that y represents the possible number of small boxes the machine can make each day. Multiplying 5 by y gives $5y$, which represents the amount of time spent making small boxes. Combining the amount of time spent making x large boxes and y small boxes yields $10x + 5y$. It's given that the machine makes boxes for a total of 700 minutes each day. Therefore $10x + 5y = 700$ represents the possible number of large boxes, x, and small boxes, y, the machine can make each day.

Choice A is incorrect and may result from associating the time of 10 minutes with small, rather than large, boxes and the time of 5 minutes with large, rather than small, boxes.

Choice C is incorrect and may result from conceptual errors.

Choice D is incorrect and may result from conceptual errors.

▼ 1.53 — A

Choice A is correct. In the xy-plane, the graph of an equation in the form $y = mx + b$, where m and b are constants, has a slope of m and a y-intercept of $(0, b)$. Therefore, the y-intercept of the graph of $y = 34x + 81$ is $(0, 81)$.

Choice B is incorrect and may result from conceptual or calculation errors.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect and may result from conceptual or calculation errors.

▼ 1.54 — A

Choice A is correct. It's given that the store's sales of a certain Greek yogurt totaled $1{,}277.94$ dollars last month. It's also given that the equation $5.48x + 7.30y = 1{,}277.94$ represents this situation, where x is the number of smaller containers sold and y is the number of larger containers sold. Since x represents the number of smaller containers of yogurt sold, the expression $5.48x$ represents the total sales, in dollars, from smaller containers of yogurt. This means that x smaller containers of yogurt were sold at a price of 5.48 dollars each. Therefore, according to the equation, 5.48 represents the price, in dollars, of each smaller container.

Choice B is incorrect. This expression represents the total sales, in dollars, from selling y larger containers of yogurt.

Choice C is incorrect. This value represents the price, in dollars, of each larger container of yogurt.

Choice D is incorrect. This expression represents the total sales, in dollars, from selling x smaller containers of yogurt.

▼ 1.55 — C

Choice C is correct. The y-intercept of a graph is the point where the graph intersects the y-axis. The line graphed intersects the y-axis at the point $0, 5$. Therefore, the y-intercept of the line graphed is $0, 5$.

Choice A is incorrect and may result from conceptual errors.

Choice B is incorrect and may result from conceptual errors.

Choice D is incorrect and may result from conceptual errors.

▼ 1.56 — D

Choice D is correct. The y-intercept of a line graphed in the xy-plane is the point where the line intersects the y-axis. The line graphed intersects the y-axis at the point $0, 8$. Therefore, the y-intercept of the line graphed is $0, 8$.

Choice A is incorrect and may result from conceptual errors.

Choice B is incorrect and may result from conceptual errors.

Choice C is incorrect and may result from conceptual errors.

▼ 1.57 — B

Choice B is correct. A line in the xy-plane can be written as $y = mx + b$, where m is the slope of the line and b is the y-coordinate of the y-intercept. The graph shown is a line passing through the points $(0, 35)$ and $(90, 0)$. Substituting 0 for x and 35 for y in the equation $y = mx + b$ yields $35 = m(0) + b$, or $35 = b$. Substituting 35 for b, 90 for x, and 0 for y in the equation $y = mx + b$ yields $0 = 90m + 35$. Subtracting 35 from both sides of this equation yields $-35 = 90m$. Dividing both sides of this equation by 90 yields $-\frac{35}{90} = m$, or $-\frac{7}{18} = m$. Substituting $-\frac{7}{18}$ for m and 35 for b in the equation $y = mx + b$ yields $y = -\frac{7}{18}x + 35$. Multiplying both sides of this equation by 18 yields $18y = -7x + 35(18)$, or $18y = -7x + 630$. Adding $7x$ to both sides of this equation yields $7x + 18y = 630$. Therefore, the equation $7x + 18y = 630$ represents the relationship between x and y modeled by the graph.

Choice A is incorrect. The point $(0, 35)$ is not on the graph of this equation, since $7(0) + 18 = 18$, not 35.

Choice C is incorrect. The point $(0, 35)$ is not on the graph of this equation, since $18(0) + 7 = 7$, not 35.

Choice D is incorrect. The point $(90, 0)$ is not on the graph of this equation, since $18(90) + 7(0) = 1{,}620$, not 630.

▼ 1.58 — A

Choice A is correct. It's given that a batch of banana milkshakes consists of 4 cups of ice cream and 2 bananas and has $1{,}114$ mg of calcium. It's also given that there is 276 mg of calcium in 1 cup of the ice cream used to make this batch of milkshakes. It follows that the total amount of calcium in 4 cups of ice cream is $4(276)$, or $1{,}104$ mg. Let x represent the amount of calcium, in mg, in 1 banana. It follows that the total amount of calcium in 2 bananas is $2x$ mg. Since the batch of banana milkshakes has $1{,}114$ mg of calcium, the equation $1{,}104 + 2x = 1{,}114$ represents this situation. Subtracting $1{,}104$ from both sides of this equation yields $2x = 10$. Dividing both sides of this equation by 2 yields $x = 5$. Therefore, the amount of calcium in 1 banana is 5 mg.

Choice B is incorrect. This is the amount of calcium, in mg, in 2 bananas, not in 1 banana.

Choice C is incorrect and may result from conceptual or calculation errors.

Choice D is incorrect. This is the amount of calcium, in mg, in 4 cups of ice cream, not in 1 banana.

▼ 1.59 — .1764, .1765, 3/17

The correct answer is $\frac{3}{17}$. It's given that line *j* is perpendicular to line *k* in the *xy*-plane. This means that the slope of line *j* is the negative reciprocal of the slope of line *k*. The equation of line *k*, $y = -\frac{17}{3}x + 5$, is written in slope-intercept form $y = mx + b$, where *m* is the slope of the line and *b* is the *y*-coordinate of the *y*-intercept of the line. It follows that the slope of line *k* is $-\frac{17}{3}$. The negative reciprocal of a number is -1 divided by the number. Therefore, the negative reciprocal of $-\frac{17}{3}$ is $\frac{-1}{-\frac{17}{3}}$, or $\frac{3}{17}$. Thus, the slope of line *j* is $\frac{3}{17}$. Note that 3/17, .1764, .1765, and 0.176 are examples of ways to enter a correct answer.

▼ 1.60 — A

Choice A is correct. It's given that figure A and figure B (not shown) are both regular polygons and the sum of the perimeters of the two figures is 63 inches. It's also given that *x* is the number of sides of figure A and *y* is the number of sides of figure B, and that the equation $3x + 6y = 63$ represents this situation. Thus, $3x$ and $6y$ represent the perimeters, in inches, of figure A and figure B, respectively. Since $6y$ represents the perimeter, in inches, of figure B and *y* is the number of sides of figure B, it follows that each side of figure B has a length of 6 inches.

Choice B is incorrect. The number of sides of figure B is *y*, not 6.

Choice C is incorrect. Since the perimeter, in inches, of figure A is represented by $3x$, each side of figure A has a length of 3 inches, not 6 inches.

Choice D is incorrect. The number of sides of figure A is *x*, not 6.

▼ 1.61 — B

Choice B is correct. The graph shown is a line passing through the points $0, 40$ and $60, 0$. Since the relationship between *x* and *y* is linear, if two points on the graph make a linear equation true, then the equation represents the relationship. Substituting 0 for *x* and 40 for *y* in the equation in choice B, $8x + 12y = 480$, yields $80 + 1240 = 480$, or $480 = 480$, which is true. Substituting 60 for *x* and 0 for *y* in the equation $8x + 12y = 480$ yields $860 + 120 = 480$, or $480 = 480$, which is true. Therefore, the equation $8x + 12y = 480$ represents the relationship between *x* and *y*.

Choice A is incorrect. The point $0, 40$ is not on the graph of this equation, since $40 = 80 + 12$, or $40 = 12$, is not true.

Choice C is incorrect. The point $0, 40$ is not on the graph of this equation, since $40 = 120 + 8$, or $40 = 8$, is not true.

Choice D is incorrect. The point $0, 40$ is not on the graph of this equation, since $120 + 840 = 480$, or $320 = 480$, is not true.

▼ 1.62 — A

Choice A is correct. It's given that a certain township consists of a 5-hectare industrial park and a 24-hectare neighborhood and that the total number of trees in the township is $4{,}529$. It's also given that the equation $5x + 24y = 4{,}529$ represents this situation. Since the total number of trees for a given area can be determined by taking the size of the area, in hectares, times the average number of trees per hectare, the best interpretation of $5x$ is the number of trees in the industrial park and the best interpretation of $24y$ is the number of trees in the neighborhood. Since 5 is the size of the industrial park, in hectares, the best interpretation of x is the average number of trees per hectare in the industrial park.

Choice B is incorrect and may result from conceptual errors.

Choice C is incorrect and may result from conceptual errors.

Choice D is incorrect and may result from conceptual errors.

▼ 1.63 — -10

The correct answer is -10. A line in the xy-plane can be represented by the equation $y = mx + b$, where m is the slope of the line and b is the y-coordinate of the y-intercept. It's given that line p has a slope of $-\frac{5}{3}$. Therefore, $m = -\frac{5}{3}$. It's also given that line p has an x-intercept of $-6, 0$. Therefore, when $x = -6$, $y = 0$. Substituting $-\frac{5}{3}$ for m, -6 for x, and 0 for y in the equation $y = mx + b$ yields $0 = -\frac{5}{3}(-6) + b$, which is equivalent to $0 = 10 + b$. Subtracting 10 from both sides of this equation yields $-10 = b$. Therefore, the y-coordinate of the y-intercept of line p is -10.

▼ 1.64 — C

Choice C is correct. It's given that the graph in the xy-plane models the possible combinations of length x, in meters (m), and width y, in meters, for a rectangle with a perimeter of 36 m. Since x represents the length, in meters, and y represents the width, in

meters, the point $(8, 10)$ in the *xy*-plane represents a rectangle whose length is 8 m and whose width is 10 m.

Choice A is incorrect and may result from conceptual errors.

Choice B is incorrect. This is an interpretation of the point $(10, 8)$, not $(8, 10)$.

Choice D is incorrect and may result from conceptual errors.

▼ 1.65 — ?

The correct answer is 3. It's given that Cameron drove 60 miles per hour for x hours; therefore, the distance driven at this speed can be represented by $60x$. He then drove 50 miles per hour for y hours; therefore, the distance driven at this speed can be represented by $50y$. Since Cameron drove 210 total miles, the equation $60x + 50y = 210$ represents this situation. If $x = 1$, substitution yields $60(1) + 50y = 210$, or $60 + 50y = 210$. Subtracting 60 from both sides of this equation yields $50y = 150$. Dividing both sides of this equation by 50 yields $y = 3$.