Systems of two linear equations in two variables — Part 1

Algebra · Math · 63 questions

1.1 026980-DC · Easy

$$3x + y = 29$$
$$x = 2$$

If (x, y) is the solution to the given system of equations, what is the value of y ?

Student-produced response: _____

1.2 10239-DC · Easy

An online bookstore sells novels and magazines. Each novel sells for $4, and each magazine sells for $1. If Sadie purchased a total of 11 novels and magazines that have a combined selling price of $20, how many novels did she purchase?

A. 2

B. 3

C. 4

D. 5

1.3 4b320a23-0ce8-4391-9201-ef14dec4437c · Easy

Students and chaperones from a middle school are going on a field trip to a museum. Admission to the museum will cost $\$ 8.50$ for each student and $\$ 12$ for each chaperone. It will cost a total of $\$ 730$ for admission to the museum for all 83 people on the field trip. How many students are going on the field trip?

A. 31

B. 70

C. 76

D. 86

1.4 027878-DC · Easy

$$2x+7y=9$$
$$8x+28y=a$$

In the given system of equations, a is a constant. If the system has infinitely many solutions, what is the value of a ?


A. 4

B. 9

C. 36

D. 54

1.5 a90c85c1-804c-489e-9c12-436ca82f1f2d · Easy



- For the first line in the system:
  - The line slants sharply down from left to right.
  - The line passes through the following points:
    - (4 comma 1)
    - (StartFraction 32 Over 7 EndFraction comma 0)
- For the second line in the system:
  - The line slants sharply up from left to right.
  - The line passes through the following points:
    - (StartFraction 32 Over 9 EndFraction comma 0)
    - (4 comma 1)

The graph of a system of linear equations is shown. The solution to the system is x,y. What is the value of x?

Student-produced response: _____

1.6 7eab7aa7-dffb-49ed-89bb-e363db1aaad3 · Easy

$$y = -3x$$

$$4x + y = 15$$

The solution to the given system of equations is x, y. What is the value of x?

A. 1

B. 5

C. 15

D. 45

1.7 ac10f741-d7d2-4630-ac36-63d9fd1f7a94 · Easy

$$4x - 3y = 5$$

$$x = 8$$

What is the solution x, y to the given system of equations?


A. $8, 9$

B. $8, -24$

C. $8, -9$

D. $8, 24$

1.8 ebe78c3d-d888-4a7c-8973-f50c7ec643f3 · Easy



- For the first line in the system:
  - The line slants gradually down from left to right.
  - The line passes through the following points:
    - (negative 7 comma 0)
    - (negative 4 comma negative 3)
    - (0 comma negative 7)
- For the second line in the system:
  - The line slants gradually up from left to right.
  - The line passes through the following points:
    - (negative 5 comma negative 4)
    - (negative 4 comma negative 3)
    - (negative 3 comma negative 2)

The graph of a system of linear equations is shown. What is the solution x, y to the system?

A. $0, -7$

B. $0, -3$

C. $-4, -3$

D. $-4, 0$

1.9 09904-DC · Easy

A discount airline sells a certain number of tickets, x, for a flight for $90 each. It sells the number of remaining tickets, y, for $250 each. For a particular flight, the airline sold 120 tickets and collected a total of $27,600 from the sale of those tickets. Which system of equations represents this relationship between x and y ?

A. $\begin{cases} x+y=120 \\ 90x+250y=27{,}600 \end{cases}$

B. $\begin{cases} x+y=120 \\ 90x+250y=120(27{,}600) \end{cases}$

C. $\begin{cases} x+y=27{,}600 \\ 90x+250y=120(27{,}600) \end{cases}$

D. $\begin{cases} 90x=250y \\ 120x+120y=27{,}600 \end{cases}$

1.10 027122-DC · Easy

$$y=2x+3$$
$$x=1$$

What is the solution (x,y) to the given system of equations?

A. $(1,2)$

B. $(1,5)$

C. $(2,3)$

D. $(2,7)$

1.11 2afd7270-62a5-4b7b-9b32-31529be1acdd · Easy

$$4x = 20$$

$$-3x + y = -7$$

The solution to the given system of equations is x, y. What is the value of $x + y$?

A. -27

B. -13

C. 13

D. 27

1.12 07542-DC · Easy

A movie theater charges $11 for each full-price ticket and $8.25 for each reduced-price ticket. For one movie showing, the theater sold a total of 214 full-price and reduced-price tickets for $2,145. Which of the following systems of equations could be used to determine the number of full-price tickets, f, and the number of reduced-price tickets, r, sold?

A. $f + r = 2{,}145$
$11f + 8.25r = 214$

B. $f + r = 214$
$11f + 8.25r = 2{,}145$

C. $f + r = 214$
$8.25f + 11r = 2{,}145$

D. $f + r = 2{,}145$
$8.25f + 11r = 214$

1.13 08822-DC · Easy

Angela is playing a video game. In this game, players can score points only by collecting coins and stars. Each coin is worth c points, and each star is worth s points.

- The first time she played, Angela scored 700 points. She collected 20 coins and 10 stars.
- The second time she played, Angela scored 850 points. She collected 25 coins and 12 stars.

Which system of equations can be used to correctly determine the values of c and s ?

A. $10c + 20s = 700$
$12c + 25s = 850$

B. $20c + 10s = 700$
$25c + 12s = 850$

C. $20c + 700s = 10$
$25c + 850s = 12$

D. $700c + 20s = 10$
$850c + 25s = 12$

1.14 f0975e35-afbb-4d74-9091-7a06a2bf4d03 · Easy

$$x + y = 18$$

$$5y = x$$

What is the solution x, y to the given system of equations?

A. $15, 3$

B. $16, 2$

C. $17, 1$

D. $18, 0$

1.15 632affe2-9dad-466c-b099-d98aa7c13b20 · Easy

$$5x = 15$$

$$-4x + y = -2$$

The solution to the given system of equations is x, y. What is the value of $x + y$?

A. -17

B. -13

C. 13

D. 17

1.16 96df58ca-4a03-48f8-b5e1-0437cd8a8511 · Easy

$$s + 7r = 27$$

$$r = 3$$

What is the solution r, s to the given system of equations?


A. $(6, 3)$

B. $(3, 6)$

C. $(3, 27)$

D. $(27, 3)$

1.17 52842d0a-65a9-4a31-89c5-5df2054afc60 · Easy



- For the first line in the system:
  - The line slants gradually down from left to right.
  - The line passes through the following points:
    - (0 comma 5)
    - (2 comma 4)
    - (10 comma 0)
- For the second line in the system:
  - The line slants sharply up from left to right.
  - The line passes through the following points:
    - (0 comma 0)
    - (2 comma 4)
    - (5 comma 10)

The graph of a system of linear equations is shown. What is the solution x, y to the system?

A. $(0, 5)$

B. $(2, 4)$

C. $(5, 10)$

D. $(10, 0)$

1.18 67838907-7e84-4f9a-bb16-0c54fe5e5232 · Easy

$$x + y = 125$$

$$x + y + y = 155$$

The solution to the given system of equations is x, y. What is the value of y?

Student-produced response: _____

1.19 f0dd503e-886e-49ec-9002-e65200346c57 · Easy

$$x = 8$$

$$x + 3y = 26$$

The solution to the given system of equations is x, y. What is the value of y?

Student-produced response: _____

1.20 0fe484a0-8389-4fe5-93dd-5d56c07a7c9c · Easy

$$x = 10$$

$$y = x + 21$$

The solution to the given system of equations is x, y. What is the value of y?


A. 2.1

B. 10

C. 21

D. 31

1.21 950dd818-fa5e-4231-b816-a13da78257e9 · Easy



- For the first line in the system:
  - The line is horizontal.
  - The line passes through the following points:
    - (negative 4 comma 3)
    - (0 comma 3)
    - (2 comma 3)
- For the second line in the system:
  - The line slants sharply up from left to right.
  - The line passes through the following points:
    - (negative 1 comma negative 4.5)
    - (0 comma negative 2)
    - (2 comma 3)

The graph of a system of linear equations is shown. What is the solution x, y to the system?

A. $0, 3$

B. $1, 3$

C. $2, 3$

D. $3, 3$

1.22 08086-DC · Easy

Hiro and Sofia purchased shirts and pants from a store. The price of each shirt purchased was the same and the price of each pair of pants purchased was the same. Hiro purchased 4 shirts and 2 pairs of pants for $86, and Sofia purchased 3 shirts and 5 pairs of pants for $166. Which of the following systems of linear equations represents the situation, if x represents the price, in dollars, of each shirt and y represents the price, in dollars, of each pair of pants?

A. $4x + 2y = 86$
$3x + 5y = 166$

B. $4x + 3y = 86$
$2x + 5y = 166$

C. $4x + 2y = 166$
$3x + 5y = 86$

D. $4x + 3y = 166$
$2x + 5y = 86$

1.23 648f6724-1596-45f8-99c7-238a1a0648f9 · Easy

$$y = 4x - 9$$
$$y = 19$$

What is the solution x, y to the given system of equations?


A. $4, 19$

B. $7, 19$

C. $19, 4$

D. $19, 7$

1.24 fef8ab08-2a09-4477-9b15-1ed3a9fc0ac6 · Easy



- For the first line in the system:
  - The line slants sharply down from left to right.
  - The line passes through the following points:
    - (0 comma 3)
    - (4 comma negative 5)
- For the second line in the system:
  - The line slants gradually down from left to right.
  - The line passes through the following points:
    - (0 comma negative 2)
    - (4 comma negative 5)

The graph of a system of linear equations is shown. What is the solution x, y to the system?

A. $4, -5$

B. $0, 3$

C. $0, -2$

D. $-2, 3$

1.25 026034-DC · Easy

$x+y=20$

$2(x+y)+3y=85$

If (x,y) is the solution to the given system of equations, what is the value of y ?

A. 10

B. 15

C. 60

D. 65

1.26 d9637287-6236-4171-8284-30cfa0ba9e23 · Easy

$$y = 12x - 20$$

$$y = 28$$

What is the solution x,y to the given system of equations?

A. $4, 28$

B. $20, 28$

C. $28, 4$

D. $28, 20$

1.27 9848a7b9-5a10-4833-b6e0-1b98ce1e44c1 · Easy

$$10x = 110$$

$$6x - 63 = y$$

The solution to the given system of equations is x, y. What is the value of y?

A. 63

B. 11

C. 10

D. 3

1.28 020079-DC · Easy

A petting zoo sells two types of tickets. The standard ticket, for admission only, costs $5. The premium ticket, which includes admission and food to give to the animals, costs $12. One Saturday, the petting zoo sold a total of 250 tickets and collected a total of $2,300 from ticket sales. Which of the following systems of equations can be used to find the number of standard tickets, s, and premium tickets, p, sold on that Saturday?

A. $\begin{aligned} s + p &= 250 \\ 5s + 12p &= 2{,}300 \end{aligned}$

B. $\begin{aligned} s + p &= 250 \\ 12s + 5p &= 2{,}300 \end{aligned}$

C. $\begin{aligned} 5s + 12p &= 250 \\ s + p &= 2{,}300 \end{aligned}$

D. $\begin{aligned} 12s + 5p &= 250 \\ s + p &= 2{,}300 \end{aligned}$

1.29 f55e2a62-1692-407c-9001-96da7e84f1bb · Easy

$$y = \frac{2}{7}x + 3$$

One of the two equations in a system of linear equations is given. The system has infinitely many solutions. If the second equation in the system is $y = mx + b$, where m and b are constants, what is the value of b?

A. -3

B. $-\frac{1}{3}$

C. $\frac{1}{3}$

D. 3

1.30 ff17c197-f425-42d5-b68e-437f6191b533 · Easy

$$x = 4$$

$$y = 5 - x$$

The solution to the given system of equations is x, y. What is the value of y?

A. 1


B. 4

C. 5

D. 9

1.31 026145-DC · Easy

A system of two linear equations is graphed in the xy-plane below.



Which of the following points is the solution to the system of equations?


A. $(3,9)$

B. $(6,15)$

C. $(8,10)$

D. $(12,18)$

1.32 2b87b482-ed79-4f52-87e1-3cd4aec4b340 · Easy



- For the first line in the system:
  - The line slants sharply down from left to right.
  - The line passes through the following points:
    - (0 comma 8)
    - (3 comma 4)
    - (5 comma four thirds)
- For the second line in the system:
  - The line slants gradually up from left to right.
  - The line passes through the following points:
    - (0 comma 1)
    - (3 comma 4)
    - (5 comma 6)

The graph of a system of linear equations is shown. What is the solution (x, y) to the system?

A. $(2, 3)$

B. $3, 4$

C. $(4, 5)$

D. $(5, 6)$

1.33 f0db62a7-74c8-4e51-91dd-8c8b80649a49 · Easy

Connor has c dollars and Maria has m dollars. Connor has 4 times as many dollars as Maria, and together they have a total of $\$ 25.00$. Which system of equations represents this situation?

A. $c = 4m$ $c + m = 25$

B. $m = 4c$ $c + m = 25$

C. $c = 25m$ $c + m = 4$

D. $m = 25c$ $c + m = 4$

1.34 08084-DC · Easy

A dance teacher ordered outfits for students for a dance recital. Outfits for boys cost $26, and outfits for girls cost $35. The dance teacher ordered a total of 28 outfits and spent $881. If b represents the number of outfits the dance teacher ordered for boys and g represents the number of outfits the dance teacher ordered for girls, which of the following systems of equations can be solved to find b and g ?


A. $26b + 35g = 28$
$b + g = 881$

B. $26b + 35g = 881$
$b + g = 28$

C. $26g + 35b = 28$
$b + g = 881$

D. $26g + 35b = 881$
$b + g = 28$

1.35 58253567-9086-41df-86cd-17a48bbb725b · Easy



- For the first line in the system:
  - The line slants gradually down from left to right.
  - The line passes through the following points:
    - (0 comma 4)
    - (2 comma 2)
    - (4 comma 0)
- For the second line in the system:
  - The line slants gradually up from left to right.
  - The line passes through the following points:
    - (0 comma 0)
    - (2 comma 2)
    - (4 comma 4)

The graph of a system of two linear equations is shown. What is the solution x, y to the system?

A. $0, 4$

B. $2, 2$

C. $4, 0$

D. $4, 4$

1.36 5f351eb6-67ee-4ee2-a604-17867c3570b7 · Easy

$$y = 4$$

$$x = y + 6$$

The solution to the given system of equations is x, y. What is the value of x?

A. 10

B. 6

C. 4

D. 2

1.37 680ee560-0171-401e-8a31-87727153a417 · Easy

$$x = 5$$

$$y = x - 8$$

Which of the following points x, y is the solution to the given system of equations in the xy-plane?

A. $0, 0$

B. $5, -3$

C. $5, -8$

D. $5, 8$

1.38 55751ff1-1079-45a7-b117-348b4d276815 · Easy

$$3x = 12$$

$$-3x + y = -6$$

The solution to the given system of equations is x, y. What is the value of y?

A. -3

B. 6

C. 18

D. 30

1.39 c470d4b9-a5d3-44e7-9e33-d10b5151dcde · Medium

Two customers purchased the same kind of bread and eggs at a store. The first customer paid 12.45 dollars for 1 loaf of bread and 2 dozen eggs. The second customer paid 19.42 dollars for 4 loaves of bread and 1 dozen eggs. What is the cost, in dollars, of 1 dozen eggs?

A. 3.77

B. 3.88

C. 4.15

D. 4.34

1.40 07807ef4-fe53-474a-92e4-59c6ea6c579e · Medium

At how many points do the graphs of the equations $y = x + 20$ and $y = 8x$ intersect in the xy-plane?

A. 0

B. 1

C. 2

D. 8

1.41 ac648dfb-04b8-480f-bc41-fe111d3c500c · Medium

$$3x + 6 = 4y$$

$$3x + 4 = 2y$$

The solution to the given system of equations is x, y. What is the value of y?

Student-produced response: _____

1.42 08687-DC · Medium

$$y = 2x - 3$$
$$3y = 5x$$

In the solution to the system of equations above, what is the value of y ?

A. -15

B. -9

C. 9

D. 15

1.43 5c64450d-1ff5-486d-bc37-e47fa80d2f7d · Medium

$$y = 2x + 10$$

$$y = 2x - 1$$

At how many points do the graphs of the given equations intersect in the xy-plane?

A. Zero

B. Exactly one

C. Exactly two

D. Infinitely many

1.44 a94ddb79-a5ea-48b4-ac01-838bf92d16fb · Medium

$$2a + 8b = 198$$

$$2a + 4b = 98$$


The solution to the given system of equations is a, b. What is the value of b?


Student-produced response: _____


1.45 022962-DC · Medium


$$x + 5y = 5$$
$$2x - y = -4$$

Which of the following graphs in the xy-plane could be used to solve the system of equations above?

A. 

B. 

C. 

D. 

1.46 6224ef79-ede3-42e9-82fc-447127d5e27e · Medium

The sum of a number x and 7 is twice as large as a number y. The number y is 3 less than the number x. Which system of equations describes this situation?

A. $x + 7 = 2y$ $y = x - 3$

B. $x + 7 = 2y$ $y = 3 - x$

C. $2x + 7 = y$ $y = x - 3$

D. $2x + 7 = y$ $y = 3 - x$

1.47 dce39b31-9110-4b75-93ff-5d7da57a6adc · Medium

$$y = 3x$$

$$2x + y = 12$$

The solution to the given system of equations is x, y. What is the value of $5x$?

A. 24

B. 15

C. 12

D. 5

1.48 4d15e7be-e330-43ce-90bb-537310380c04 · Medium

$$x + 3 = -2y + 5$$

$$x - 3 = 2y + 7$$

The solution to the given system of equations is x, y. What is the value of $2x$?

A. -2

B. 6

C. 12

D. 24

1.49 1fe5014a-3025-473b-a798-53f9ceab24bd · Medium

The combined original price for a mirror and a vase is $\$ 60$. After a 25% discount to the mirror and a 45% discount to the vase are applied, the combined sale price for the two items is $\$ 39$. Which system of equations gives the original price m, in dollars, of the mirror and the original price v, in dollars, of the vase?

A. $m + v = 60$ $0.55m + 0.75v = 39$

B. $m + v = 60$ $0.45m + 0.25v = 39$

C. $m + v = 60$ $0.75m + 0.55v = 39$

D. $m + v = 60$ $0.25m + 0.45v = 39$

1.50 9074f61c-00b0-4492-ab66-501db8f46f38 · Medium

A wire with a length of 106 inches is cut into two parts. One part has a length of x inches, and the other part has a length of y inches. The value of x is 6 more than 4 times the value of y. What is the value of x?

A. 25

B. 28

C. 56

D. 86

1.51 14931-DC · Medium

In the xy-plane, the graph of $y = x + 3$ intersects the graph of $y = 2x - 6$ at the point (a,b). What is the value of a ?

A. 3

B. 6

C. 9

D. 12


1.52 74ba4b49-0d96-4325-b90c-ffaf55d59428 · Medium

$$x + y = 53$$

$$11x + 18y = 730$$


The given equations represent the possible numbers of beach chairs, x, and umbrellas, y, rented at a park last month and the total spent, in dollars, to rent those beach chairs and umbrellas. Which of the following graphs represents this situation?

A.




- For the first line in the system:
  - The line slants gradually down from left to right.
  - The line passes through the following approximate points:
    - (0 comma 41)
    - (66 comma 0)
- For the second line in the system:
  - The line slants gradually up from left to right.
  - The line passes through the following points:
    - (0 comma 0)
    - (50 comma 50)
- The 2 lines intersect at 1 point.

B.




- For the first line in the system:
  - The line slants gradually down from left to right.
  - The line passes through the following points:
    - (0 comma 53)
    - (53 comma 0)
- For the second line in the system:
  - The line slants gradually down from left to right.
  - The line passes through the following approximate points:
    - (0 comma 41)
    - (66 comma 0)
- The 2 lines intersect at 1 point.

C.



- For the first line in the system:
  - The line slants gradually down from left to right.
  - The line passes through the following points:
    - (0 comma 53)
    - (53 comma 0)
- For the second line in the system:
  - The line slants gradually up from left to right.
  - The line passes through the following approximate points:
    - (0 comma 41)
    - (30 comma 59)
- The 2 lines intersect at 1 point.

D.



- For the first line in the system:
  - The line is horizontal.
  - The line passes through the following points:
    - (0 comma 53)
    - (30 comma 53)
- For the second line in the system:
  - The line slants gradually up from left to right.
  - The line passes through the following approximate points:
    - (0 comma 41)
    - (30 comma 59)
- The 2 lines intersect at 1 point.

1.53 4754b73c-5377-41de-93c1-d49dd784c2c0 · Medium

$$y = -2x$$

$$3x + y = 40$$

The solution to the given system of equations is x, y. What is the value of x?

Student-produced response: _____

1.54 20220edf-4df0-47cb-bce6-798d01c48907 · Medium

A bus traveled on the highway and on local roads to complete a trip of 160 miles. The trip took 4 hours. The bus traveled at an average speed of 55 miles per hour mph on the highway and an average speed of 25 mph on local roads. If x is the time, in hours, the bus traveled on the highway and y is the time, in hours, it traveled on local roads, which system of equations represents this situation?

A. $55x + 25y = 4$
$x + y = 160$

B. $55x + 25y = 160$
$x + y = 4$

C. $25x + 55y = 4$
$x + y = 160$

D. $25x + 55y = 160$
$x + y = 4$

1.55 b1b506b9-ecab-4a7d-9043-cf9ca8ba8099 · Medium


$$y = 9x + 12$$

$$x + 7y = 20$$

The solution to the given system of equations is x, y. What is the value of y?

Student-produced response: _____

1.56 4e08d101-c21c-44f2-a0d1-b1575f5b4632 · Medium



- For the first line in the system:
  - The line slants gradually up from left to right.
  - The line passes through the following points:
    - (0 comma 7)
    - (11 comma 11)
- For the second line in the system:
  - The line slants gradually down from left to right.
  - The line passes through the following points:
    - (0 comma 13)
    - (11 comma 11)
- The 2 lines intersect at 1 point.

The functions f and g model the number of participants, in thousands, in two different programs x years since 2010. The graphs of $y = f(x)$ and $y = g(x)$ are shown. Which of the following could represent functions f and g?

A. $fx = -\frac{4}{11}x + 13$ $gx = \frac{2}{11}x + 7$

B. $fx = -\frac{4}{11}x + 7$ $gx = \frac{2}{11}x + 13$

C. $fx = -\frac{2}{11}x + 13$ $gx = \frac{4}{11}x + 7$

D. $fx = -\frac{2}{11}x + 7$ $gx = \frac{4}{11}x + 13$

1.57 a18ef7d1-8bbd-459a-93cc-e4df62df2c1a · Medium

$$x + 2y = 6$$

$$x - 2y = 4$$

The solution to the given system of equations is x, y. What is the value of x?

A. 2.5

B. 5

C. 6

D. 10

1.58 f9cb4504-e307-4fd6-973f-1bbab97daf43 · Medium

Ellen bought two types of snack bags for a school event. Each box of chips Ellen bought contained 24 bags and cost $\$ 11$. Each box of crackers Ellen bought contained 16 bags and cost $\$ 9$. It cost Ellen $\$ 497$ before tax to buy 968 bags. If x is the number of boxes of chips and y is the number of boxes of crackers that Ellen bought, which of the following systems of equations represents this situation?

A. $11x + 16y = 968$ $24x + 9y = 497$

B. $11x + 9y = 968$ $24x + 16y = 497$

C. $11x + 9y = 497$ $24x + 16y = 968$

D. $9x + 11y = 497$ $16x + 24y = 968$

1.59 b0266b5e-6f26-496c-81ea-3108b31c0bc6 · Medium

$$\frac{7}{2}x + 6y = 25$$

$$\frac{5}{2}x + 6y = 23$$

The solution to the given system of equations is x, y. What is the value of $\frac{17}{2}x + 18y$?

A. 2

B. 3

C. 48

D. 71

1.60 1ce8eb76-74a1-43fe-a9d0-df147e4ca59e · Medium

A proposal for a new library was included on an election ballot. A radio show stated that 3 times as many people voted in favor of the proposal as people who voted against it. A social media post reported that $15{,}000$ more people voted in favor of the proposal than voted against it. Based on these data, how many people voted against the proposal?

A. $7{,}500$

B. $15{,}000$

C. $22{,}500$

D. $45{,}000$

1.61 05f30aab-94fb-4835-aaaf-c316bafa965e · Medium

$$6x + 7y = 28$$
$$2x + 2y = 10$$

The solution to the given system of equations is x, y. What is the value of y?

A. -2

B. 7

C. 14

D. 18

1.62 7bbaeebb-c7b9-4d87-ac22-9fb4f0d77968 · Medium

$$y = \frac{1}{3}x - 14$$

$$y = -x + 18$$

The solution to the given system of equations is x, y. What is the value of x?

Student-produced response: _____

1.63 73c4251e-9b52-43e0-b64c-eafae656c149 · Medium

$$y = 6x + 3$$

One of the two equations in a system of linear equations is given. The system has infinitely many solutions. Which equation could be the second equation in this system?

A. $y = 2(6x) + 3$

B. $y = 2(6x + 3)$

C. $2(y) = 2(6x) + 3$

D. $2(y) = 2(6x + 3)$
