

# HHD Inventory Manager

## User Manual - Version 1.0.5

HHD Inventory Manager is a Windows desktop application for tracking Home Hemodialysis supplies, treatment activity, received inventory, and reorder status.

**Important:** This application supports inventory tracking only. It does not replace clinical instructions or physical verification of supplies before treatment.

## 1. Dashboard

The Dashboard shows the current calculated units, estimated weeks remaining, alert LEDs, and status for both inventory groups.

- Green Alert LED: inventory status is OK.
- Flashing yellow Alert LED: inventory is LOW.
- Flashing red Alert LED: the item has reached RE-ORDER status.
- Use the minus and plus controls above an inventory list to adjust item font size within the permitted range.

## 2. Submit Treatment

The Submit Treatment button is positioned separately at the bottom of the left menu. Use it after a regular, extra, missed, or incomplete treatment.

| Field                | Purpose                                                                        |
|----------------------|--------------------------------------------------------------------------------|
| Treatment Date       | Date on which the treatment occurred.                                          |
| Treatment Type       | Regular, extra, missed, or incomplete treatment.                               |
| Treatment Equivalent | Usually 1; missed is 0; an incomplete treatment may use a decimal such as 0.5. |
| Treatment Notes      | Free-text notes saved with that individual treatment.                          |

## Treatment History and Notes

Select a treatment in Treatment History to display its notes in the reading panel below. The panel is read-only until Edit is clicked. After making changes, click Save Notes.

## 3. Inventory History Graphic

Open Inventory History from the left menu. Select an item and one of the available periods: 1 week, 1 month, 3 months, 6 months, 1 year, or All time.

The graph reconstructs calculated inventory levels using the baseline count, received inventory, corrections, logged treatments, per-treatment usage, reuse configuration, and additional weekly usage. LOW and RE-ORDER thresholds are shown as reference lines when applicable.

## 4. Received Inventory

Use Received Inventory whenever supplies arrive. Enter all quantities in units, select the received date, and add an optional note. The program remains on the same page so multiple items can be entered efficiently.

## 5. Inventory Item Settings

| Setting                        | Meaning                                                         |
|--------------------------------|-----------------------------------------------------------------|
| Baseline Units and Date        | Physical count and date used as the starting point.             |
| Units Used Per Session         | How many units are consumed during one treatment.               |
| Additional Units Used Per Week | Usage not directly tied to treatments.                          |
| Reusable For # Sessions        | How many treatments one unit lasts.                             |
| Lifespan Days Per Unit         | Duration-based forecasting for items such as PAK.               |
| Low Threshold                  | Quantity that triggers LOW status.                              |
| Re-order Threshold             | Quantity that triggers RE-ORDER status.                         |
| Auto-calculate Usage           | Controls whether logged treatments reduce calculated inventory. |

## 6. Database and Backup

The program is installed under Program Files, while writable user data is stored in the current user's AppData folder.

| Location                                     | Contents                                 |
|----------------------------------------------|------------------------------------------|
| C:\Users\AppData\Local\HHD Inventory Manager | Live SQLite database and local settings. |
| Documents\HHD Inventory Backups              | Rolling database and settings backups.   |

A single rolling database backup is overwritten every 10 minutes. Use Import Database when moving the application to another computer.

## 7. Recommended Routine

- Verify item settings and treatment usage rates.
- Submit each treatment, including extra, missed, or incomplete treatments.
- Enter received inventory on the actual received date.
- Review Alert LEDs and RE-ORDER status regularly.
- Use Inventory History when investigating inventory changes.
- Periodically compare the calculated inventory with a physical count.

Created by Eduardo A. de Carvalho, husband and caregiver of Joelle.