

Computer Programming II

Liaw, Rung-Tzuo

Department of Computer Science and Information Engineering

Fu Jen Catholic University, Taiwan

Judge System

Automatically judge your answers

Setting

- Set the Compiler Path

- Open file explorer (檔案總管)
- Right click my computer (本機)
- Left click content (內容)
- Left click advanced system setting (進階系統設定)
- Left click environmental variables (環境變數)
- Left click the variable "Path"
- Left click edit
- Check if the path where your compile is located is in the list
- If no, left click Add (新增), type or paste the path, and click ok (確定)

Login

- Download the .zip file.
- Unzip it to a single folder.
- Click the judgeSystem.exe executable file.
- Enter username as your student ID.
- Enter password as announced.
- Now you may have entered the judge system.

Judge

- Complete your source code
- Use the [list button](#) to select the problem where you want to judge
- Click [select file](#) to select all the source code required for the selected problem
- If your compiler by default is **not** at “C:\MinGW\bin\”, you have to [select your compiler](#).
 - Click the path and select your compiler (gcc.exe or g++.exe) manually
 - A possible path may be
C:\Program Files (x86)\CodeBlocks\MinGW\bin\
 - This step must be taken once for each time you login to the system
- Click [Proceed button](#) to judge your answer
 - If the code is correct, you may see Accepted.
 - If the code is incorrect, you may see
 - ◆ Compilation Error: your code cannot be compiled.
 - ◆ Wrong Answer: the answer is wrong. You may use the [Compare button](#) to see the differences between your results and the ground truth.
 - ◆ Run-time Error: the program has problem during run-time.
 - ◆ Time Limit Exceeded: the program is too inefficient to output the result.