

```
Help  ← → Module1
index.html X
index.html > html > body > main > section#about > ul > li
1  <!DOCTYPE html>
2  <html lang="en">
3
4  <head>
5    <meta charset="UTF-8">
6    <meta name="viewport" content="width=device-width, initial-scale=1.0">
7    <title>My Portofolio</title>
8  </head>
9
10 <body>
11   <header>
12     <nav>
13       <a href="#hero">Home</a>
14       <a href="#about">My Skills</a>
15     </nav>
16   </header>
17   <main>
18     <section id="about">
19       <h2>
20         Technologies I Plan To Learn
21       </h2>
22       <ul>
23         <li>Javascript</li>
24         <li>Kotlin</li>
25         <li>Go</li>
26         <li>React</li>
27       </ul>
28     </section>
29   </main>
30   <section>
31   </section>
32 </section>
33 </main>
34 <footer>
35   <p>
36     Contact me at: nathan.santosa37@gmail.com
37   </p>
38 </footer>
39 </body>
40
41 </html>
```

In this image, I'm making the basic structure of my website. I planned to just make a simple website where the background is white and the text is black with the placement of the text in the middle of the website. Making the header, main, footer, nav tags. I have filled in the title of the website, the navigation in the header tag that will navigate towards the hero and the about section of the website. I also already made the about section of the website containing all the technologies I would like to learn in the future in an unordered list format. Finally, I have added my contacts in the footer tag.

```
Terminal Help  ← →  Module1

index.html × # styles.css

index.html > html > head
1  <!DOCTYPE html>
2  <html lang="en">
3
4  <head>
5      <meta charset="UTF-8">
6      <meta name="viewport" content="width=device-width, initial-scale=1.0">
7      <title>My Portfolio</title>
8  </head>
9
10 <body>
11     <header>
12         <nav>
13             <a href="#hero">Home</a>
14             <a href="#skills">My Skills</a>
15         </nav>
16     </header>
17     <main>
18         <section id="hero">
19             <h1>Hi, I'm Nathan!</h1>
20             <p>I am a Computer Science student at ITB. I'm currently learning web development and robotics.</p>
21         </section>
22         <section id="skills">
23             <h2>
24                 Technologies I Plan To Learn
25             </h2>
26             <ul>
27                 <li>Javascript</li>
28                 <li>Kotlin</li>
29                 <li>Go</li>
30                 <li>React</li>
31             </ul>
32         </section>
33     </main>
34     <footer>
35         <p>
36             Contact me at: nathan.santosa37@gmail.com
37         </p>
38     </footer>
39 </body>
40 </html>
```

Now, in this image, I added the hero section which greets the visitor that the creator of this website is me and I'm a CS student at ITB and currently studying WebDev and robotics. I also renamed the about section into the skills section and also changed the href of the navigation tag to match the requirements of this module.


```
view Go Run Terminal Help  ← →  Module1

index.html × # styles.css ×

# styles.css > *
1
2  * {
3      margin: 0;
4      padding: 0;
5      box-sizing: border-box;
6  }
```

Now I'm making the style.css file to better style the website. Where inherently every element in the website will have 0 margins and padding to eliminate the website's default spacing, while

also having a border-box for the box-sizing to include the total height and width of each element. This is to prevent the layout of the website from breaking visually. In the index.html, I added a link that connects the html to the style.css so designing using that css file is possible.



A screenshot of a code editor with a dark theme. The editor has tabs for 'index.html' and '# styles.css'. The '# styles.css' tab is active, showing CSS code. The code includes a reset for margin, padding, and box-sizing. It defines styles for a header (white background, 20px padding, box-shadow), a navigation menu (flexbox, center, 30px gap), navigation links (no decoration, gray color, bold, 1.1rem font), the body (Segoe UI font, 1.6 line-height, light gray background), a main section (80px 20px padding, 900px max-width, auto margin), and a footer (80px 20px padding, 900px max-width, auto margin, center text, gray color).

```
1
2 * {
3   margin: 0;
4   padding: 0;
5   box-sizing: border-box;
6 }
7
8 header{
9   background-color: #ffffff;
10  padding: 20px 0;
11  box-shadow: 0 2px 5px rgba(0, 0, 0, 0.05);
12 }
13
14 nav{
15   display: flex;
16   justify-content: center;
17   gap: 30px;
18 }
19
20 nav a{
21   text-decoration: none;
22   color: #555555;
23   font-weight: bold;
24   font-size: 1.1rem;
25 }
26
27 body{
28   font-family: 'Segoe UI';
29   line-height: 1.6;
30   color: #333333;
31   background-color: #f8f9fa;
32 }
33
34 section{
35   padding: 80px 20px;
36   max-width: 900px;
37   margin: 0 auto;
38 }
39
40 footer{
41   padding: 80px 20px;
42   max-width: 900px;
43   margin: 0 auto;
44   text-align: center;
45   color: #333333;
46 }
47
```


In this picture, I started writing the CSS to design the other parts of the website. First, I changed the font for the whole page to 'Segoe UI' and gave the background a light gray color so the text is easier to read. And then, for the navigation menu at the top, I used flexbox for the display so the links automatically line up horizontally. To put them right in the middle, I set justify-content to center, and I added a 30px gap so they are more visually pleasing. I also added a slight shadow under the header so it stands out a bit from the main content below it. Finally, to make sure the main content and footer stay neat in the middle, I set a max-width of 900px and centered them, setting the margin to 0 and auto. I also added some top and bottom padding so there's enough empty space and the content doesn't look squished.

```
File Edit Selection View Go Run Terminal Help
EXPLORER
  MODULE1
    index.html
    styles.css
  styles.css
# styles.css X
# styles.css > body.dark-mode
26 body{
31   transition: background-color 0.3s ease, color 0.3s ease;
32 }
33
34 < section{
35   padding: 80px 20px;
36   max-width: 900px;
37   margin: 0 auto;
38 }
39
40 < footer{
41   padding: 80px 20px;
42   max-width: 900px;
43   margin: 0 auto;
44   text-align: center;
45   color: var(--color-text);
46 }
47
48 < button{
49   cursor: pointer;
50   padding: 5px 10px;
51   border-radius: 5px;
52   border: 1px solid var(--color-text);
53   background: var(--color-surface);
54   color: var(--color-text);
55 }
56
57
58 < :root{
59   --color-bg: #f8f9fa;
60   --color-text: #333333;
61   --color-primary: #2563eb;
62   --color-surface: #ffffff;
63 }
64
65 < body.dark-mode {
66   --color-bg: #121212;
67   --color-text: #f8e6e6;
68   --color-primary: #e6e6ff;
69   --color-surface: #e1e1e1;
70 }
```

```
index.html X # styles.css
index.html > html > head > link
2 <html lang="en">
3 <head>
4
5 <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
6
7 <title>My Portfolio</title>
8 <link rel="stylesheet" href="styles.css"/>
9 </head>
10
11 <body>
12 <header>
13 <nav>
14 <a href="#hero">Home</a>
15 <a href="#skills">My Skills</a>
16 <button id="theme-toggle">Dark Mode</button>
17 </nav>
18 </header>
19 <main>
20 <section id="hero">
21 <h1>Hi, I'm Nathan!</h1>
22 <p>I am a Computer Science student at ITB. I'm currently learning web development and robotics.</p>
23 </section>
24 <section id="skills">
25 <h2>
26 Technologies I Plan To Learn
27 </h2>
28 <ul>
29 <li>Javascript</li>
30 <li>Kotlin</li>
31 <li>Go</li>
32 <li>React</li>
33 </ul>
34 </section>
35 </main>
36 <footer>
37 <p>
38 Contact me at: nathan.santosa37@gmail.com
39 </p>
40 </footer>
41 <script>
42
43 const toggleButton = document.getElementById('theme-toggle');
44 toggleButton.addEventListener('click', () => {
45   document.body.classList.toggle('dark-mode');
46 });
47 </script>
48 </body>
49
50 </html>
```




In these three images, I'm making the dark mode bonus. First, in `styles.css`, I set up CSS variables inside `:root` to store all my color codes (like background, text, and primary colors). This makes it easier to manage colors because I don't have to hardcode them everywhere. Then, I created a `.dark-mode` class that simply swaps those variables to darker colors when activated. I even added a smooth transition on the body so the color change isn't too sudden by adding a 0.3s ease transition to both the background and text colors in the CSS. In `index.html`, I linked my CSS file in the `<head>`. I added a "Dark Mode" `<button>` right inside the `<nav>`. In order for the dark mode button to work, I added a JavaScript script. It waits for the button to be clicked and then toggles the `dark-mode` class on the `document.body`. The final screenshot is the final result of the website and the dark mode bonus.

A screenshot of a code editor with two tabs: 'index.html' and '# styles.css'. The '# styles.css' tab is active, showing CSS code. The code includes a 'body.dark-mode' class, a ':root' selector for light mode colors, a 'body.dark-mode' selector for dark mode colors, a '@keyframes fadeInDown' animation, and a '#hero' selector applying the animation.


```
# styles.css > body.dark-mode
48  button{
51    border-radius: 5px;
52    border: 1px solid var(--color-text);
53    background: var(--color-surface);
54    color: var(--color-text);
55  }
56
57
58  :root{
59    --color-bg: #f8f9fa;
60    --color-text: #333333;
61    --color-primary: #2563eb;
62    --color-surface: #ffffff;
63  }
64
65  body.dark-mode {
66    --color-bg: #121212;
67    --color-text: #e0e0e0;
68    --color-primary: #60a5fa;
69    --color-surface: #1e1e1e;
70  }
71
72  @keyframes fadeInDown {
73    from {
74      opacity: 0;
75      transform: translateY(-20px);
76    }
77    to {
78      opacity: 1;
79      transform: translateY(0);
80    }
81  }
82
83  #hero {
84    text-align: center;
85    animation: fadeInDown 1.5s ease-in;
86  }
```

This image contains the implementation of the animation bonus for the hero section of the website. To make the animation `fadeInDown`, as instructed in the module, I used keyframes which transform from an opacity of 0 and `translateY(-20px)` to an opacity of 1 and `translateY(0)`, where it makes the hero section appear from below to its intended location. Finally added the animation in the hero section in the styles.css to apply the animation.



```
Help    ← →    GDGoC_Explor
index.html  # styles.css M X
# styles.css > {} @media (max-width: 768px) > nav
72  @keyframes fadeInDown {
78      opacity: 1;
79      transform: translateY(0);
80  }
81  }
82
83  #hero {
84      text-align: center;
85      animation: fadeInDown 1.5s ease-in;
86  }
87
88  @media (max-width: 768px) {
89      nav {
90          flex-direction: column;
91          gap: 15px;
92      }
93
94      section {
95          padding: 40px 15px;
96      }
97
98      footer {
99          padding: 40px 15px;
100     }
101
102     #hero h1 {
103         font-size: 1.8rem;
104     }
105 }
```

In this image, I added a `@media` query at the bottom of my `styles.css` to make sure the website is mobile-responsive. I set the media query for screens with a maximum width of 768px, which usually targets mobile phones and tablets. Inside it, I changed the `nav` display so the `flex-direction` becomes a column, so the navigation links stack up instead of getting squeezed together on small screens. I also reduced the padding in the `section` and `footer` elements so they don't take up too much empty space on a small display. Finally, I made the `<h1>` font size in the hero section a bit smaller.



This image is the implementation of the final bonus, where I used lighthouse to audit my website. I got a score of 100 on accessibility.