

# DataDriven

## Execution Environment

Host name	Nagendra - 192.168.0.6
Local OS	Windows 10 64bit
Katalon version	8.3.0.208
Browser	Chrome 100.0.4896.127

## Summary

ID	Test Suites/DataDriven		
Description			
Total	2		
Passed	1	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	2022-05-03 17:06:34	End	2022-05-03 17:12:45
Elapsed	6m - 10.830s		

#	ID	Description	Status
1	Test Cases/Demo1/DataDrivenTest		PASSED
2	Test Cases/Demo1/DataDrivenTest		FAILED

# DataDrivenTest

## Information

ID	Test Cases/Demo1/DataDrivenTest		
Description			
Tag			
Start	2022-05-03 17:06:34	End	2022-05-03 17:06:54
Elapsed	19.362s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	2.647s	PASSED
2	navigateToUrl("https://opensource-demo.orangehrmlive.com/")  Navigate to 'https://opensource-demo.orangehrmlive.com/' successfully	5.932s	PASSED
3	click(findTestObject("Object Repository/Page_OrangeHRM/span_Username"))  Object: 'Object Repository/Page_OrangeHRM/span_Username' is clicked on	0.564s	PASSED
4	setText(findTestObject("Object Repository/Page_OrangeHRM/input_LOGIN Panel_txtUsername"), username)  Text 'Admin' is set on object 'Object Repository/Page_OrangeHRM/input_LOGIN Panel_txtUsername'	0.765s	PASSED
5	setEncryptedText(findTestObject("Object Repository/Page_OrangeHRM/input_Username_txtPassword"), password)  Text ***** has been set on object 'Object Repository/Page_OrangeHRM/input_Username_txtPassword'	0.549s	PASSED
6	click(findTestObject("Object Repository/Page_OrangeHRM/input_Password_Submit"))  Object: 'Object Repository/Page_OrangeHRM/input_Password_Submit' is clicked on	6.555s	PASSED

# DataDrivenTest

---

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_OrangeHRM/a_Welcome FOAHKUZZtp1pvmg0r"))  Object: 'Object Repository/Page_OrangeHRM/a_Welcome FOAHKUZZtp1pvmg0r' is clicked on	0.519s	PASSED
8	click(findTestObject("Object Repository/Page_OrangeHRM/a_Logout"))  Object: 'Object Repository/Page_OrangeHRM/a_Logout' is clicked on	1.457s	PASSED

# DataDrivenTest

## Information

ID	Test Cases/Demo1/DataDrivenTest		
Description			
Tag			
Start	2022-05-03 17:11:52	End	2022-05-03 17:12:45
Elapsed	52.922s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.932s	PASSED
2	navigateToUrl("https://opensource-demo.orangehrmlive.com/")  Navigate to 'https://opensource-demo.orangehrmlive.com/' successfully	6.811s	PASSED
3	click(findTestObject("Object Repository/Page_OrangeHRM/span_Username"))  Object: 'Object Repository/Page_OrangeHRM/span_Username' is clicked on	0.499s	PASSED
4	setText(findTestObject("Object Repository/Page_OrangeHRM/input_LOGIN Panel_txtUsername"), username)  Text 'Admin1' is set on object 'Object Repository/Page_OrangeHRM/input_LOGIN Panel_txtUsername'	0.662s	PASSED
5	setEncryptedText(findTestObject("Object Repository/Page_OrangeHRM/input_Username_txtPassword"), password)  Text ***** has been set on object 'Object Repository/Page_OrangeHRM/input_Username_txtPassword'	0.376s	PASSED
6	click(findTestObject("Object Repository/Page_OrangeHRM/input_Password_Submit"))  Object: 'Object Repository/Page_OrangeHRM/input_Password_Submit' is clicked on	1.954s	PASSED

# DataDrivenTest

---

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_OrangeHRM/a_Welcome FOAHKUZQtp1pvmg0r"))  Object: 'Object Repository/Page_OrangeHRM/a_Welcome FOAHKUZQtp1pvmg0r' is clicked on	31.607s	PASSED

# DataDrivenTest

#	Description	Elapsed	Status
8	<p>click(findTestObject("Object Repository/Page_OrangeHRM/a_Logout"))</p> <p>Unable to click on object 'Object Repository/Page_OrangeHRM/a_Logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object Repository/Page_OrangeHRM/a_Logout'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source)</p> <p>at DataDrivenTest.run(DataDrivenTest:34)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:445)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:436)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:415)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:407)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:284)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:366)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:366)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:366)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1651577784299.run(TempTestSuite1651577784299.groovy:36)</p> <p>Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window already closed</p> <p>from unknown error: web view not found</p> <p>(Session info: chrome=100.0.4896.127)</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'LAPTOP-4IH3I224', ip: '192.168.0.6', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'</p> <p>Driver info: com.kms.katalon.selenium.driver.CChromeDriver</p>	9.070s	FAILED

# DataDrivenTest

#	Description	Elapsed	Status
	<p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 100.0.4896.60 (6a5d10861ce8..., userDataDir: C:\Users\Nagendra\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\chrome-extension_...}, goog:chromeOptions: {debuggerAddress: localhost:58702}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension: credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}</p> <p>Session ID: 37df38ee5daf28ff29edc3ca4071fd58</p> <p>*** Element info: {Using=xpath, value=//div[@id='welcome-menu']/ul/li[3]/a}</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122)</p> <p>at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:552)</p> <p>at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:19)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432)</p> <p>at org.openqa.selenium.By\$ByXPath.findElements(By.java:348)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311)</p> <p>at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105)</p> <p>at com.sun.proxy.\$Proxy10.findElements(Unknown Source)</p> <p>at org.openqa.selenium.support.events.EventFiringWebDriver.findElements (EventFiringWebDriver.java:182)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementByNormalMethods(WebUiCommonHelper.java:1016)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:911)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:894)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsBySelectedMethod(WebUiCommonHelper.java:889)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsByDefault(WebUiCommonHelper.java:885)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findElementsWithSelfHealing(WebUiCommonHelper.java:733)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718)</p> <p>at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.findWebElement(WebUIAbstractKeyword.groovy:27)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.doCall(ClickKeyword.groovy:65)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword\$_click_closure1.call (ClickKeyword.groovy)</p>		

# DataDrivenTest

#	Description	Elapsed	Status
	<div>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call (Unknown Source) at Script1651559972231.run(Script1651559972231.groovy:34) ... 16 more )</div>		