## **DataDriven**

### **Execution Environment**

Host name Nagendra - 192.168.0.6 Local OS Windows 10 64bit

Katalon version 8.3.0.208

Browser Chrome 100.0.4896.127

Summary

ID Test Suites/DataDriven

Description

Total 2

Passed 1 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 2022-05-03 17:23:07 End 2022-05-03 17:29:37

Elapsed 6m - 29.922s

#	ID	Description	Status
1	Test Cases/Demo1/DataDrivenTesting		PASSED
2	Test Cases/Demo1/DataDrivenTesting		FAILED

### Information

ID Test Cases/Demo1/DataDrivenTesting

Description

Tag

Start 2022-05-03 17:23:07 End 2022-05-03 17:23:28

Elapsed 21.063s Status PASSED

#### **Details**

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	2.829s	PASSED
2	navigateToUrl("https://opensource-demo.orangehrmlive.com/")  Navigate to 'https://opensource-demo.orangehrmlive.com/' successfully	7.350s	PASSED
3	click(findTestObject("Object Repository/Page_OrangeHRM/span_Username"))  Object: 'Object Repository/Page_OrangeHRM/span_Username' is clicked on	0.554s	PASSED
4	setText(findTestObject("Object Repository/Page_OrangeHRM/input_LOGIN Panel_txtUsername"), username)  Text 'Admin' is set on object 'Object Repository/Page_OrangeHRM/input_LOGIN Panel_txtUsername'	0.679s	PASSED
5	setEncryptedText(findTestObject("Object Repository/Page_OrangeHRM/input_Username_txtPassword"), password)  Text ****** has been set on object 'Object Repository/Page_OrangeHRM/input_Username_txtPassword'	0.444s	PASSED
6	click(findTestObject("Object Repository/Page_OrangeHRM/input_Password_Submit"))  Object: 'Object Repository/Page_OrangeHRM/input_Password_Submit' is clicked on	6.187s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_OrangeHRM/a_Welcome Samuel"))	0.604s	PASSED
	Object: 'Object Repository/Page_OrangeHRM/a_Welcome Samuel' is clicked on		
8	click(findTestObject("Object Repository/Page_OrangeHRM/a_Logout"))	1.979s	PASSED
	Object: 'Object Repository/Page_OrangeHRM/a_Logout' is clicked on		

### Information

ID Test Cases/Demo1/DataDrivenTesting

Description

Tag

Start 2022-05-03 17:28:31 End 2022-05-03 17:29:37

Elapsed 1m - 5.980s

Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	openBrowser("")  Browser is opened with url: "	1.865s	PASSED
2	navigateToUrl("https://opensource-demo.orangehrmlive.com/")  Navigate to 'https://opensource-demo.orangehrmlive.com/' successfully	5.800s	PASSED
3	click(findTestObject("Object Repository/Page_OrangeHRM/span_Username"))  Object: 'Object Repository/Page_OrangeHRM/span_Username' is clicked on	0.496s	PASSED
4	setText(findTestObject("Object Repository/Page_OrangeHRM/input_LOGIN Panel_txtUsername"), username)  Text 'Admin1' is set on object 'Object Repository/Page_OrangeHRM/input_LOGIN Panel_txtUsername'	0.672s	PASSED
5	setEncryptedText(findTestObject("Object Repository/Page_OrangeHRM/input_Username_txtPassword"), password)  Text ****** has been set on object 'Object Repository/Page_OrangeHRM/input_Username_txtPassword'	0.414s	PASSED
6	click(findTestObject("Object Repository/Page_OrangeHRM/input_Password_Submit"))  Object: 'Object Repository/Page_OrangeHRM/input_Password_Submit' is clicked on	2.009s	PASSED

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_OrangeHRM/a_Welcome Samuel"))	31.602s	PASSED

Object: 'Object Repository/Page\_OrangeHRM/a\_Welcome Samuel' is clicked on

#	Description	Elapsed	Status
8	click(findTestObject("Object Repository/Page_OrangeHRM/a_Logout"))	23.112s	FAILED
	Unable to click on object 'Object Repository/Page_OrangeHRM/a_Logout' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object		
	Repository/Page_OrangeHRM/a_Logout' at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed		
	(WebUIKeywordMain.groovy:64)		
	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
	(WebUlKeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword.		
	groovy:74) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute		
	(ClickKeyword.groovy:40)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$click\$1.call		
	(Unknown Source)		
	at DataDrivenTesting.run(DataDrivenTesting:34)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:445)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:436)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:415) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:407)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:284)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:366) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:366)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:366)		
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
	(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:144)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	106)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
	185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1651578777042.run(TempTestSuite1651578777042.groovy:36)		
	Caused by: org.openqa.selenium.NoSuchWindowException: no such window: target window		
	already closed		
	from unknown error: web view not found		
	(Session info: chrome=100.0.4896.127) Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'		
	System info: version: 3.141.59, revision: e82be7d358, time: 2018-11-14108:25:53  System info: host: 'LAPTOP-4IH3l224', ip: '192.168.0.6', os.name: 'Windows 10', os.arch:		
	'amd64', os.version: '10.0', java.version: '1.8.0_282'		
	Driver info: com.kms.katalon.selenium.driver.CChromeDriver		

Elapsed

Status

```
Description
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
100.0.4896.127, chrome: {chromedriverVersion: 100.0.4896.60 (6a5d10861ce8...,
localhost:58819}, javascriptEnabled: true, networkConnectionEnabled: false,
pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true}
Session ID: 46ec6395e8b0bd11720b389115283b0a
*** Element info: {Using=xpath, value=//div[@id='welcome-menu']/ul/li[3]/a}
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
         at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
         at org.openqa.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
         at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
         at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.
java:552)
         at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java:
19)
         at org.openga.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:353)
         at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath
(RemoteWebDriver.java:432)
         at org.openqa.selenium.By$ByXPath.findElements(By.java:348)
         at org.openqa.selenium.remote.RemoteWebDriver.findElements
(RemoteWebDriver.java:311)
         at org.openqa.selenium.support.events.EventFiringWebDriver.lambda$new$1
(EventFiringWebDriver.java:105)
         at com.sun.proxy.$Proxy10.findElements(Unknown Source)
         at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements
(EventFiringWebDriver.java:182)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementByNormalMethods(WebUiCommonHelper.java:1016)
         at\ com.kms. katalon. core. webui. common. WebUiCommon Helper.
findElementsBySelectedMethod(WebUiCommonHelper.java:911)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:894)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsBySelectedMethod(WebUiCommonHelper.java:889)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsByDefault(WebUiCommonHelper.java:885)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.
findElementsWithSelfHealing(WebUiCommonHelper.java:733)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements
(WebUiCommonHelper.java:718)
         at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement
(WebUiCommonHelper.iava:1365)
         at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword.
findWebElement(WebUIAbstractKeyword.groovy:27)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.
doCall(ClickKeyword.groovy:65)
         at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword$_click_closure1.call
(ClickKeyword.groovy)
```

Description Elapsed Status at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. groovy:74)  $at\ com. kms. katalon. core. we bui. keyword. built in. Click Keyword. execute$ (ClickKeyword.groovy:40) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click (WebUiBuiltInKeywords.groovy:620)  $at\ com. kms. katalon. core. webui. keyword. WebUiBuiltIn Keywords \$click \$1. call$ (Unknown Source) at Script1651578255526.run(Script1651578255526.groovy:34) ... 16 more