

Suite

Execution Environment

Host name	Nagendra - 192.168.0.6
Local OS	Windows 10 64bit
Katalon version	8.3.0.208
Browser	Chrome 100.0.4896.127

Summary

ID	Test Suites/Suite		
Description			
Total	3		
Passed	1	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	2022-05-04 11:55:32	End	2022-05-04 11:58:18
Elapsed	2m - 46.188s		

#	ID	Description	Status
1	Test Cases/Demo1/Manual Mode Demo		FAILED
2	Test Cases/Demo1/RecordMode _Demo		PASSED
3	Test Cases/Demo1/Script mode		FAILED

Manual Mode Demo

Information

ID	Test Cases/Demo1/Manual Mode Demo		
Description			
Tag			
Start	2022-05-04 11:55:32	End	2022-05-04 11:57:54
Elapsed	2m - 21.814s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.207s	PASSED
2	navigateToUrl("https://opensource-demo.orangehrmlive.com/") Navigate to 'https://opensource-demo.orangehrmlive.com/' successfully	6.894s	PASSED
3	setText(findTestObject("Page_OrangeHRM/input_LOGIN Panel_txtUsername"), "Admin") Text 'Admin' is set on object 'Object Repository/Page_OrangeHRM/input_LOGIN Panel_txtUsername'	0.894s	PASSED

Manual Mode Demo

#	Description	Elapsed	Status
4	<p>setText(findTestObject("Page_OrangeHRM/b_Recruitment"), "admin123")</p> <p>Unable to set text 'admin123' of object 'Object Repository/Page_OrangeHRM/b_Recruitment' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to set text 'admin123' of object 'Object Repository/Page_OrangeHRM/b_Recruitment'</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)</p> <p>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:980)</p> <p>at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$1.call (Unknown Source)</p> <p>at Manual Mode Demo.run(Manual Mode Demo:26)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:445)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:436)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:415)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:407)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:284)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1651645523557.run(TempTestSuite1651645523557.groovy:36)</p> <p>Caused by: org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=100.0.4896.127)</p> <p>Build info: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53'</p> <p>System info: host: 'LAPTOP-4IH3I224', ip: '192.168.0.6', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_282'</p> <p>Driver info: com.kms.katalon.selenium.driver.CChromeDriver</p> <p>Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 100.0.4896.60 (6a5d10861ce8..., userDataDir: C:\Users\Nagendra\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\kmskatalon\chrome\userDataDir}, goog:chromeOptions: {debuggerAddress: localhost:53110}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:</p>	2m - 11.625s	FAILED

Manual Mode Demo

#	Description	Elapsed	Status
	<pre>credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true) Session ID: 9b2620d25f70cd3dac2829f7c746e8f5 *** Element info: {Using=xpath, value=//a[@id='menu_recruitment_viewRecruitmentModule'] /b} at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) at org.openqa.selenium.remote.RemoteWebDriver.findElementsByXPath (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105) at com.sun.proxy.\$Proxy10.findElements(Unknown Source) at org.openqa.selenium.support.events.EventFiringWebDriver.findElements (EventFiringWebDriver.java:182) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1016) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:911) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:894) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:889) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:885) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:733) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElements (WebUiCommonHelper.java:718) at com.kms.katalon.core.webui.common.WebUiCommonHelper.findWebElement (WebUiCommonHelper.java:1365) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:51) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText (SetTextKeyword.groovy:66)</pre>		

Manual Mode Demo

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute (SetTextKeyword.groovy:37) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:980) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$setText\$1.call (Unknown Source) at Script1651124575318.run(Script1651124575318.groovy:26) ... 13 more)</pre>		

RecordMode _Demo

Information

ID	Test Cases/Demo1/RecordMode _Demo		
Description			
Tag			
Start	2022-05-04 11:57:54	End	2022-05-04 11:58:07
Elapsed	13.639s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.710s	PASSED
2	navigateToUrl("https://katalon-demo-cura.herokuapp.com/") Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully	3.357s	PASSED
3	click(findTestObject("Object Repository/Page_CURA Healthcare Service/a_Make Appointment")) Object: 'Object Repository/Page_CURA Healthcare Service/a_Make Appointment' is clicked on	0.728s	PASSED
4	setText(findTestObject("Object Repository/Page_CURA Healthcare Service/input_Username_username"), "John Doe") Text 'John Doe' is set on object 'Object Repository/Page_CURA Healthcare Service/input_Username_username'	0.664s	PASSED
5	setEncryptedText(findTestObject("Object Repository/Page_CURA Healthcare Service/input_Password_password"), "g3/DOGG74jC3Flrr3yH+3D/yKbOqqUNM") Text ***** has been set on object 'Object Repository/Page_CURA Healthcare Service/input_Password_password'	0.409s	PASSED
6	click(findTestObject("Object Repository/Page_CURA Healthcare Service/button_Login")) Object: 'Object Repository/Page_CURA Healthcare Service/button_Login' is clicked on	0.891s	PASSED

RecordMode _Demo

#	Description	Elapsed	Status
7	<code>selectOptionByValue(findTestObject("Object Repository/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center _5b4107"), "Hongkong CURA Healthcare Center", true)</code> All options with value 'Hongkong CURA Healthcare Center' are selected in object 'Object Repository/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center _5b4107' using regular expression	1.055s	PASSED
8	<code>click(findTestObject("Object Repository/Page_CURA Healthcare Service/label_Apply for hospital readmission"))</code> Object: 'Object Repository/Page_CURA Healthcare Service/label_Apply for hospital readmission' is clicked on	0.361s	PASSED
9	<code>click(findTestObject("Object Repository/Page_CURA Healthcare Service/label_Medicaid"))</code> Object: 'Object Repository/Page_CURA Healthcare Service/label_Medicaid' is clicked on	0.351s	PASSED
10	<code>click(findTestObject("Object Repository/Page_CURA Healthcare Service/span_Visit Date (Required)_glyphicon glyphi_cada34"))</code> Object: 'Object Repository/Page_CURA Healthcare Service/span_Visit Date (Required)_glyphicon glyphi_cada34' is clicked on	0.355s	PASSED
11	<code>click(findTestObject("Object Repository/Page_CURA Healthcare Service/td_14"))</code> Object: 'Object Repository/Page_CURA Healthcare Service/td_14' is clicked on	0.475s	PASSED
12	<code>setText(findTestObject("Object Repository/Page_CURA Healthcare Service/textarea_Comment_comment"), "Appointment done")</code> Text 'Appointment done' is set on object 'Object Repository/Page_CURA Healthcare Service/textarea_Comment_comment'	0.806s	PASSED
13	<code>click(findTestObject("Object Repository/Page_CURA Healthcare Service/button_Book Appointment"))</code> Object: 'Object Repository/Page_CURA Healthcare Service/button_Book Appointment' is clicked on	0.681s	PASSED

RecordMode _Demo

#	Description	Elapsed	Status
14	verifyElementText(findTestObject("Object Repository/Page_CURA Healthcare Service/h2_Appointment Confirmation"), "Appointment Confirmation") Actual text and expected text of test object 'Object Repository/Page_CURA Healthcare Service/h2_Appointment Confirmation' are matched.	0.324s	PASSED
15	click(findTestObject("Object Repository/Page_CURA Healthcare Service/a_Go to Homepage")) Object: 'Object Repository/Page_CURA Healthcare Service/a_Go to Homepage' is clicked on	0.728s	PASSED
16	closeBrowser() Browser is closed	0.639s	PASSED

Script mode

Information

ID	Test Cases/Demo1/Script mode		
Description			
Tag			
Start	2022-05-04 11:58:07	End	2022-05-04 11:58:18
Elapsed	10.505s		
Status	FAILED		


Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.084s	PASSED
2	navigateToUrl("https://opensource-demo.orangehrmlive.com/") Navigate to 'https://opensource-demo.orangehrmlive.com/' successfully	5.927s	PASSED
3	setText(findTestObject("Object Repository/Page_OrangeHRM/input_LOGIN Panel_txtUsername"), username) Text 'admin' is set on object 'Object Repository/Page_OrangeHRM/input_LOGIN Panel_txtUsername'	0.780s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_OrangeHRM/input_Username_txtPassword"), "hUKwJTbofgPU9eVlw/CnDQ==") Text ***** has been set on object 'Object Repository/Page_OrangeHRM/input_Username_txtPassword'	0.409s	PASSED
5	click(findTestObject("Object Repository/Page_OrangeHRM/input_Password_Submit")) Object: 'Object Repository/Page_OrangeHRM/input_Password_Submit' is clicked on	1.690s	PASSED

Script mode

#	Description	Elapsed	Status
6	verifyTextPresent("Welcom", false) Unable to verify text 'Welcom' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify text 'Welcom' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword.verifyTextPresent(VerifyTextPresentKeyword.groovy:83) at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword.execute(VerifyTextPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyTextPresent (WebUiBuiltInKeywords.groovy:1723) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords\$verifyTextPresent\$7.call(Unknown Source) at Script mode.run (Script mode:30) at com.kms.katalon.core.main.ScriptEngine.run (ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:445) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:436) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:415) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:407) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:284) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:144) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite (TestCaseMain.java:185) at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call (Unknown Source) at TempTestSuite1651645523557.run (TempTestSuite1651645523557.groovy:36) Caused by: com.kms.katalon.core.exception.StepFailedException: Text 'Welcom' is not present on page at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword\$_verifyTextPresent_closure1.doCall (VerifyTextPresentKeyword.groovy:79) at com.kms.katalon.core.webui.keyword.builtin.VerifyTextPresentKeyword\$_verifyTextPresent_closure1.call (VerifyTextPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 19 more)	0.496s	FAILED

Script mode

#	Description	Elapsed	Status
1		00:00:00.000	Success