```
C:\windows\system32\cmd.exe

x customer datatable
T101 rahul 1236985478
er 102 mayank 1235985478
103 chirag 1536985478

corder datatable
501 103 20000
502 102 30000
503 101 25000
Press any key to continue . . .
```

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Data;
using System.Data.SqlClient;
namespace Dataset_withoutsqlserver
{
    internal class Program
    {
        static void Main(string[] args)
        {
            try
            {
                // Craeting Customer table
                DataTable customer = new DataTable("customer");
                //Creating column and schema
                DataColumn id=new DataColumn("id",typeof(Int32));
                customer.Columns.Add(id);
                DataColumn custname = new
```

```
DataColumn("custname", typeof(string));
                customer.Columns.Add(custname);
                DataColumn mobile = new DataColumn("mobile",
typeof(string));
                customer.Columns.Add(mobile);
                //Adding Data Rows into Customer table
                customer.Rows.Add(101, "rahul", "1236985478");
                customer.Rows.Add(102, "mayank", "1235985478");
                customer.Rows.Add(103, "chirag", "1536985478");
                //creating order table
                DataTable order = new DataTable("order");
                //craeting column and schema
                DataColumn orderid=new DataColumn("id", typeof(Int32));
                order.Columns.Add(orderid);
                DataColumn custid = new DataColumn("custid",
typeof(Int32));
                order.Columns.Add(custid);
                DataColumn amount= new DataColumn("amount", typeof(Int32));
                order.Columns.Add(amount);
                //adding Data Row into order table
                order.Rows.Add(501,103,20000);
                order.Rows.Add(502, 102, 30000);
                order.Rows.Add(503, 101, 25000);
                //creating dataset object
                DataSet ds = new DataSet();
                //Adding DataTables into DataSet
                ds.Tables.Add(customer);
                ds.Tables.Add(order);
                //Customer Table
                Console.WriteLine("customer datatable");
```

```
//Fetching DataTable from dataset using the Index position
                foreach(DataRow dr in ds.Tables[0].Rows)
                {
                    Console.WriteLine(dr["id"]+" " + dr["custname"]+" " +
dr["mobile"]);
                }
                Console.WriteLine();
                //Order Table
                Console.WriteLine("order datatable");
                //Fetching DataTable from dataset using the table name
                foreach (DataRow dr in ds.Tables["order"].Rows)
                {
                    Console.WriteLine(dr["id"] + " " + dr["custid"] + " " +
dr["amount"]);
                }
            }
            catch (Exception ee)
            {
                Console.WriteLine("Oops, something went wrong"+ee);
            }
        }
    }
}
```