```
Form1.cs 🗘 × Form1.cs [Design]
C WindowsFormsApp5
                                → WindowsFormsApp5.Form1
                                                                 - CacomboBox1 SelectedIndexChanged(object sender, Event
                                                           Form1
                                                                                           П
                             else if (comboBox1.Text ==
        34
        35
                             {
                                                                           45123
        36
                                 act = new Current();
        37
                                                                           1000
                        }
        38
        39
                                                                            current
                        1 reference
                        private void button2_Click(obje
        40
        41
                                                                  deposit
                                                                             withdrawl
                             act.accountno = Convert.To:
        42
                             string res = act.withdrawl
        43
                                                                  amount deposited successfully balance is : 2000
                             label4.Text = res;
        44
        45
                         1 reference
        47
                        private void button3_Click(object sender, EventArgs e)
        48
                         act.accountno = Convert.ToInt32(textBox1.Text); Ln:36 Ch:28 SPC CRIF
        49
No
                                       → | <u>C</u> | <u>C</u> | <u>X</u> | <u>M</u>
Show output from: Build
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using Bank;
namespace WindowsFormsApp5
{
     public partial class Form1 : Form
     {
           public Form1()
           {
                InitializeComponent();
           }
```

```
Account act = null;
        private void button1_Click(object sender, EventArgs e)
        {
            act.accountno=Convert.ToInt32(textBox1.Text);
            string res=act.deposit(Convert.ToInt32(textBox2.Text));
            label4.Text=res;
        }
        private void comboBox1_SelectedIndexChanged(object sender,
EventArgs e)
        {
            if(comboBox1.Text == "saving")
            {
                act = new Saving();
            }
            else if (comboBox1.Text == "current")
            {
                act = new Current();
            }
        }
        private void button2_Click(object sender, EventArgs e)
        {
            act.accountno = Convert.ToInt32(textBox1.Text);
            string res = act.withdrawl(Convert.ToInt32(textBox2.Text));
            label4.Text = res;
        }
        private void button3_Click(object sender, EventArgs e)
        {
```

```
act.accountno = Convert.ToInt32(textBox1.Text);
string res = act.showbalance();
label4.Text = res;
}
}
```